



INUVIALUIT HARVEST STUDY

DATA AND METHODS REPORT 1988–1997

Inuvialuit Harvest Study – Inuvik NT, March 2003



Inuvialuit Harvest Study
The Joint Secretariat, Box 2120, Inuvik, NWT XOE 0T0

TABLE OF CONTENTS

1. Introduction

1.1 Purpose of report	1
1.2 Acronyms	1
1.3 Acknowledgements	2

2. Project History

2.1 Rationale and objectives of the IHS	3
2.2 Funding and administration	3
2.3 Study organization and personnel	3
2.3.1 Management	3
2.3.2 Study coordinator	4
2.3.3 Field workers	4
2.4 Community consultations	5
2.5 Privacy and access policies	5
2.6 Survey products	6

3. Methods

3.1 Study area	7
3.2 Definition of harvest	7
3.3 Definition and identification of hunters	7
3.4 Survey response	9
3.5 Species list	9
3.6 Data collection materials	10
3.6.1 IHS calendar	10
3.6.2 Data collection forms	10
3.6.3 Maps	11
3.7 Data collection methods	11

4. Inuvialuit Harvests 1988 – 1997

4.1 The tables	13
4.2 Estimated harvest	13
4.3 Hunter response and activity	14
4.3.1 Hunter response	14
4.3.2 Non-response bias	15
4.3.3 Number of hunters harvesting selected species	16

References

References	17
------------------	----

Appendices

1 Inuvialuit Harvest Study working group terms of reference.....	18
2 Community, commercial, and research harvests reported to IHS ..	19
3 Gwich'in hunters included in IHS hunter list	20
4 IHS hunter record (data collection form)	21
5 Species list	22
6 Other reported species list	24

TABLES

Aklavik	25
1	Total estimated harvest, selected species, monthly, Aklavik, 1988
2	Hunter response, and number of hunters harvesting selected species, monthly, Aklavik, 1988
3	Total estimated harvest, selected species, monthly, Aklavik, 1989
4	Hunter response, and number of hunters harvesting selected species, monthly, Aklavik, 1989
5	Total estimated harvest, selected species, monthly, Aklavik, 1990
6	Hunter response, and number of hunters harvesting selected species, monthly, Aklavik, 1990
7	Total estimated harvest, selected species, monthly, Aklavik, 1991
8	Hunter response, and number of hunters harvesting selected species, monthly, Aklavik, 1991
9	Total estimated harvest, selected species, monthly, Aklavik, 1992
10	Hunter response, and number of hunters harvesting selected species, monthly, Aklavik, 1992
11	Total estimated harvest, selected species, monthly, Aklavik, 1993
12	Hunter response, and number of hunters harvesting selected species, monthly, Aklavik, 1993
13	Total estimated harvest, selected species, monthly, Aklavik, 1994
14	Hunter response, and number of hunters harvesting selected species, monthly, Aklavik, 1994
15	Total estimated harvest, selected species, monthly, Aklavik, 1995
16	Hunter response, and number of hunters harvesting selected species, monthly, Aklavik, 1995
17	Total estimated harvest, selected species, monthly, Aklavik, 1996
18	Hunter response, and number of hunters harvesting selected species, monthly, Aklavik, 1996
19	Total estimated harvest, selected species, monthly, Aklavik, 1997
20	Hunter response, and number of hunters harvesting selected species, monthly, Aklavik, 1997
21	Total estimated harvest, selected species, annual and ten-year mean, Aklavik, 1988–1997
22	Hunter response, and number of hunters harvesting selected species, annual and ten-year mean, Aklavik, 1988–1997
Holman	49
23	Total estimated harvest, selected species, monthly, Holman, 1988
24	Hunter response, and number of hunters harvesting selected species, monthly, Holman, 1988
25	Total estimated harvest, selected species, monthly, Holman, 1989
26	Hunter response, and number of hunters harvesting selected species, monthly, Holman, 1989
27	Total estimated harvest, selected species, monthly, Holman, 1990
28	Hunter response, and number of hunters harvesting selected species, monthly, Holman, 1990
29	Total estimated harvest, selected species, monthly, Holman, 1991
30	Hunter response, and number of hunters harvesting selected species, monthly, Holman, 1991
31	Total estimated harvest, selected species, monthly, Holman, 1992
32	Hunter response, and number of hunters harvesting selected species, monthly, Holman, 1992
33	Total estimated harvest, selected species, monthly, Holman, 1993
34	Hunter response, and number of hunters harvesting selected species, monthly, Holman, 1993
35	Total estimated harvest, selected species, monthly, Holman, 1994
36	Hunter response, and number of hunters harvesting selected species, monthly, Holman, 1994
37	Total estimated harvest, selected species, monthly, Holman, 1995
38	Hunter response, and number of hunters harvesting selected species, monthly, Holman, 1995
39	Total estimated harvest, selected species, monthly, Holman, 1996
40	Hunter response, and number of hunters harvesting selected species, monthly, Holman, 1996
41	Total estimated harvest, selected species, monthly, Holman, 1997
42	Hunter response, and number of hunters harvesting selected species, monthly, Holman, 1997
43	Total estimated harvest, selected species, annual and ten-year mean, Holman, 1988–1997
44	Hunter response, and number of hunters harvesting selected species, annual and ten-year mean, Holman, 1988–1997

Inuvik73

- 45 Total estimated harvest, selected species, monthly, Inuvik, 1988
46 Hunter response, and number of hunters harvesting selected species, monthly, Inuvik, 1988
47 Total estimated harvest, selected species, monthly, Inuvik, 1989
48 Hunter response, and number of hunters harvesting selected species, monthly, Inuvik, 1989
49 Total estimated harvest, selected species, monthly, Inuvik, 1990
50 Hunter response, and number of hunters harvesting selected species, monthly, Inuvik, 1990
51 Total estimated harvest, selected species, monthly, Inuvik, 1991
52 Hunter response, and number of hunters harvesting selected species, monthly, Inuvik, 1991
53 Total estimated harvest, selected species, monthly, Inuvik, 1992
54 Hunter response, and number of hunters harvesting selected species, monthly, Inuvik, 1992
55 Total estimated harvest, selected species, monthly, Inuvik, 1993
56 Hunter response, and number of hunters harvesting selected species, monthly, Inuvik, 1993
57 Total estimated harvest, selected species, monthly, Inuvik, 1994
58 Hunter response, and number of hunters harvesting selected species, monthly, Inuvik, 1994
59 Total estimated harvest, selected species, monthly, Inuvik, 1995
60 Hunter response, and number of hunters harvesting selected species, monthly, Inuvik, 1995
61 Total estimated harvest, selected species, monthly, Inuvik, 1996
62 Hunter response, and number of hunters harvesting selected species, monthly, Inuvik, 1996
63 Total estimated harvest, selected species, monthly, Inuvik, 1997
64 Hunter response, and number of hunters harvesting selected species, monthly, Inuvik, 1997
65 Total estimated harvest, selected species, annual and ten-year mean, Inuvik, 1988–1997
66 Hunter response, and number of hunters harvesting selected species, annual and ten-year mean,
Inuvik, 1988–1997

Paulatuk97

- 67 Total estimated harvest, selected species, monthly, Paulatuk, 1988
68 Hunter response, and number of hunters harvesting selected species, monthly, Paulatuk, 1988
69 Total estimated harvest, selected species, monthly, Paulatuk, 1989
70 Hunter response, and number of hunters harvesting selected species, monthly, Paulatuk, 1989
71 Total estimated harvest, selected species, monthly, Paulatuk, 1990
72 Hunter response, and number of hunters harvesting selected species, monthly, Paulatuk, 1990
73 Total estimated harvest, selected species, monthly, Paulatuk, 1991
74 Hunter response, and number of hunters harvesting selected species, monthly, Paulatuk, 1991
75 Total estimated harvest, selected species, monthly, Paulatuk, 1992
76 Hunter response, and number of hunters harvesting selected species, monthly, Paulatuk, 1992
77 Total estimated harvest, selected species, monthly, Paulatuk, 1993
78 Hunter response, and number of hunters harvesting selected species, monthly, Paulatuk, 1993
79 Total estimated harvest, selected species, monthly, Paulatuk, 1994
80 Hunter response, and number of hunters harvesting selected species, monthly, Paulatuk, 1994
81 Total estimated harvest, selected species, monthly, Paulatuk, 1995
82 Hunter response, and number of hunters harvesting selected species, monthly, Paulatuk, 1995
83 Total estimated harvest, selected species, monthly, Paulatuk, 1996
84 Hunter response, and number of hunters harvesting selected species, monthly, Paulatuk, 1996
85 Total estimated harvest, selected species, monthly, Paulatuk, 1997
86 Hunter response, and number of hunters harvesting selected species, monthly, Paulatuk, 1997
87 Total estimated harvest, selected species, annual and ten-year mean, Paulatuk, 1988–1997
88 Hunter response, and number of hunters harvesting selected species, annual and ten-year mean,
Paulatuk, 1988–1997

Sachs Harbour	121
89	Total estimated harvest, selected species, monthly, Sachs Harbour, 1988
90	Hunter response, and number of hunters harvesting selected species, monthly, Sachs Harbour, 1988
91	Total estimated harvest, selected species, monthly, Sachs Harbour, 1989
92	Hunter response, and number of hunters harvesting selected species, monthly, Sachs Harbour, 1989
93	Total estimated harvest, selected species, monthly, Sachs Harbour, 1990
94	Hunter response, and number of hunters harvesting selected species, monthly, Sachs Harbour, 1990
95	Total estimated harvest, selected species, monthly, Sachs Harbour, 1991
96	Hunter response, and number of hunters harvesting selected species, monthly, Sachs Harbour, 1991
97	Total estimated harvest, selected species, monthly, Sachs Harbour, 1992
98	Hunter response, and number of hunters harvesting selected species, monthly, Sachs Harbour, 1992
99	Total estimated harvest, selected species, monthly, Sachs Harbour, 1993
100	Hunter response, and number of hunters harvesting selected species, monthly, Sachs Harbour, 1993
101	Total estimated harvest, selected species, monthly, Sachs Harbour, 1994
102	Hunter response, and number of hunters harvesting selected species, monthly, Sachs Harbour, 1994
103	Total estimated harvest, selected species, monthly, Sachs Harbour, 1995
104	Hunter response, and number of hunters harvesting selected species, monthly, Sachs Harbour, 1995
105	Total estimated harvest, selected species, monthly, Sachs Harbour, 1996
106	Hunter response, and number of hunters harvesting selected species, monthly, Sachs Harbour, 1996
107	Total estimated harvest, selected species, monthly, Sachs Harbour, 1997
108	Hunter response, and number of hunters harvesting selected species, monthly, Sachs Harbour, 1997
109	Total estimated harvest, selected species, annual and ten-year mean, Sachs Harbour, 1988–1997
110	Hunter response, and number of hunters harvesting selected species, annual and ten-year mean, Sachs Harbour, 1988–1997
Tuktoyaktuk	145
111	Total estimated harvest, selected species, monthly, Tuktoyaktuk, 1988
112	Hunter response, and number of hunters harvesting selected species, monthly, Tuktoyaktuk, 1988
113	Total estimated harvest, selected species, monthly, Tuktoyaktuk, 1989
114	Hunter response, and number of hunters harvesting selected species, monthly, Tuktoyaktuk, 1989
115	Total estimated harvest, selected species, monthly, Tuktoyaktuk, 1990
116	Hunter response, and number of hunters harvesting selected species, monthly, Tuktoyaktuk, 1990
117	Total estimated harvest, selected species, monthly, Tuktoyaktuk, 1991
118	Hunter response, and number of hunters harvesting selected species, monthly, Tuktoyaktuk, 1991
119	Total estimated harvest, selected species, monthly, Tuktoyaktuk, 1992
120	Hunter response, and number of hunters harvesting selected species, monthly, Tuktoyaktuk, 1992
121	Total estimated harvest, selected species, monthly, Tuktoyaktuk, 1993
122	Hunter response, and number of hunters harvesting selected species, monthly, Tuktoyaktuk, 1993
123	Total estimated harvest, selected species, monthly, Tuktoyaktuk, 1994
124	Hunter response, and number of hunters harvesting selected species, monthly, Tuktoyaktuk, 1994
125	Total estimated harvest, selected species, monthly, Tuktoyaktuk, 1995
126	Hunter response, and number of hunters harvesting selected species, monthly, Tuktoyaktuk, 1995
127	Total estimated harvest, selected species, monthly, Tuktoyaktuk, 1996
128	Hunter response, and number of hunters harvesting selected species, monthly, Tuktoyaktuk, 1996
129	Total estimated harvest, selected species, monthly, Tuktoyaktuk, 1997
130	Hunter response, and number of hunters harvesting selected species, monthly, Tuktoyaktuk, 1997
131	Total estimated harvest, selected species, annual and ten-year mean, Tuktoyaktuk, 1988–1997
132	Hunter response, and number of hunters harvesting selected species, annual and ten-year mean, Tuktoyaktuk, 1988–1997

Inuvialuit Settlement Region	169
133	Total estimated harvest, selected species, monthly, Inuvialuit Settlement Region, 1988
134	Hunter response, and number of hunters harvesting selected species, monthly, Inuvialuit Settlement Region, 1988
135	Total estimated harvest, selected species, monthly, Inuvialuit Settlement Region, 1989
136	Hunter response, and number of hunters harvesting selected species, monthly, Inuvialuit Settlement Region, 1989
137	Total estimated harvest, selected species, monthly, Inuvialuit Settlement Region, 1990
138	Hunter response, and number of hunters harvesting selected species, monthly, Inuvialuit Settlement Region, 1990
139	Total estimated harvest, selected species, monthly, Inuvialuit Settlement Region, 1991
140	Hunter response, and number of hunters harvesting selected species, monthly, Inuvialuit Settlement Region, 1991
141	Total estimated harvest, selected species, monthly, Inuvialuit Settlement Region, 1992
142	Hunter response, and number of hunters harvesting selected species, monthly, Inuvialuit Settlement Region, 1992
143	Total estimated harvest, selected species, monthly, Inuvialuit Settlement Region, 1993
144	Hunter response, and number of hunters harvesting selected species, monthly, Inuvialuit Settlement Region, 1993
145	Total estimated harvest, selected species, monthly, Inuvialuit Settlement Region, 1994
146	Hunter response, and number of hunters harvesting selected species, monthly, Inuvialuit Settlement Region, 1994
147	Total estimated harvest, selected species, monthly, Inuvialuit Settlement Region, 1995
148	Hunter response, and number of hunters harvesting selected species, monthly, Inuvialuit Settlement Region, 1995
149	Total estimated harvest, selected species, monthly, Inuvialuit Settlement Region, 1996
150	Hunter response, and number of hunters harvesting selected species, monthly, Inuvialuit Settlement Region, 1996
151	Total estimated harvest, selected species, monthly, Inuvialuit Settlement Region, 1997
152	Hunter response, and number of hunters harvesting selected species, monthly, Inuvialuit Settlement Region, 1997
153	Total estimated harvest, selected species, annual and ten-year mean, Inuvialuit Settlement Region, 1988–1997
154	Hunter response, and number of hunters harvesting selected species, annual and ten-year mean, Inuvialuit Settlement Region, 1988–1997

1. INTRODUCTION

1.1 Purpose of report

This report provides, in a single volume, the annual results of the Inuvialuit Harvest Study (IHS) from 1988 to 1997, totals for the ten-year period, and the statement of the methods and administration of the survey. In view of lower reporting rates and different survey intervals for the start-up phase (1 July 1986 to 31 December 1987), no attempt was made to estimate total harvests for that period. Fabijan (1991) therefore remains as the authoritative record of the IHS for the start-up phase. The IHS Ten-Year Report contains two sets of tables of monthly data:

1. Estimated harvest, selected species; and other harvested species reported; and
2. Hunter response, and number of hunters harvesting selected species.

In each case, data are provided by community [and for the Inuvialuit Settlement Region (ISR) as a whole], by month and year, and for the ten-year period as a whole. This report also describes the IHS mapping procedure, but does not include location data.

While annual reports were issued during the ten-year period, this volume provides additional information, not previously reported, on hunter response rates and complete information on estimated harvest rates using a consistent algorithm.

The 1998 and 2000 data are not included in this report. The IHS was suspended in 1999 and again in 2001 for an undetermined period.

1.2 Acronyms

CWS	Canadian Wildlife Service (Environment Canada)
DFO	Fisheries and Oceans Canada
DIAND	Department of Indian Affairs and Northern Development
DRR	Department of Renewable Resources (Yukon)
DRWED	Department of Resources, Wildlife, and Economic Development (NWT)
EIRB	Environmental Impact Review Board
EISC	Environmental Impact Screening Committee
FJMC	Fisheries Joint Management Committee
HTC	Hunters and Trappers Committee
IFA	Inuvialuit Final Agreement
IGC	Inuvialuit Game Council
IHS	Inuvialuit Harvest Study
IHSMC	Inuvialuit Harvest Study Management Committee
IHSWG	Inuvialuit Harvest Study Working Group
ISR	Inuvialuit Settlement Region
JS	Joint Secretariat
WMAC(NS)	Wildlife Management Advisory Council (North Slope)
WMAC(NWT)	Wildlife Management Advisory Council (Northwest Territories)

Photo: Wayne Spencer



Ptarmigan

1. Introduction

1.3 Acknowledgements

The success of the Inuvialuit Harvest Study truly reflects the spirit of cooperative management envisioned by the architects of the Inuvialuit Final Agreement (IFA). The IHS design, implementation, and on-going activities have involved the Inuvialuit harvesters, the Hunters and Trappers Committees (HTCs), the Inuvialuit Game Council (IGC), the five IFA co-management bodies, and the sponsoring participant government agencies.

The contribution of the following people from 1986 to the present is gratefully acknowledged:

The IHS coordinator for many years, Michael Fabijan, as well as Sheila Nasogaluak and Mae Cockney for shorter periods of time. The IHS program manager in its latter years was Catherine Pinard.

There were many who contributed to the design, management, and execution of the IHS. These include, but are not limited to the following:

Alex Aviugana, Andy Carpenter Sr., Larry Carpenter, Billy Day, Bob Delury, Herbert Felix, Nelson Green, Donald Inuktalik, and Eli Nasogaluak (IGC & HTCs).

Sam Barry, Arne Goodman, Jim Hawkins, Jim Hines, and Kevin McCormick (Canadian Wildlife Service [CWS]).

Ron Allen, Vic Gilman, Lois Harwood, Pierre Lemieux, Dave Moshenko and Gerald Yaremchuk (Fisheries and Oceans Canada [DFO]).

Roger Binne, Susan Bonnyman, Randal Glaholt, Dyan Grant-Francis, John Nagy and Gord Stenhouse (Department of Resources, Wildlife, and Economic Development (NWT) [DRWED]).

Dorothy Cooley, Harvey Jessup and Brian Pelchat (Department of Renewable Resources (Yukon) [YTG-DRR]).

John Bailey, Dr. Tom Beck, Bob Bell, Ewan Cotterell, Robert Hornal, Bill Mair, Lindsay Staples and Dr. Peter Usher (IFA co-management bodies).

Dr. Norm Snow and Peggy Madore (project administration) and Robert Inglangasuk (data entry).

Pivotal to the implementation and output of the IHS, was the role of the field workers who conducted the door-to-door survey. Their dedication and diligence is acknowledged:

Foster Allen, Billy Archie, Dean Arey, Renie Arey, Nellie Elanik, Bessie Erigaktuk, Dodie Malegana, Don Storr, Denise Jerome and Sally Elanik (Aklavik).

David Kuptana (Holman).

Victor Allen, Linley Day, Noel Dick, Alex Kaglik, Ann Kasook, Lawrence Rogers, John Rogers, Troy Smith, Tommy Thrasher, Ray Tingmiak and Velma Dick (Inuvik).

Lilly-Ann Green, Noel Green and Brian Kudlak (Paulatuk).

Earl Esau and Samantha Lucas (Sachs Harbour).

Janet Elias, Laura Ettagiak, Charles Gruben, Bessie Hagen, Marjorie Ovayak, Fred Wolki, Sandra Pascal and Kara Dillon (Tuktoyaktuk).

Amongst the field workers special mention should be made of David Kuptana who has been with the IHS for its duration. David's previous experience with the Kitikmeot Harvest Study was a great asset to the IHS and was particularly helpful in the training of new field workers.

Special thanks are also due to the more than twelve hundred individual harvesters who willingly allowed themselves to be interviewed regularly over the duration of the IHS, which could not have been conducted without their participation.

Dr. Peter Usher and Michael Fabijan prepared the initial text of this report which outlines the history and methodology of the IHS. Significant analytical input was provided by Abdellatif Dannati, Frances Laffey and Owen Powers (Statistical Consultation Group, Statistics Canada). Their efforts are greatly appreciated.

Photo: Parks Canada



Red Fox

2. PROJECT HISTORY

2.1 Rationale and objectives of the IHS

The IFA of 1984 established a co-management system for wildlife and environmental management, and provided for harvester compensation in the event of adverse effects of development activities. The co-management bodies¹ require harvest information [IFA 14(60)(h) and 14(78)] and harvest data. The wildlife and fisheries bodies need this information to determine and recommend subsistence quotas, and in general for the rational management of renewable resources. The screening and review bodies need this information to fulfill their role in dealing with development. The IFA provides harvesters a role in gathering this information [14(64)(h), 14(76)(h), 14(78)]. The need for harvest data for compensation purposes is indicated in the requirements for proof of loss or damage [13(2), 13(8)] and for remedies [13(11), 13(18)(b)].

While the IFA does not specifically call for a harvest survey, the parties agreed in 1986 to establish a continuing harvest survey as the best method of obtaining the harvest information required. The survey was designed on the same basic principles as those conducted under the provisions of (or in anticipation of) other land claims agreements (JBNQ 1982, 1988, Jingfors 1986, Usher et al. 1985, Usher and Wenzel 1987, Gamble 1988).

The objective of the IHS, as stated in the original terms of reference, was to "obtain a continuous, long-term record of Inuvialuit harvest levels for each of the six communities," and to record these data by month and location. The IGC designated the IHS as the first priority among wildlife studies for funding from IFA implementation moneys.

The initial phase of the IHS occurred in 1987, with the objective of conducting a one-year recall study. The immediate need was to obtain data for a compensation agreement with a developer, in accordance with section 13 of the IFA. The monthly surveys began in November of that year, with the first ones backdating monthly data to July of 1987. The main phase of the IHS began in 1988, and is the subject of this report.

2.2 Funding and administration

The IHS was funded as a "wildlife study" under the terms of IFA implementation agreements between the Inuvialuit and Canada. The sponsoring agencies (DRWED, CWS, DFO, and beginning in 1994, DRR) have together allocated, from their portion of implementation funds, about \$250,000 annually over the period of review. The funds were administered by the Joint Secretariat (JS) – Inuvialuit Renewable Resource Committees, in Inuvik. The study operation was housed in the JS office.

2.3 Study organization and personnel

2.3.1 Management

An Inuvialuit Harvest Study Working Group (IHSWG) was established in 1986 as the project steering committee. Membership consisted of representatives from the IGC, FJMC, DRWED (formerly NWT Department of Renewable Resources), DFO, CWS, Department of Indian Affairs and Northern Development (DIAND), the JS, and (later) DRR (Yukon). The group thus represented the harvesters, the funding agencies, and the main potential users of harvest data. The IHSWG met on a regular basis during the first year (1986-1987), chiefly in Yellowknife where many members were located, to address funding, staffing, administration, objectives, and technical design. This first IHSWG was dissolved in 1987 and a second IHSWG was established in Inuvik (with similar representation) in order to monitor, support, and provide direction to the study on a continuing and more informal basis. Its terms of reference are provided in Appendix 1.

¹ Wildlife Management Advisory Council (Northwest Territories) (WMAC(NWT)), Wildlife Management Advisory Council (North Slope) (WMAC(NS)), Fisheries Joint Management Committee (FJMC), Environmental Impact Screening Committee (EISC), Environmental Impact Review Board (EIRB)



Photo: Sam Barny
Swan

2. Project History

In June 1996, responsibilities of the IHSWG were taken over by the Inuvialuit Harvest Study Evaluation Committee. This group was established to oversee the evaluation of the study methodology and make recommendations for changes for a future program. Following the evaluation, the Inuvialuit Harvest Study Management Committee (IHSMC) was established to administer and redesign the IHS according to the recommendations adopted from the evaluation. Membership consisted of three persons appointed by the IGC, and the chairs of the three wildlife and fisheries co-management bodies [WMAC(NWT), WMAC(NS), and FJMC].

2.3.2 Study coordinator

The position of IHS coordinator was staffed by the JS in April 1987. Initial training and technical support were provided by DRWED's regional biologist, in Inuvik.

Duties of the IHS coordinator included coordination of all aspects of the study; management of the budget; designing and implementing methods of data collection; designing and producing the IHS calendar; conducting community and hunter consultations; hiring, training and managing local fisheries and wildlife resource persons (field workers); designing and implementing a computer data base management system; entering, verifying, and analysing the data; preparing reports; acting as liaison between the hunters, Inuvialuit organizations, sponsoring agencies, and other interest groups; and disseminating harvest data.

When the study evaluation process began in 1996, the IHS coordinator partially redesigned the IHS to operate on a "low maintenance mode." After April 1996, the HTCs were responsible for ensuring that data were collected on a monthly basis; that hunter interview records were updated each month; and that the raw data were sent to the JS. The IHS coordinator assisted the HTCs in starting this process and in June 1996 provided each HTC with an instruction manual, and the JS with instructions for data entry and verification. The IHS coordinator position was terminated in July 1996 and data processing was done on a contract basis thereafter.

2.3.3 Field workers

During the first phase (1987), one field worker was contracted in each community to assist the IHS coordinator for a period of three to five days. These persons were appointed by the local HTC directors. During this first phase, the field workers were responsible for selecting the hunters to be interviewed, communicating the study rationale and objectives and introducing the study coordinator to the hunters, and assisting in hunter recall interviews.

Implementation of the main phase of the IHS began in the fall of 1987. Field worker positions were advertised in each community with applications submitted to either the IHS coordinator or the local HTC. Applicants were interviewed by the HTC directors, the IHS coordinator, and a member of the IHSWG. Selection of the field workers was made by the HTC directors, with input from the IHS coordinator and the IHSWG member. All of those hired for the first phase successfully applied for the permanent positions filled in October and November 1987, and an additional field worker was hired for Inuvik. Since then, the number of field worker positions has varied between one and two in Inuvik and Tuktoyaktuk, and up to three in Aklavik. Paulatuk, Holman, and Sachs Harbour were assigned one position each.

Field worker training was conducted by the IHS coordinator during a two-day workshop in Inuvik, during November 1987. Once field workers returned to their community and began working, communication was maintained by phone. Throughout 1988 the IHS coordinator worked closely with the field workers and assisted in hunter interviews

Photo: Stefan Himmer



Ringed Seal

2. Project History

during community visits. When new field workers were hired, the IHS coordinator trained and accompanied them on their first round of interviews.

Field workers were required to determine and maintain a current list of local hunters; distribute the IHS calendar; interview hunters on a monthly basis to collect harvest data for the previous month(s) and record this information on data sheets; ensure accuracy of data collected; and provide information as required to the IHS coordinator, IGC, and the local HTC. It was also intended that the field workers assist in local fish and wildlife research programs.

Field workers were hired under contractual agreement, and received a standard monthly payment. The objective of this arrangement was to attract conscientious individuals who would be committed to long-term involvement with the study, and thus minimize interruptions in data collection, potential data losses, and costs associated with rehiring and training. It was also intended that field workers establish and maintain a positive relationship with the hunters, identify trends in the harvest, and monitor hunter activity. Of approximately 30 field workers hired during the ten-year period for the six communities, 14 held their position for at least two years, and one field worker conducted the survey in his community for the entire period.

2.4 Community consultations

The IHS coordinator and a representative of the IHSWG conducted the initial community consultations at HTC and IGC meetings during May and June 1987, and provided information on the rationale, objectives, and design of the study, and on data confidentiality policy. The IHS coordinator solicited input to the study design both during these consultations and from individual hunters during the initial recall interviews conducted in June and July 1987. The final study design was presented to the HTCs by the IHS coordinator during the fall of 1987, and to individual hunters by the field workers during the initial round of monthly interviews. The proposed study design was accepted by the hunters and trappers, who thus provided their informed consent to participate in the survey. Holman had already participated in DRWED's Kitikmeot Harvest Study, and opted to participate in the IHS instead.

During 1988 the IHS coordinator attended IGC meetings and several HTC meetings in each community to update hunters on the progress of the study. Community consultations were also undertaken with the HTCs when a new field worker was hired. As part of the consultation process, field workers provided the HTCs with monthly data summaries. The status of the IHS, including current harvest data summaries for all communities, was reported to the IGC at every meeting.

As this study was initiated pursuant to the IFA, it was believed that the hunters would see the benefits of providing harvest information for both wildlife management and for the potential of future wildlife compensation resulting from development activities. It was assumed that hunter incentives to under-report with respect to possible management restrictions, and over-report for the purpose of possible compensation, would be balanced, and that strategic response bias would thus be minimized. Other sources of bias are discussed in sections 3.3, 3.7, 4.2, 4.3.2. In practice, those responsible for the survey considered that the reliability and specificity of recall increased as hunters got used to the survey.

2.5 Privacy and access policies

Individual harvest information is confidential. Hunters were identified in the database only by a unique hunter identification number. The hunter list with corresponding ID numbers is confidential, accessible only to the IHS coordinator, the local field worker and their local HTC. Hunters were guaranteed at the outset that individual data would

Photo: Renewable Resources-YTG



Lynx

2. Project History

not be available to wildlife and fisheries agencies and therefore could not be used for law enforcement.

Individual hunters may obtain access to their own records for the purpose of damage or compensation claims and may authorize the release of their own personal information to third parties. No Inuvialuit organizations, except the HTCs, have access to the personal records of their members.

Draft survey results were reviewed and approved by the HTCs and the IGC. The purpose of review and approval by the HTCs was to record their approval of (or concerns with) the conduct of the survey during the year, and the apparent reasonableness of the community totals in light of the members' general knowledge of that year's harvesting patterns. This did not include any assessment of individual harvest data. The draft annual report was also reviewed by the IHSWG/IHSMC, and the IGC. Following approval by all parties, the data was considered final, and annual reports became available for public release.

Prior to final approval, summary data could have been made available to sponsoring agencies and comanagement bodies on an interim basis, with the understanding that these data were in draft status and were subject to revision. Until 1996, interim requests by these agencies for custom tabulations were met by the IHS coordinator. Subsequently, access protocols were developed by which the IGC would authorize the release of record level data (in the form of monthly harvest event information stripped of hunter ID numbers) in electronic format, to the sponsoring agencies for their own prescribed use, subject to confidentiality provisions. The master files containing the entire data set are under the sole control of the IHS and are not available to any other party.

Certain information not published in this report (see 4.2) exists in electronic format and is available for public access upon application to the IHS. Public requests for custom tabulations, including harvest locations, are subject to review by the IHSMC based on current privacy and access policies, the approval of the IGC, and available staff time.

2.6 Survey products

The primary survey product is the published annual data report. The IHS also produced monthly data reports for the HTCs, IGC, and all participating harvesters.

The IHS conducted or commissioned three evaluations and assessments of its operations and output (Fabijan et al. 1995, Usher et al. 1996, Usher and Wendt 1999).

Photo: Michael Fabijan



Canada Goose

3. METHODS

3.1 Study area

The study area includes the Inuvialuit Settlement Region (Figure 1) as described in the IFA. There are six communities in this area: Aklavik, Holman, Inuvik, Paulatuk, Sachs Harbour, and Tuktoyaktuk.

3.2 Definition of harvest

Harvest was defined as the number of animals killed and recovered. It did not represent or take into account wounding losses. Although rates of wounding or other non-retrieval were considered important information for management purposes, it was agreed that asking about wounding loss was overly intrusive, would unduly complicate and lengthen the interview, and take away from the primary purpose of the study, especially at the outset when it was important to obtain the cooperation of the hunters. Subsequently, the FJMC added such a component to its beluga monitoring program. The CWS recently conducted a study to determine struck and loss rates for Eider Ducks during the spring harvest at Holman (Byers and Dickson, 2001). To date these are the only species for which wounding loss studies have been undertaken, and they were done separately from the IHS.

Hunters were asked to report the total number of animals of each species that they harvested for subsistence use or commercial sale. Subsistence use was defined in the IFA as "the taking of wildlife by Inuvialuit for their personal use for food and clothing and includes the taking of wildlife for the purpose of trade, barter and sale among Inuvialuit and trade, barter and sale to any person of the non-edible by-products of wildlife that are incidental to the taking of wildlife for their personal use." (IFA, section 2).

Hunters were also asked to record their fur catches (including pelts sold and those retained for domestic use), any small-scale commercial harvests of fish and caribou and, if they guided sport hunters, any animals taken by those hunters while under their guidance. Field workers were instructed to ensure that all kills were attributed to specific individual harvesters to avoid double-counting where several harvesters hunted together and shared the catch. In some cases, harvests were recorded as evenly divided among a party even if this resulted in fractional values. However the sum of the harvest of a particular species in a particular reporting period was always a whole number.

The IHS was not intended to collect information on large-scale commercial harvests undertaken by Inuvialuit organizations, where the kill or catch was not necessarily attributable to single individuals, and for which, in many cases, there was another recording system. Over the course of the study these included the commercial harvest of muskoxen on Banks and Victoria Islands, the large-scale caribou harvest near Inuvik, and the commercial harvest of Arctic Char on Victoria Island and Broad Whitefish near Inuvik. Nonetheless, such catches were sometimes reported as such to the IHS. Similarly some data on Caribou taken under research permits were included in the IHS data base. These harvests were recorded as group catches under separate identification, and tabulated separately (Appendix 2). However, hunters were not asked specifically to report the disposition of their harvest, i.e. whether it was intended for personal or family consumption, gifts or barter within the community, or commercial sale.

3.3 Definition and identification of hunters

Harvesters (hunters) were initially defined as Inuvialuit male persons sixteen years of age and over, residing in the ISR. Exceptions were made for female heads of households who hunted, or women or younger children who specifically requested to report to the survey individually. Otherwise, the male head of household was asked to

Photo: Chris O'Brien



Grayling

3. Methods



figure 1

3. Methods

report the harvests of everyone in the household with his own, except for males sixteen and over living in that household who were asked to report separately.

At the request of the HTCs and the IGC, the Gwich'in population within the ISR was also included, in order to obtain a more complete record of harvest levels for the purposes of wildlife management. Subsequent to the implementation of the Gwich'in land claim settlement and harvest study, Gwich'in harvesters were removed from the IHS, and no Gwich'in harvest is included in this report. (see Appendix 3)

The hunter lists constituted the hunter population or sampling frame for the survey. These lists were initially compiled by the survey in cooperation with each community, using General Hunting Licence records and HTC membership lists, supplemented by local knowledge. At the time the study began, Inuvialuit beneficiary lists were unavailable to the IHS. Maintenance and revision of the hunter lists was the responsibility of the field workers, who were instructed to add individuals who moved into the community or became of hunting age, and to delete individuals who moved away or otherwise became ineligible for the survey. Each hunter on the list was assigned a unique and permanent identification number by the IHS coordinator. Hunters reported their harvests in their community of residence, even if they had harvested in the vicinity of another community in any particular month.

Normally, changes were made as required every month, with the result that the actual hunter population could change with each survey wave, although only by a small amount. In some instances, however, the field workers made major revisions of the hunter lists, and it is possible that in doing so, harvester eligibility criteria were not always consistently applied over time and between communities. Major revisions of the hunter lists were undertaken at Holman, Paulatuk, and Sachs Harbour in 1991, at Aklavik in 1994, and at Inuvik and Tuktoyaktuk in 1995. These resulted in significant increases to include more persons who did not normally harvest, or harvest very much. Data users are therefore cautioned that under-coverage may have occurred in the years prior to those increases.

3.4 Survey response

Census coverage attempted to ensure as complete reporting as possible of all harvesting activity. Monthly response of each individual on the hunter list was recorded on the data collection form (Appendix 4) as follows:

Code 1 – hunted	Code 6 – could not contact
Code 2 – hunted – no catch	Code 7 – did not want to be interviewed
Code 3 – did not hunt	Code 8 – moved
Code 4 – out hunting	Code 9 – other (includes deceased)
Code 5 – out of town	

Photo: Werner Stedner



Moose

Some of these categories were collapsed in the published tables in this report (see 4.3.1).

3.5 Species list

The initial species list was developed during discussions with the IHSWG and the communities. Considerations included the significance of species for wildlife and fisheries management purposes, and harvester identification capability especially for incidental fish and bird species. Neither plants nor marine invertebrates were included.

3. Methods

Harvested animals were normally identified by species. However, in some cases species were grouped (especially where more specific identification was not reliable), or were segregated according to physical morphology or colour phase of the animal. In a few cases, especially in the early years of the survey, some harvests were reported at the level of family rather than species (e.g. fish, seals, geese). The complete species list is provided in Appendix 5.

Sex and maturity of the animals were requested initially for large mammals. Subsequently this information was reported for some other species. Hunters were asked to report whether the animal was an adult, a juvenile (over one year of age but not yet mature), or young of the year. No formal criteria was provided by the IHS and this identification was based on common harvester knowledge (e.g. based on size of animal, pelage, horn or antler development, or presence in family group).

During the course of the IHS, occasional reports of other species were received. All such data were recorded, and some were added to the species list. Species that were recorded only occasionally are listed in Appendix 6. The species list was used as an interview guide for field workers, but was not read out to respondents.

3.6 Data collection materials

At the beginning of each monthly interview cycle, the IHS coordinator provided each field worker with an updated interview record book (including revised hunter list based on information provided by the field worker the previous month) indicating what information was required from each hunter for which month, and the map set from which the previous month's data had been extracted by the IHS coordinator.

The field workers updated their interview record books after each interview to show what data had actually been collected from each hunter that month. At the conclusion of each interview cycle, completed data forms were sorted by hunter number, placed in a ring binder, and returned to the IHS coordinator along with the maps.

3.6.1 IHS calendar

The IHS calendar was intended as a tool to increase the quality of harvest information and elevate the profile of the harvest study. It was designed to provide individual hunters with a method of recording their harvest on a daily basis, and to provide visual identification of fish and wildlife species of concern to the study. Calendars were distributed annually to the hunters in the course of their regular interviews (calendars were also used as promotional items for the study).

Although there is no record or evaluation of actual calendar usage as a record keeping tool, the calendar was generally well received. Hunters liked the calendar and expected to receive it each year. Anecdotal reports indicate that most field camps had a copy prominently displayed in their tents or cabins. Even if the calendar was not always used as a recording tool, it appeared to serve as a useful reminder of the study and of the monthly interviews. Sometimes field workers were able to record harvest information directly from the calendar. The detail of some harvest information, particularly during the busy spring months, strongly suggests that daily harvest records were kept in some cases.

3.6.2 Data collection forms

The data collection form used to record individual hunter harvest information remained essentially the same since 1988 (Appendix 4). Individual harvesters were only identified on the data form by a unique hunter number recorded in the field worker's list. The top part of the form recorded the hunter number, the name of the community, the interview date, the month(s) for which the current information applied, and the hunting code (see 3.4).

Photo: Chris O'Brien



Arctic Char

3. Methods

The main part of the form recorded the species name, number harvested, sex and maturity of animals where known, harvest location (by name and map area), and date of harvest. The harvest location was recorded by name and number on the data form under "location name" and "map area," respectively. The map area number referred to a location drawn and numbered on the topographic maps. The date of harvest was reported as a specific kill date or range of kill dates, within the month. Observations or explanatory notes by either the hunter or field worker were recorded in the comments section.

3.6.3 Maps

The geographic location of each harvest event was marked on topographic maps. Maps also functioned as a recall aid by encouraging harvesters to retrace their activities on the land. The map scale and topographic map format used for the harvester interviews was designed to facilitate the needs of the hunter, field worker, data collection, data entry into the database, and protection of the maps for extended use. Each field worker had a set of topographic maps that covered the entire ISR, as harvesters were known to hunt outside the areas commonly used by hunters from a particular community.

Initial consultations with the HTCs and the hunters indicated that topographic maps at a scale of 1:250,000 would satisfy their needs and that hunters could locate and mark their harvest locations on them. The study's sponsoring agencies agreed that this level of precision would also satisfy their needs with respect to wildlife management.

1:50,000 scale maps were also used in Aklavik from January 1990 to January 1993 and in Paulatuk from January 1991 to December 1994, at the request of the field workers and some hunters who found it difficult to locate their harvesting areas at the smaller scale, especially in the Mackenzie Delta with its myriad lakes and channels. The resulting map set was, however, cumbersome and time-consuming to use, and was discontinued.

Individual topographic maps were taped together to show a larger area. Specific combinations of map sheets were used to create appropriate "map pages" for each community, showing the areas most commonly used by local hunters, and retaining the relevant UTM zone designation and grid coordinates at the outside edge. This format allowed the hunter to view a large area at once, and eliminated the problem of marking use that overlaps several individual sheets.

Harvest locations were marked on the maps by either the harvester or the field worker. These locations could be recorded as specific locations (points), general areas (polygons), or (in the case of traplines) lines.

3.7 Data collection methods

A monthly cycle of interviews was adopted on the grounds that it would provide an accurate record of harvest, minimize recall error, and not impose an undue burden on hunters. This report covers ten years or 120 successive monthly interview waves. Each interview wave was treated independently, as both the population size and the response rate varied. In practice, however, hunters not contacted by the field worker in any particular month were asked to fill in previous months' harvest when finally contacted. Thus, an initial survey record of non-response could have been revised if a response was obtained in a later month. This "backfill" procedure could have occurred for any month up until March of the following calendar year, when the previous year's survey record was formally closed. Recall for earlier months within that time frame is considered sufficiently accurate to justify this procedure, especially in view of the use of recording aids (see 3.6.1).

Photo: Joint Secretariat



Caribou

3. Methods

The IHS was conducted as a door-to-door survey, requiring a personal interview of the harvester by the field worker every month. Hunters were interviewed using an open ended informal approach. Interviews typically lasted 15-20 minutes, at most 45 minutes for months of peak harvesting activity.

At the conclusion of each interview, the hunter was thanked for his or her participation and given a copy of the information just provided. Respondents were also asked to sign the field worker interview book as proof that they had been interviewed (since 1989), both for the integrity of the survey and for protection of the field worker. During the interview hunters were also given a summary sheet containing information on the community's monthly and annual to-date harvest levels for the current calendar year. In 1989 the summary sheet was expanded to include monthly and annual reported harvest levels for the previous calendar year.

Photo: Canadian Wildlife Service



Scaup

4. INUVIALUIT HARVESTS 1988 – 1997

Photo: Glen Hopky



Cisco

4.1 The tables

The tables in this report were calculated by the Statistical Consulting Group, Statistics Canada, under contract with the JS.

This report contains seven sections of tables (one for each community and one for the ISR as a whole). Within each section, there are two sets of tables:

- Estimated harvest, selected species; and other harvested species reported; and
- Hunter response; and number of hunters harvesting selected species.

for each year, and a ten-year summary.

4.2 Estimated harvest

Total monthly harvests are estimated from reported harvests, using a projection formula based on the hunter response rate. It is assumed that there is no difference between respondents and non-respondents, and the former are therefore treated as a simple random sample of the hunter population.

Therefore the total harvest for month m in community c is estimated by

$$\hat{Y}_{mc} = \frac{N_{mc}}{n_{mc}} \sum_i y_{mci}$$

where

N_{mc} is the number of hunters in month m and community c ;

n_{mc} is the number of hunters reporting in month m and community c ;

y_{mci} is the harvest reported by the reporting hunter i in month m and community c .

The variance for the estimated total is estimated by

$$\hat{Var}(\hat{Y}_{mc}) = \frac{N_{mc}^2}{n_{mc}^2} (1-f_{mc}) s_{mc}^2$$

where $f_{mc} = \frac{n_{mc}}{N_{mc}}$ is the sampling fraction in month m and community c ;

$s_{mc}^2 = \sum_i (y_{mci} - \bar{y}_{mc})^2 / (n_{mc} - 1)$ is the sample variance for month m and community c .

Since each month is treated as a separate survey, the annual total harvest for community c is estimated as the sum of the monthly estimates,

$$\hat{Y}_c = \sum_m \hat{Y}_{mc}$$

and because the surveys are independent the variance is estimated as the sum of the estimated variances

$$\begin{aligned} \hat{Var}(\hat{Y}_c) &= \sum_m \hat{Var}(\hat{Y}_{mc}) \\ &= \sum_m \frac{N_{mc}^2}{n_{mc}^2} (1-f_{mc}) s_{mc}^2 \end{aligned}$$

4. Inuvialuit Harvests 1988 – 1997

The assumption of no non-response bias is appropriate for the present purpose because even though there is some indication that it does not always hold, response rates are sufficiently high to minimize its possible effects. Because N refers to the hunter population as a whole, and not the number of hunters harvesting any particular species, harvest specialization (variation in hunter effort among target species) is not directly accounted for in the survey. The coefficients of variation (CVs) for some species are relatively high, but this may be in part due to the inability to identify species-specific harvester effort.

Total harvest is not estimated for:

- species recorded irregularly or in small numbers;
- species whose identification is uncertain; or
- mammals rarely harvested in the ISR

but these are reported in Appendix 6 or in Other Harvested Species tables.

Species of exceptional management concern (Grizzly Bear, Dall Sheep) are nonetheless included in these tables.

Community, commercial, and research harvests recorded by the IHS were subtracted from the reported totals prior to estimation. Those harvests are reported separately in Appendix 2. Data users may wish to add those values, as appropriate for their own purposes, to estimated harvest totals.

To maximize data utility, species data have been combined as follows:

- *Arctic Char* includes Arctic Char and Arctic Char (spawning);
- *Caribou* includes Caribou, Barren-ground Caribou, Bluenose Caribou, Peary Caribou, and Island Caribou;
- *Arctic Fox* includes White Fox and Blue Fox;
- *Coloured Fox* includes Red Fox, Cross Fox, Silver Fox, and Black Fox;
- *Snow Goose* includes Snow Goose and Blue Goose; and
- *Eider* includes Eider, Common Eider, and King Eider.

The tables showing monthly and annual harvest for each year indicate the margin of error for the annual harvest estimate at the 95% confidence interval.

The estimated harvest tables do not include information on sex and age-class of harvested animals. This information has been tabulated and may be obtained from the IHS as outlined in 2.5.

The reported harvest tables show the harvest of all other species as actually reported to the IHS from 1988 to 1997, except those in Appendix 6. These tables do not include HTC, commercial, and research harvests (see 3.2 and Appendix 2).

4.3 Hunter response and activity

These tables are in two parts. The first shows the details of hunter response, including response rate, by month and year. The second shows the number of hunters harvesting selected species, by month and year.

4.3.1 Hunter response

The original hunter response codes (see 3.4) were collapsed as part of the final data cleaning process for this report. All persons reporting code 1 in any month have a record of harvest for that month.

Photo: Environment Canada



Merganser

4. Inuvialuit Harvests 1988 – 1997

The final response categories identified in the tables are:

Categories in this report	Original survey codes
Harvested	1 – hunted
Did not harvest	2 – hunted – no catch 3 – did not hunt
Not interviewed	4 – out hunting 5 – out of town 6 – could not contact 7 – did not want to be interviewed
Out of scope	8 – moved 9 – other
Hunter list	Codes 1 to 9
Survey population	Codes 1 to 7
Hunters interviewed	Codes 1 to 3
Harvested	Code 1
<i>Response rate:</i>	$\Sigma_{1-3}/\Sigma_{1-7}$

The annual values (right hand column) show the following:

Hunter list	number of persons on the hunter list in at least one month
Survey population	number of persons in the hunter population in at least one month
Hunters interviewed	number of persons interviewed in at least one month
Harvested	number of persons harvesting in at least one month
Response rate	mean monthly response rate

4.3.2 Non-response bias

Although response rates were generally high (over 87% for the ISR as a whole over the ten-year period), some non-response bias is likely to have occurred. The three chief sources of non-response bias can be identified but not precisely quantified. The first source is that some harvesters contacted declined to be interviewed. As is evident from the tables, the incidence of refusals is very small, however it is believed that in some instances, some of those persons were very active harvesters ("superhousehold")² and hence atypical of the hunter population as a whole. Data users are cautioned that this may result in under-estimates of total harvest for some species, in some years, most notably for Tuktoyaktuk and Sachs Harbour.

The second possible source of non-response bias is incomplete coverage by field workers, whereby responses that should have been coded 4, 5, or 6 were reported as code 3. This is considered to have occurred only in the years of low-maintenance mode operation of the survey (1996 and 1997), mainly in Tuktoyaktuk and Inuvik. Both the Tuktoyaktuk and Inuvik HTCs issued formal cautions with respect to the 1997 data for

Photo: Joint Secretariat



Grizzly Bear

2 The term "super-household" was used by Wolfe (1987), in the context of subsistence harvesting, to denote harvesting specialization as observed by harvest surveys conducted by the Division of Subsistence of the Alaska Department of Fish and Game. It refers to the minority of highly productive households in each community that produce most of the community's wild food supply.

4. Inuvialuit Harvests 1988 – 1997

their communities. In the case of Tuktoyaktuk, it is thought that some particularly active harvesters were systematically missed, with the result that total harvests may be under-estimated for some species in those years. Missed coverage in Inuvik is not known to have introduced similar systematic bias.

A third source of error, consisting of survey avoidance by respondents reporting no harvest and thus terminating the interview, has been hypothesized but not documented (Usher and Wendt 1999:14). This strategic non-response, if it occurred, may have been a result of informant fatigue in the latter years of the survey. It is evident that the number of active hunters (those who reported harvesting anything in a year) declined in every community except Holman over the ten-year period, and as a proportion of the total hunter list, everywhere in the ISR. While this trend is thought likely to be real, some unknown proportion of it may be due to this postulated third source of error, and would therefore be merely an artifact of the survey.

These possible sources of error would likely result in under-counts in some cases. The degree cannot be estimated precisely but is not considered large.

4.3.3 Number of hunters harvesting selected species

The lower portion of each table shows the number of hunters harvesting each species in each month, and at any time during the year. Incidental species, and some species harvested in very small numbers have been omitted from this table. Where harvesting effort is not specifically targeted with respect to race, sub-species, or closely related species, species are combined (see section 4.2).

These tables do not include HTC, commercial, or research harvests itemized in Appendix 2.

Photo: Joint Secretariat



Brant

REFERENCES

- Byers, T. and D.L. Dickson. 2001. Spring migration and subsistence hunting of King and Common Eiders at Holman, Northwest Territories, 1996-98. *Arctic*, 54(2): 122-134.
- Department of Indian and Northern Affairs Canada. 1984. *The Western Arctic Claim*. Inuvialuit Final Agreement (IIFA).
- Fabijan, M. 1991. *Inuvialuit Harvest Study Data Report (July 1986–December 1988)*. Inuvik, N.W.T.
- Fabijan, M., N. Snow, J. Nagy, and M. Ferguson. 1995. *Evaluation of the Inuvialuit Harvest Study Data for the Years 1988 to 1992* (Draft).
- Gamble, R.L. 1988. *Native Harvest of Wildlife in the Keewatin Region, Northwest Territories for the Period October 1985 to March 1986 and a Summary for the Entire Period of the Harvest Study from October 1981 to March 1986*. Canadian Data Report of Fisheries and Aquatic Sciences no. 688. Winnipeg: Department of Fisheries and Oceans.
- James Bay and Northern Quebec Native Harvesting Research Committee. 1982. *The Wealth of the Land. Wildlife Harvests by the James Bay Cree, 1972-73 to 1978-79*. Quebec City.
- _____. 1988. *Final Report: Research to Establish Present Levels of Native Harvesting for the Inuit of Nunavik, 1976-1980*. Quebec City.
- Jingfors, K. 1986. Inuit harvesting levels of caribou in the Kitikmeot Region, Northwest Territories, Canada, 1982-1984. *Rangifer*, 1:167-172.
- Usher, P.J., D. DeLancey, G. Wenzel, M. Smith, and P. White. 1985. *An Evaluation of Native Harvest Survey Methodologies in Northern Canada*. Environmental Studies Revolving Funds Report no. 004. Ottawa.
- Usher, P.J., and M. Wendt. 1999. *Inuvialuit Harvest Study – Statistical Assessment of the Harvest Survey Data Base, 1988-1996*. Inuvik: Inuvialuit Harvest Study.
- Usher, P.J., and G. Wenzel. 1987. Native harvest surveys and statistics: a critique of their construction and use. *Arctic*, 40(2):145-160.
- Usher, P.J., W. Wysocki, and P. Larcombe. 1996. *Evaluation of the Inuvialuit Harvest Study*. Report prepared for the Joint Secretariat, Inuvik, N.W.T.
- Wolfe, R.J. 1987. *The Super-Household: Specialization in Subsistence Economies*. Paper presented at the 14th annual meeting of the Alaska Anthropological Association. Anchorage.

APPENDIX 1
Inuvialuit Harvest Study working group terms of reference

Inuvialuit harvest study objectives

The overall objective of the IHS is to obtain a continuous, long-term record of Inuvialuit harvest levels for each of the six communities in the ISR. The IHS will collect information about when, where, and how much fish and wildlife is harvested. This information is to be collected to address the needs of the Inuvialuit for use in management of renewable resources and determination of harvest loss compensation (IFA (14(78)), 1984).

In order to attain these objectives an IHSWG is hereby established. The responsibilities of the IHSWG shall include budget allocation decisions, coordination of funding between sponsoring agencies, technical advisory support, and monitoring implementation of the IHS.

Membership

- 1) Membership on the IHSWG shall consist of one (1) member each from Government of Northwest Territories – Department of Renewable Resources, Fisheries and Oceans Canada, Canadian Wildlife Service, Inuvialuit Game Council, and the Joint Secretariat. Each participant may designate one alternate.
- 2) Additional members may be added at the discretion of the IHSWG.

Operating procedures

- 3) The representative from the JS is to be the chairman.
- 4) Each member shall be allowed one (1) vote.
- 5) The chairman shall be entitled to a vote only in the event of a tie.
- 6) The IHSWG shall meet not less than once a year.
- 7) For normal business three (3) members shall constitute a quorum of the IHSWG.
- 8) Notwithstanding seven (7), no decision shall be made regarding issues which require the input from a particular agency, in the absence of representation by that agency.
- 9) The IHSWG shall have the ability to conduct its business by tele-conference.
- 10) Secretarial support shall be provided by the JS.

Responsibilities

- 11) The IHSWG shall:
 - a) provide guidance and review to assist the IHS in achieving its objectives;
 - b) provide a forum to review and approve the use and dissemination of information collected through the IHS;
 - c) provide the reporting mechanism to the funding agencies;
 - d) ensure coordination between the IHS and the other renewable resource committees established under the IFA;
 - e) review the draft annual report of the IHS and provide comment to the IHS field coordinator within thirty (30) days of receipt of that report;
 - f) review and approve the annual proposal and budget;
 - g) approve the final version of the annual report prior to its release; and
 - h) review and provide comment on IHS peripherals eg. newsletter, calendar, data sheet format in a timely manner to the IHS field coordinator.

In addition to the above:

- 12) Data summaries will be made available to the IHSWG on a monthly basis.
- 13) The annual report shall be in calendar year format and will be completed by 31 March. A data summary will be made available in mid-January.

APPENDIX 2
Community, commercial, and
research harvests reported to IHS

Five hunter numbers were assigned to group hunts rather than to individuals. Twenty records exist for these numbers, as follows:

Harvest type	Community	Year	Number of records	Reported harvest
Research harvest	Sachs Harbour	1993	6	7 Caribou
		1994	1	5 Caribou
Commercial harvest	Sachs Harbour	1988	1	29 Muskox
		1991	5	308 Muskox
HTC harvest	Holman	1994	1	700 Char
		1995	1	1100 Char
		1996	1	325 Char
		1997	1	63 Char
		1996	1	147 Muskox
		1989	1	87 Muskox
		1990	1	104 Muskox

Research harvests – harvest authorized by Minister's permit for research purposes, meat provided to community.

Commercial harvests – partial reports of commercial harvests.

HTC harvests – Holman char intended for commercial sale within the ISR; muskox are probably partial reports of commercial harvests.

These records are excluded from the reported harvest data set for the purpose of estimated total harvests. Data users may add these values to estimated harvest totals, according to their own requirements.

APPENDIX 3
Gwich'in hunters included in
IHS hunter list

year	total hunters	harvested ¹	did not harvest ²	not interviewed ²
Aklavik				
1988	46	40	6	
1989	45	32	13	
1990	45	34	11	
1991	44	30	14	
1992	43	26	17	
1993	43	24	18	1
1994	76	24	38	14
1995	75	12	49	14
1996	6		5	1
Inuvik				
1988	11	1	1	9
1989	11	3	3	5
1990	11	7	4	
1991	11	6	4	1
1992	11	7	4	
1993	11	4	6	1
1994	13	7	5	1
1995	12	1	10	1
1996	1		1	

¹ in at least one month during the year

² in any month during the year

Note: no Gwich'in harvest is included in this report.

APPENDIX 4

IHS hunter record (data collection form)

INUVIALUIT HARVEST STUDY HUNTER RECORD

HUNTER NUMBER:

Page: _____ of _____

COMMUNITY: _____

INTERVIEW DATE: _____

MONTH INFORMATION IS FOR: **FROM** _____ **TO** _____
DAY MONTH YEAR DAY MONTH YEAR

HUNTING CODE: **INTERVIEWED HUNTER and:** 1) Hunted, 2) Hunted but no catch, 3) Did not hunt
DID NOT INTERVIEW because (also comment on): 4) Out hunting, 5) Out of town
6) Could not contact, 7) Moved, 8) Other

APPENDIX 5

Species list

Common Name	Scientific Name	Local Name	Translated Name
<i>Birds</i>			
Brant	<i>Branta bernicla</i>		Nigliknak, Negleknak
Canvasback	<i>Aythya valisineria</i>		
Crane (Sandhill)	<i>Grus canadensis</i>		Tatidjaaq, Tatirqaq, Tatilgak
Eider (Common)	<i>Sometaria mollissima</i>		Quingalik, Amaolik, Amauligruaq
Eider (King)	<i>Sometaria spectabilis</i>		Quingalivik, Kingalik, Qinalik
Goldeneye (Barrow's)	<i>Bucephala islandica</i>	Duck (Bell)	Aviluqtuq, Avilugtauruk
Goldeneye (Common)	<i>Bucephala clangula</i>	Duck (Bell)	Aviluqtuq, Avilugtauruk
Goose (Canada)	<i>Branta canadensis</i>		Ulugullik, Oloagotlik
Goose (Greater White-fronted)	<i>Anser albifrons</i>	Yellow Legs	Niglik, Nirliq
Goose (Ross)	<i>Chen rossii</i>		
Goose (Snow)	<i>Chen caerulescens</i>	Wavies, Goose (Blue)	Kanguq, Kanuq, Kangok
Loon (Common)	<i>Gavia immer</i>	Loon (King)	Tutlik, Tuuliik
Loon (Pacific Arctic)	<i>Gavia pacifica</i>		Maliri
Loon (Yellow-billed)	<i>Gavia adamsii</i>		Qaqsaq, Qaqauq, Qaqraaq
Mallard	<i>Anas platyrhynchos</i>		Kurugakpak
Merganser (Common)	<i>Mergus merganser</i>	Duck (Pie)	
Merganser (Red-breasted)	<i>Mergus serrator</i>	Duck (Pie)	
Oldsquaw	<i>Clangula hyemalis</i>	Duck (Squaw)	
Owl (Snowy)	<i>Nyctea scandiaca</i>		Ahaliq, Ahangik
Pintail (Northern)	<i>Anas acuta</i>		Ukpiq, Okpik
Ptarmigan (Rock)	<i>Lagopus mutus</i>	Ptarmigan	Ivugaq, Kurugaq, Iruaq, Kurgaq
Ptarmigan (Willow)	<i>Lagopus lagopus</i>	Ptarmigan	Aqidjigiq, Qargiq, Qariq, Nikhaktok, Akilgik
Scaup (Greater)	<i>Aythya marila</i>		Aqidjigiq, Qargiq, Qariq, Nikhaktok, Akilgik
Scaup (Lesser)	<i>Aythya affinis</i>		Kaklgutuuk, Qaqtuatug
Scoter (Black)	<i>Melanitta nigra</i>	Duck (Black)	Kaklgutuuk, Qaqtuatug
Scoter (Surf)	<i>Melanitta perspicillata</i>	Duck (Black)	Tuungavik, Taaktaaq
Scoter (White-winged)	<i>Melanitta fusca</i>	Duck (Black)	Tuungavik, Taaktaaq
Shoveler (Northern)	<i>Anas clypeata</i>	Spoon Bill	Tuungavik, Taaktaaq
Swan (Trumpeter)	<i>Cygnus buccinator</i>		Qugruk, Kogyok
Swan (Tundra)	<i>Cygnus columbianus</i>		Qugruk, Kogyok
Teal (Green-winged)	<i>Anas crecca</i>		
Wigeon (American)	<i>Anas americana</i>	Duck (Whistling)	Ugguiqik, Ugiuhiuq
<i>Fish</i>			
Burbot	<i>Lota lota</i>	Loche	Tiktaalik, Tittaliq
Char (Arctic Anadromous)	<i>Salvelinus alpinus</i>	Char, Char (Red)	Iqalukpik, Qalukpik, Evitaruk
Char (Arctic Land-locked)	<i>Salvelinus alpinus</i>	Char, Char (Red), Char (Landlocked)	Iqaluakpik, Qaluapqaq, Ekalukpik
Char (Dolly Varden)	<i>Salvelinus malma</i>	Char, Char (Red)	
Cisco (Arctic)	<i>Coregonus autumnalis</i>	Herring (Lake)	Qaaktak, Qanktaq, Qaluhaq, Amagiak, Anma
Cisco (Least)	<i>Coregonus sardinella</i>	Herring (Lake)	Qaaktak, Qanktaq, Qaluhaq, Amagiak, Anma
Cod (Arctic)	<i>Boreogadus saida</i>	Cod (Rock)	Uugavik
Cod (Saffron)	<i>Eleginops gracilis</i>	Cod (Tom)	Uuqaq
Flounder	<i>Splachichthys spellatus</i>		
Grayling (Arctic)	<i>Thymallus arcticus</i>	Grayling	Sulukqauq, Hulukpaugaq
Herring (Lake)	<i>Coregonus artedi</i>		
Herring (Pacific)	<i>Clupea pallasi</i>	Herring (Blue), Bluefish	Piqquaqtita, Qaaktaq, Qaantaq, Pikoaktik
Inconnu	<i>Stenodus leucichthys</i>	Coney	Siirraq, Higaq, Sigaq
Pike (Northern)	<i>Esox lucius</i>	Jack Fish, Pike	Siulik, Hiulik
Sculpin (Fourhorn)	<i>Myoxocephalus quadricornis</i>		
Sucker (Longnose)	<i>Catostomus catostomus</i>	Sucker	
Sucker (White)	<i>Castostomus commersoni</i>	Sucker	

APPENDIX 5
Species list (continued)

Common Name	Scientific Name	Local Name	Translated Name
<i>Fish continued</i>			
Trout (Lake)	<i>Savelinus namaycush</i>	Trout	Iqaluakpak, Ehohok
Whitefish (Broad)	<i>Coregonus nasus</i>	Whitefish	Anaakliq, Anaqklik, Angnaklin
Whitefish (Lake)	<i>Coregonus clupeaformis</i>	Humpback, Crooked Back	Pikutuuq, Qalupiaq, Kapihilik
<i>Big Game</i>			
Bear (American Black)	<i>Ursus americanus</i>	Bear (Black)	Iggarliq
Bear (Grizzly)	<i>Ursus arctos</i>	Bear (Brown)	Aklaq, Akhak
Bear (Polar)	<i>Ursus maritimus</i>		Nanuk, Nanok
Caribou	<i>Rangifer tarandus</i>	Caribou (Barren-ground), Caribou (Bluenose), Caribou (Peary), Caribou (Island)	Tuktu, Tuttu, Toktu
Moose	<i>Alces alces</i>		Tuktuvak, Tuttuvak
Muskox	<i>Ovibos moschatus</i>		Umingmuk
Sheep (Dall)	<i>Ovis dalli</i>		Imnaiq, Imnaia
<i>Furbearers/Small Mammals</i>			
Beaver (American)	<i>Castor canadensis</i>		Kiagiaq, Kigiak
Ermine	<i>Mustela erminea</i>	Weasel	Tigiaq, Itigiaq
Fox (Arctic)	<i>Alopex lagopus</i>	Fox (White), Fox (Blue)	Oggerliq, Qiangaqtuluk, Tirganniaq, Tigiganeak
Fox (Coloured)	<i>Vulpes vulpes</i>	Fox (Black), Fox (Cross), Fox (Red), Fox (Silver)	Kiasirutilik, Qiangaq, Aukpilaqtaq, Marraq, Qigniqtaq
Hare (Arctic)	<i>Lepus articus</i>		Ukalik
Hare (Snowshoe)	<i>Lepus americanus</i>		Ukalik
Lynx	<i>Lynx lynx</i>		Niutuyik
Marten (American)	<i>Martes americana</i>		Kavisiak, Qavvia, Qavviatchiaq
Mink (American)	<i>Mustela vison</i>		Tigiakpak, Itigiaqpak
Muskrat	<i>Ondatra zibethicus</i>		Kivgaluk
Otter (River)	<i>Lutra canadensis</i>		Pamiuquuq
Squirrel (Arctic Ground)	<i>Spermophilus parryi</i>		Sik sik
Wolf	<i>Canis lupus</i>		Amaruq, Amaguq, Amogak
Wolverine	<i>Gulo gulo</i>		Quavvik, Kalvik
<i>Marine Mammals</i>			
Whale (Beluga)	<i>Delphinapterus leucas</i>	Whale (White)	Qilalugaq, Kilalogak
Seal (Bearded)	<i>Erignathus barbatus</i>		Ugyuk, Ugruk, Ogyak
Seal (Ringed)	<i>Phoca hispida</i>		Natchiq, Natik
Walrus	<i>Odobenus rosmarus</i>		Aiviq

Note: Char (Dolly Varden) was reported as Char (Arctic) in this study, although all harvest from Tuktoyaktuk, Inuvik and Aklavik should be Char (Dolly Varden).

Those species not included in the original species list (Appendix 5) may have been reported inconsistently and may not constitute a full record of the harvest of those species by hunters responding to the survey. Refer to Appendix 6.

APPENDIX 6
Other reported species list

Name	Community
Crab	Sachs Harbour
Eel	Tuktoyaktuk
Lamprey (Arctic)	Paulatuk
Salmon (Chum)	Aklavik
Salmon (Coho)	Sachs Harbour
Salmon (King)	Aklavik
Salmon (Pink)	Sachs Harbour
Salmon (Sockeye)	Aklavik, Sachs Harbour, Tuktoyaktuk
Salmon (unspec.)	Aklavik
Shrimp	Sachs Harbout
Whale (Bowhead)	Aklavik
Duck eggs	Holman
Duck (Wood)	Inuvik
Grouse (unspec.)	Inuvik
Jay (Grey)	Tuktoyaktuk
Lemming	Holman
Mouse	Holman
Porcupine	Aklavik
Squirrel	Inuvik

Other species reported in each community that were not included in the species list. This may not constitute a full record of the harvest of those species since they were reported inconsistently.

Aklavik Tables

Table 1 Total estimated harvest, selected species, monthly, Aklavik, 1988

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Whale (Beluga)	0	0	0	0	0	1	13	0	0	0	0	0	14 ± 1
<i>Fish</i>	Burbot	1	0	1	0	3	1	3	3	1	1666	1223	40	2943 ± 143
	Char (Dolly Varden)	0	0	0	0	0	3	41	327	284	6	0	0	661 ± 59
	Cisco (unspec.)	0	0	0	0	0	206	787	480	10	422	0	0	1905 ± 11
	Cod (Saffron)	0	0	0	0	0	0	0	1	0	0	0	0	1 ± 0
	Grayling (Arctic)	0	0	0	0	0	0	0	1	0	0	0	0	1 ± 0
	Inconnu	0	3	11	0	0	151	288	899	85	237	13	1	1687 ± 131
	Pike (Northern)	1	3	14	0	4	72	75	172	212	575	417	8	1554 ± 61
	Whitefish (Broad)	0	0	9	0	34	520	1158	2949	1036	1423	1096	30	8257 ± 397
	Whitefish (Lake)	0	7	5	0	0	118	294	741	297	1299	406	0	3167 ± 161
	Whitefish (unspec.)	0	0	0	0	0	0	506	0	15	198	148	0	868 ± 116
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	0	0	0	1	1	0	0	0	2 ± 0
	Bear (Polar)	0	0	1	4	0	0	0	0	0	0	0	0	5 ± 0
	Caribou	116	26	121	53	11	45	14	86	28	439	184	99	1222 ± 18
	Moose	0	0	2	2	0	1	1	2	7	0	0	0	15 ± 1
	Sheep (Dall)	1	0	0	0	0	0	0	0	0	0	0	0	1 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	1	1	0	0	0	0	0	0	0	16	11	29 ± 4
	Fox (Coloured)	60	59	6	0	0	0	0	0	0	6	74	56	261 ± 7
	Hare (unspec.)	24	51	122	36	11	4	0	0	51	109	8	0	416 ± 12
	Lynx	4	0	1	0	0	0	0	0	0	0	0	2	7 ± 0
	Mink (American)	14	2	0	0	0	0	0	0	0	1	25	46	87 ± 4
	Muskrat	0	0	2528	2044	9298	3900	0	0	0	0	0	0	17769 ± 223
	Wolf	3	0	2	1	0	0	0	0	0	0	3	3	12 ± 1
	Wolverine	1	2	1	2	0	0	0	0	0	0	2	1	9 ± 0
<i>Birds</i>	Eider (unspec.)	0	0	0	0	0	0	0	0	4	1	0	0	5 ± 1
	Goose (Canada)	0	0	0	0	7	0	1	0	0	0	0	0	8 ± 0
	Goose (Greater White-fronted)	0	0	0	0	78	28	0	4	149	0	0	0	259 ± 11
	Goose (Snow)	0	0	0	0	106	17	0	0	63	0	0	0	186 ± 8
	Mallard	0	0	0	0	92	84	5	13	15	3	0	0	213 ± 6
	Oldsquaw	0	0	0	0	28	8	0	0	0	0	0	0	36 ± 1
	Pintail (Northern)	0	0	0	0	19	35	0	0	0	0	0	0	54 ± 3
	Ptarmigan (unspec.)	27	0	2	79	20	16	3	3	110	38	0	3	302 ± 20
	Scoter (unspec.)	0	0	0	0	60	31	3	0	29	5	0	0	128 ± 5
	Swan (unspec.)	0	0	0	0	7	1	1	0	3	0	0	0	12 ± 1
	Wigeon (American)	0	0	0	0	102	68	2	6	7	0	0	0	185 ± 4

Other harvested species reported, monthly, Aklavik, 1988

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Marine Mammals</i>	Seal (unspec.)	0	0	0	1	0	0	0	1	0	0	0	0	2
<i>Fish</i>	Fish (unspec.)	0	0	0	0	0	0	0	0	0	177	172	0	350
<i>Big Game</i>	Bear (American Black)	0	0	0	0	0	1	0	1	0	0	0	0	2
<i>Fur Bearers/Small Mammals</i>	Ermine	14	7	0	0	0	0	0	0	0	0	3	1	25
<i>Birds</i>	Canvasback	0	0	0	0	2	8	0	0	0	0	0	0	10
	Duck (unspec.)	0	0	0	0	0	0	0	0	5	0	0	0	5
	Goldeneye (unspec.)	0	0	0	0	11	0	0	0	1	0	0	0	12
	Goose (unspec.)	0	0	0	0	1	0	0	0	5	0	0	0	6
	Loon (Arctic)	0	0	0	0	0	2	0	0	0	0	0	0	2
	Scaup (unspec.)	0	0	0	0	29	35	0	0	10	1	0	0	75
	Shoveler	0	0	0	0	0	2	0	0	0	0	0	0	2
	Teal (Green-winged)	0	0	0	0	2	2	0	0	0	0	0	0	4

#Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 2 Hunter response, and number of hunters harvesting selected species, monthly, Aklavik, 1988

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1988
Hunter list		163	163	163	163	163	163	163	163	163	162	162	162	163
Survey population		162	162	162	162	162	162	163	163	162	162	162	161	163
Hunters interviewed		162	161	162	162	162	160	161	161	159	161	160	160	163
Harvested		31	16	39	32	49	60	35	36	51	67	51	30	141
Response Rate (%)		100	99	100	100	100	99	99	99	98	99	99	99	99 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>		0	0	0	0	0	1	9	0	0	0	0	0	10
<i>Fish</i>		1	0	1	0	1	1	1	2	1	17	20	2	29
Burbot		0	0	0	0	0	2	3	14	6	1	0	0	21
Char (Dolly Varden)		0	0	0	0	0	3	9	8	1	3	0	0	19
Cisco (unspec.)		0	0	0	0	0	3	9	8	1	0	0	0	1
Cod (Saffron)		0	0	0	0	0	0	0	1	0	0	0	0	1
Grayling (Arctic)		0	0	0	0	0	0	1	1	0	0	0	0	1
Inconnu		0	1	2	0	0	13	18	17	9	7	5	1	38
Pike (Northern)		1	1	2	0	1	10	9	11	7	16	13	2	40
Whitefish (Broad)		0	0	2	0	2	15	13	18	16	9	7	1	38
Whitefish (Lake)		0	2	1	0	0	7	12	16	8	9	8	0	29
Whitefish (unspec.)		0	0	0	0	0	0	1	0	1	4	3	0	6
<i>Big Game</i>		0	0	0	0	0	0	0	1	1	0	0	0	2
Bear (Grizzly)		0	0	1	4	0	0	0	0	0	0	0	0	5
Bear (Polar)		22	7	23	10	2	19	6	8	8	52	26	19	95
Caribou		0	0	2	2	0	1	1	2	5	0	0	0	12
Moose		1	0	0	0	0	0	0	0	0	0	0	0	1
<i>Fur Bearers/Small Mammals</i>		1	1	1	0	0	0	0	0	0	0	2	1	4
Fox (Arctic)		4	5	4	1	0	0	0	0	0	2	15	11	22
Fox (Coloured)		3	3	9	5	1	1	0	0	8	9	2	0	22
Hare (unspec.)		2	0	1	0	0	0	0	0	0	0	0	1	2
Lynx		4	1	0	0	0	0	0	0	0	1	9	9	13
Mink (American)		0	0	14	16	39	29	0	0	0	0	0	0	57
Muskrat		2	0	2	1	0	0	0	0	0	0	2	2	6
Wolf		1	1	1	1	0	0	0	0	0	0	2	1	4
<i>Birds</i>		0	0	0	0	0	0	0	0	1	1	0	0	2
Eider (unspec.)		0	0	0	0	2	0	1	0	0	0	0	0	3
Goose (Canada)		0	0	0	0	8	4	0	1	22	0	0	0	32
Goose (Greater White-fronted)		0	0	0	0	8	3	0	0	6	0	0	0	16
Goose (Snow)		0	0	0	0	18	18	1	3	3	1	0	0	34
Mallard		0	0	0	0	5	4	0	0	0	0	0	0	8
Oldsquaw		0	0	0	0	3	7	0	0	0	0	0	0	9
Pintail (Northern)		3	0	1	4	2	2	1	1	4	3	0	1	17
Ptarmigan (unspec.)		0	0	0	0	14	10	1	0	3	2	0	0	23
Scoter (unspec.)		0	0	0	0	4	2	1	0	2	0	0	0	8
Swan (unspec.)		0	0	0	0	12	13	1	1	2	0	0	0	23
Wigeon (American)		0	0	0	0	0	0	0	0	0	0	0	0	0

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 3 Total estimated harvest, selected species, monthly, Aklavik, 1989

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	0	0	0	2	0	0	1	0	0	3 ± 0
	Whale (Beluga)	0	0	0	0	0	0	13	1	0	0	0	0	14 ± 1
<i>Fish</i>	Burbot	0	0	1	0	100	41	26	19	101	1927	985	303	3504 ± 250
	Char (Dolly Varden)	0	0	0	0	0	1	106	846	158	0	0	0	1111 ± 164
	Cisco (unspec.)	0	0	0	0	0	121	205	568	0	6271	0	0	7166 ± 1206
	Cod (Saffron)	0	0	0	0	0	0	5	0	0	0	0	0	5 ± 1
	Herring (Pacific)	0	0	0	0	0	30	221	152	0	0	0	0	404 ± 50
	Inconnu	0	0	7	0	150	364	334	366	810	808	443	12	3294 ± 180
	Trout (Lake)	0	0	0	0	0	0	4	192	0	0	0	0	196 ± 22
	Pike (Northern)	0	0	0	0	0	131	56	799	537	1004	191	101	2819 ± 152
	Whitefish (Broad)	0	0	0	50	250	398	1330	1883	1604	1642	1022	10	8188 ± 441
	Whitefish (Lake)	0	0	0	0	0	322	497	574	866	1554	961	10	4785 ± 370
	Whitefish (unspec.)	0	0	0	0	125	0	0	0	304	10	5	0	444 ± 69
<i>Big Game</i>	Bear (Polar)	0	1	1	0	0	0	0	0	0	0	0	0	2 ± 0
	Bear (Grizzly)	0	0	0	0	5	0	0	0	0	0	0	0	5 ± 0
	Caribou	140	77	76	50	2	26	6	19	61	0	39	48	545 ± 5
	Moose	0	0	0	0	0	2	2	1	7	0	2	2	16 ± 1
	Sheep (Dall)	0	0	0	1	0	0	0	0	0	0	0	0	1 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Coloured)	30	8	1	0	0	0	0	0	0	0	74	21	135 ± 3
	Hare (unspec.)	17	210	195	104	4	7	0	0	40	9	159	29	774 ± 19
	Lynx	2	4	0	0	0	0	0	0	0	0	0	0	6 ± 0
	Mink (American)	25	20	0	0	0	0	0	0	0	0	90	39	174 ± 6
	Muskrat	0	0	534	507	1140	203	0	0	0	0	0	0	2383 ± 46
	Wolf	1	0	0	1	0	0	0	0	0	0	0	0	2 ± 0
	Wolverine	1	5	1	0	0	0	0	0	0	0	1	3	11 ± 0
<i>Birds</i>	Eider (unspec.)	0	0	0	0	0	9	0	0	0	0	0	0	9 ± 2
	Goose (Canada)	0	0	0	0	10	0	0	0	0	0	0	0	10 ± 0
	Goose (Greater White-fronted)	0	0	0	0	21	10	0	2	2	0	0	0	35 ± 2
	Goose (Snow)	0	0	0	0	35	41	0	0	0	0	0	0	76 ± 7
	Mallard	0	0	0	0	29	8	0	1	10	0	0	0	48 ± 2
	Oldsquaw	0	0	0	0	5	0	0	0	0	0	0	0	5 ± 0
	Pintail (Northern)	0	0	0	0	14	2	0	0	15	0	0	0	31 ± 3
	Ptarmigan (unspec.)	22	13	69	12	0	0	0	0	0	6	53	10	186 ± 8
	Scoter (unspec.)	0	0	0	0	26	5	0	0	5	0	0	0	36 ± 1
	Swan (unspec.)	0	0	0	0	0	0	0	0	4	0	0	0	4 ± 1
	Wigeon (American)	0	0	0	0	44	8	0	4	17	0	0	0	73 ± 3

Other harvested species reported, monthly, Aklavik, 1989

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Sculpin (unspec.)	0	0	0	0	0	0	15	0	0	0	0	0	15
	Sucker (unspec.)	0	0	0	0	0	1	22	25	0	0	0	0	49
	Trout (unspec.)	0	0	0	0	0	0	0	20	16	0	0	0	36
<i>Big Game</i>	Bear (American Black)	0	0	0	0	0	1	0	0	0	0	0	0	1
<i>Fur Bearers/Small Mammals</i>	Ermine	1	0	0	0	0	0	0	0	0	0	0	3	4
<i>Birds</i>	Canvasback	0	0	0	0	6	3	0	0	0	0	0	0	9
	Duck (unspec.)	0	0	0	0	0	4	0	0	14	0	0	0	18
	Scaup (unspec.)	0	0	0	0	19	0	0	0	10	0	0	0	29
	Shoveler	0	0	0	0	2	0	0	0	0	0	0	0	2
	Teal (Green-winged)	0	0	0	0	0	1	0	0	2	0	0	0	3

† Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 4 Hunter response, and number of hunters harvesting selected species, monthly, Aklavik, 1989

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1989
Hunter list		162	161	160	160	160	159	160	159	159	159	159	159	162
Survey population		160	156	158	158	158	158	156	156	156	155	155	155	160
Hunters interviewed		160	156	158	158	158	156	155	154	154	152	154	154	160
Harvested		27	35	32	27	24	33	36	30	33	17	36	31	117
Response Rate (%)		100	100	100	100	100	99	99	99	99	98	99	99	99 ^a
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	0	0	0	2	0	0	1	0	0	3
	Whale (Beluga)	0	0	0	0	0	0	11	1	0	0	0	0	12
<i>Fish</i>	Burbot	0	0	1	0	1	3	2	3	1	15	12	4	26
	Char (Dolly Varden)	0	0	0	0	0	1	3	6	5	0	0	0	15
	Cisco (unspec.)	0	0	0	0	0	3	3	4	0	3	0	0	11
	Cod (Saffron)	0	0	0	0	0	0	1	0	0	0	0	0	1
	Herring (Pacific)	0	0	0	0	0	1	1	1	0	0	0	0	3
	Inconnu	0	0	1	0	1	13	13	8	7	8	9	2	35
	Pike (Northern)	0	0	0	0	0	9	3	10	6	13	10	4	30
	Trout (Lake)	0	0	0	0	0	0	1	5	0	0	0	0	6
	Whitefish (Broad)	0	0	0	1	1	13	16	10	8	7	6	1	31
	Whitefish (Lake)	0	0	0	0	0	3	9	8	6	5	5	1	19
	Whitefish (unspec.)	0	0	0	0	1	0	0	0	1	1	1	0	4
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	3	0	0	0	0	0	0	0	3
	Bear (Polar)	0	1	1	0	0	0	0	0	0	0	0	0	2
	Caribou	18	20	18	14	1	11	4	8	15	0	7	13	72
	Moose	0	0	0	0	0	2	2	1	5	0	2	2	13
	Sheep (Dall)	0	0	0	1	0	0	0	0	0	0	0	0	1
<i>Fur Bearers/Small Mammals</i>	Fox (Coloured)	6	4	1	0	0	0	0	0	0	0	9	5	17
	Hare (unspec.)	3	11	11	7	1	1	0	0	4	2	5	2	24
	Lynx	1	1	0	0	0	0	0	0	0	0	0	0	1
	Mink (American)	4	2	0	0	0	0	0	0	0	0	9	6	15
	Muskrat	0	0	8	6	13	1	0	0	0	0	0	0	19
	Wolf	1	0	0	1	0	0	0	0	0	0	0	0	2
	Wolverine	1	3	1	0	0	0	0	0	0	0	1	3	6
<i>Birds</i>	Eider (unspec.)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Goose (Canada)	0	0	0	0	3	0	0	0	0	0	0	0	3
	Goose (Greater White-fronted)	0	0	0	0	5	2	0	1	1	0	0	0	9
	Goose (Snow)	0	0	0	0	5	2	0	0	0	0	0	0	7
	Mallard	0	0	0	0	7	2	0	1	3	0	0	0	12
	Oldsquaw	0	0	0	0	1	0	0	0	0	0	0	0	1
	Pintail (Northern)	0	0	0	0	5	1	0	0	1	0	0	0	7
	Ptarmigan (unspec.)	2	4	4	1	0	0	0	0	0	1	2	1	12
	Scoter (unspec.)	0	0	0	0	6	2	0	0	1	0	0	0	9
	Swan (unspec.)	0	0	0	0	0	0	0	0	2	0	0	0	2
	Wigeon (American)	0	0	0	0	7	2	0	2	3	0	0	0	13

^a Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 5 Total estimated harvest, selected species, monthly, Aklavik, 1990

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total‡
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	0	2	0	0	0	0	0	0	0	2 ± 0
	Whale (Beluga)	0	0	0	0	0	5	13	1	0	0	0	0	19 ± 1
<i>Fish</i>	Burbot	1	0	0	0	10	433	234	238	47	1312	141	0	2416 ± 213
	Char (Dolly Varden)	0	0	0	0	0	25	149	468	18	0	0	0	661 ± 98
	Cisco (unspec.)	0	0	0	0	0	0	733	264	0	7532	0	0	8529 ± 1822
	Herring (Pacific)	0	0	0	0	0	765	578	255	0	414	0	0	2012 ± 210
	Herring/Cisco (unspec.)	0	0	0	0	0	0	0	102	0	0	0	0	102 ± 29
	Inconnu	7	53	0	0	2	585	590	629	34	140	151	0	2191 ± 92
	Pike (Northern)	9	2	0	0	43	352	339	375	48	697	123	7	1996 ± 134
	Trout (Lake)	0	0	0	0	0	2	0	1	0	0	0	0	3 ± 0
	Whitefish (Broad)	0	0	0	0	67	777	1223	1441	149	2934	230	20	6843 ± 808
	Whitefish (Lake)	0	0	0	0	30	426	723	664	149	435	0	0	2427 ± 131
	Whitefish (unspec.)	0	0	0	0	15	0	0	0	0	0	0	0	15 ± 2
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	2	2	0	0	0	0	0	0	4 ± 0
	Bear (Polar)	0	0	0	1	1	0	0	0	0	0	0	0	2 ± 0
	Caribou	16	33	156	41	27	38	3	85	48	251	226	59	983 ± 18
	Moose	1	2	0	0	0	0	1	0	5	1	0	0	10 ± 1
<i>Fur Bearers/Small Mammals</i>	Fox (Coloured)	2	0	1	0	0	0	0	0	0	0	13	20	37 ± 5
	Hare (unspec.)	5	70	127	150	60	10	0	0	105	19	10	10	567 ± 18
	Lynx	1	0	0	0	0	0	0	0	0	0	0	1	2 ± 0
	Mink (American)	8	0	1	0	0	0	0	0	0	0	30	35	74 ± 8
	Muskrat	0	0	6	45	378	116	17	0	0	0	0	0	562 ± 29
	Wolf	0	0	0	2	1	0	0	0	0	0	0	2	5 ± 0
	Wolverine	3	0	0	1	0	0	0	0	0	0	0	2	6 ± 1
<i>Birds</i>	Goose (Canada)	0	0	0	0	38	0	0	0	3	0	0	0	41 ± 4
	Goose (Greater White-fronted)	0	0	0	0	69	0	0	0	1	0	0	0	70 ± 6
	Goose (Snow)	0	0	0	0	42	0	0	0	44	0	0	0	86 ± 8
	Mallard	0	0	0	0	41	6	0	0	16	0	0	0	64 ± 4
	Oldsquaw	0	0	0	0	6	0	0	0	2	0	0	0	8 ± 1
	Ptarmigan (unspec.)	0	0	2	39	0	0	0	0	0	0	14	0	55 ± 5
	Scoter (unspec.)	0	0	0	1	36	5	1	6	10	0	0	0	60 ± 4
	Swan (unspec.)	0	0	0	0	5	0	0	0	2	0	0	0	7 ± 1
	Wigeon (American)	0	0	0	0	20	3	0	0	4	0	0	0	27 ± 2

Other harvested species reported, monthly, Aklavik, 1990

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Sucker (unspec.)	0	0	0	0	0	1	3	5	0	0	0	0	9
	Trout (unspec.)	0	0	0	0	0	10	17	17	17	0	0	0	61
<i>Big Game</i>	Bear (American Black)	0	0	0	1	0	1	0	1	2	0	0	0	5
<i>Fur Bearers/Small Mammals</i>	Ermine	0	0	0	0	0	0	0	0	0	0	0	7	7
<i>Birds</i>	Scaup (unspec.)	0	0	0	0	7	0	0	0	0	0	0	0	7
	Shoveler	0	0	0	0	2	0	0	0	0	0	0	0	2

‡Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 6 Hunter response, and number of hunters harvesting selected species, monthly, Aklavik, 1990

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1990
Hunter list		161	161	161	160	160	160	158	158	155	156	153	154	162
Survey population		154	154	153	153	152	151	151	148	148	145	143	144	156
Hunters interviewed		154	154	153	153	151	150	149	145	146	140	139	141	156
Harvested		12	13	39	22	31	31	33	39	25	53	45	26	110
Response Rate (%)		100	100	100	100	99	99	99	98	99	97	97	98	99 ^a
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Whale (Beluga)	0	0	0	0	0	4	14	1	0	0	0	0	18
<i>Fish</i>	Burbot	1	0	0	0	1	5	4	5	2	15	3	0	22
	Char (Dolly Varden)	0	0	0	0	0	1	5	10	1	0	0	0	11
	Cisco (unspec.)	0	0	0	0	0	0	4	3	0	4	0	0	10
	Herring (Pacific)	0	0	0	0	0	3	5	1	0	1	0	0	6
	Herring/Cisco (unspec.)	0	0	0	0	0	0	0	1	0	0	0	0	1
	Inconnu	2	1	0	0	1	12	14	13	1	7	6	0	28
	Pike (Northern)	3	1	0	0	3	8	9	11	2	10	2	1	24
	Trout (Lake)	0	0	0	0	0	1	0	1	0	0	0	0	2
	Whitefish (Broad)	0	0	0	0	3	12	15	17	4	7	3	1	22
	Whitefish (Lake)	0	0	0	0	3	8	10	13	4	4	0	0	14
	Whitefish (unspec.)	0	0	0	0	1	0	0	0	0	0	0	0	1
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	2	2	0	0	0	0	0	0	4
	Bear (Polar)	0	0	0	1	1	0	0	0	0	0	0	0	2
	Caribou	4	6	35	11	7	13	2	20	14	42	37	19	90
	Moose	1	2	0	0	0	0	1	0	4	1	0	0	9
<i>Fur Bearers/Small Mammals</i>	Fox (Coloured)	1	0	1	0	0	0	0	0	0	0	2	3	5
	Mink (American)	2	0	1	0	0	0	0	0	0	0	4	6	10
	Hare (unspec.)	1	4	5	8	2	1	0	0	5	3	1	1	19
	Lynx	1	0	0	0	0	0	0	0	0	0	0	1	2
	Muskrat	0	0	1	1	9	2	1	0	0	0	0	0	11
	Wolf	0	0	0	2	1	0	0	0	0	0	0	2	5
	Wolverine	1	0	0	1	0	0	0	0	0	0	0	1	2
<i>Birds</i>	Goose (Canada)	0	0	0	0	7	0	0	0	1	0	0	0	8
	Goose (Greater White-fronted)	0	0	0	0	9	0	0	0	1	0	0	0	9
	Goose (Snow)	0	0	0	0	4	0	0	0	4	0	0	0	7
	Mallard	0	0	0	0	7	1	0	0	2	0	0	0	9
	Oldsquaw	0	0	0	0	1	0	0	0	1	0	0	0	2
	Ptarmigan (unspec.)	0	0	1	1	0	0	0	0	0	0	1	0	3
	Scoter (unspec.)	0	0	0	1	5	1	1	1	1	0	0	0	10
	Swan (unspec.)	0	0	0	0	3	0	0	0	1	0	0	0	4
	Wigeon (American)	0	0	0	0	3	1	0	0	1	0	0	0	4

^a Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 7 Total estimated harvest, selected species, monthly, Aklavik, 1991

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	0	0	1	1	1	0	0	0	0	3 ± 1
	Whale (Beluga)	0	0	0	0	0	0	17	4	0	0	0	0	22 ± 2
<i>Fish</i>	Burbot	0	0	0	0	13	7	0	1	37	499	754	0	1311 ± 120
	Char (Dolly Varden)	0	0	0	0	0	0	31	315	3	0	0	0	349 ± 117
	Cisco (unspec.)	0	0	0	0	0	0	216	739	518	3738	511	0	5721 ± 1198
	Herring (Pacific)	0	0	0	0	0	26	237	242	0	0	0	0	504 ± 86
	Inconnu	0	0	0	0	10	176	465	210	74	367	268	0	1568 ± 107
	Pike (Northern)	0	0	0	0	10	57	63	208	289	276	210	0	1114 ± 106
	Trout (Lake)	0	0	0	0	0	0	0	1	0	0	0	0	1 ± 0
	Whitefish (Broad)	0	0	0	104	0	333	1005	1207	1235	1208	2104	0	7195 ± 474
	Whitefish (Lake)	0	0	0	0	31	134	350	463	932	1055	980	0	3945 ± 397
<i>Big Game</i>	Bear (Grizzly)	0	0	0	2	2	1	0	0	1	0	0	0	6 ± 1
	Bear (Polar)	0	0	1	1	1	0	0	0	0	0	0	0	3 ± 1
	Caribou	100	151	119	58	4	19	15	80	27	123	11	32	740 ± 22
	Moose	0	0	0	0	0	0	1	2	4	0	0	1	8 ± 1
	Sheep (Dall)	0	0	0	0	0	0	0	0	0	1	0	0	1 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	0	0	0	0	0	0	0	0	0	0	5	5 ± 2
	Fox (Coloured)	0	0	0	0	0	0	0	0	0	0	34	10	44 ± 4
	Hare (unspec.)	31	106	88	16	20	20	0	0	141	110	57	10	599 ± 53
	Lynx	7	2	5	0	0	0	0	0	0	0	18	38	71 ± 7
	Mink (American)	2	0	0	0	0	0	0	0	0	0	244	155	402 ± 23
	Muskrat	0	0	167	102	849	611	0	0	0	0	0	0	1728 ± 167
	Wolf	1	2	2	10	0	0	0	0	0	0	0	4	20 ± 3
	Wolverine	0	1	6	9	0	0	0	0	0	0	0	1	18 ± 2
<i>Birds</i>	Goose (Canada)	0	0	0	0	16	4	0	0	7	0	0	0	28 ± 4
	Goose (Greater White-fronted)	0	0	0	0	63	19	0	10	20	0	0	0	113 ± 11
	Goose (Snow)	0	0	0	0	43	5	0	10	2	0	0	0	61 ± 9
	Mallard	0	0	0	0	45	16	0	0	0	0	0	0	61 ± 8
	Oldsquaw	0	0	0	0	0	5	0	0	0	0	0	0	5 ± 1
	Ptarmigan (unspec.)	0	0	12	21	0	0	0	4	0	4	9	0	50 ± 9
	Scoter (unspec.)	0	0	0	0	18	26	0	13	4	0	0	0	61 ± 8
	Wigeon (American)	0	0	0	0	13	0	0	0	0	0	0	0	13 ± 3

Other harvested species reported, monthly, Aklavik, 1991

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fur Bearers/Small Mammals</i>	Otter (River)	0	0	0	0	0	0	0	0	0	0	0	1	1
<i>Birds</i>	Canvasback	0	0	0	0	0	10	0	0	10	0	0	0	20
	Goose (unspec.)	0	0	0	0	10	0	0	0	0	0	0	0	10

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 8 Hunter response, and number of hunters harvesting selected species, monthly, Aklavik, 1991

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1991
Hunter list		157	157	156	155	155	155	154	154	153	152	151	150	158
Survey population		144	143	141	143	143	145	145	144	145	146	145	142	149
Hunters interviewed		140	138	138	138	140	142	141	138	140	141	142	137	148
Harvested		20	27	35	16	22	26	32	49	26	47	34	23	108
Response Rate (%)		97	97	98	97	98	98	97	96	97	97	98	96	97 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	0	0	1	1	1	0	0	0	0	3
	Whale (Beluga)	0	0	0	0	0	0	16	3	0	0	0	0	19
<i>Fish</i>	Burbot	0	0	0	0	1	2	0	1	3	14	13	0	27
	Char (Dolly Varden)	0	0	0	0	0	0	1	7	1	0	0	0	9
	Cisco (unspec.)	0	0	0	0	0	0	3	7	1	4	1	0	12
	Herring (Pacific)	0	0	0	0	0	1	3	3	0	0	0	0	5
	Inconnu	0	0	0	0	1	9	10	7	4	13	15	0	35
	Pike (Northern)	0	0	0	0	1	6	4	4	5	9	12	0	20
	Trout (Lake)	0	0	0	0	0	0	0	1	0	0	0	0	1
	Whitefish (Broad)	0	0	0	1	0	9	10	12	6	14	7	0	28
	Whitefish (Lake)	0	0	0	0	2	4	8	6	5	9	4	0	23
<i>Big Game</i>	Bear (Grizzly)	0	0	0	2	2	1	0	0	1	0	0	0	6
	Bear (Polar)	0	0	1	1	1	0	0	0	0	0	0	0	3
	Caribou	16	23	28	11	2	5	7	33	8	26	3	5	76
	Moose	0	0	0	0	0	0	1	2	3	0	0	1	6
	Sheep (Dall)	0	0	0	0	0	0	0	0	0	1	0	0	1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	0	0	0	0	0	0	0	0	0	0	1	1
	Fox (Coloured)	0	0	0	0	0	0	0	0	0	0	0	8	10
	Hare (unspec.)	2	3	5	1	1	1	0	0	7	3	2	1	14
	Lynx	1	1	1	0	0	0	0	0	0	0	4	9	10
	Mink (American)	1	0	0	0	0	0	0	0	0	0	13	17	20
	Muskrat	0	0	3	3	9	5	0	0	0	0	0	0	14
	Wolf	1	1	2	3	0	0	0	0	0	0	0	2	7
	Wolverine	0	1	3	3	0	0	0	0	0	0	0	1	6
<i>Birds</i>	Goose (Canada)	0	0	0	0	3	1	0	0	3	0	0	0	6
	Goose (Greater White-fronted)	0	0	0	0	7	3	0	1	5	0	0	0	12
	Goose (Snow)	0	0	0	0	5	2	0	1	1	0	0	0	7
	Mallard	0	0	0	0	4	3	0	0	0	0	0	0	7
	Oldsquaw	0	0	0	0	0	1	0	0	0	0	0	0	1
	Ptarmigan (unspec.)	0	0	1	1	0	0	0	1	0	1	1	0	4
	Scoter (unspec.)	0	0	0	0	2	3	0	2	1	0	0	0	7
	Wigeon (American)	0	0	0	0	2	0	0	0	0	0	0	0	2

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 9 Total estimated harvest, selected species, monthly, Aklavik, 1992

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	1	0	0	0	0	0	0	0	0	1 ± 0
	Whale (Beluga)	0	0	0	0	0	0	14	0	0	0	0	0	14 ± 1
<i>Fish</i>	Burbot	0	0	0	0	0	2	0	0	35	1465	101	6	1610 ± 196
	Char (Dolly Varden)	0	0	0	0	0	0	36	504	209	1	0	0	750 ± 64
	Cisco (unspec.)	0	0	0	0	0	0	0	222	0	9707	0	0	9928 ± 1998
	Herring (Pacific)	0	0	0	0	0	0	760	529	0	3065	0	0	4354 ± 904
	Herring/Cisco (unspec.)	0	0	0	0	0	0	0	201	0	0	0	0	201 ± 34
	Inconnu	0	0	0	0	0	74	270	158	463	1077	149	51	2242 ± 170
	Pike (Northern)	0	0	0	0	0	4	36	564	317	620	81	52	1674 ± 106
	Whitefish (Broad)	0	0	0	0	0	64	548	1305	1309	3263	243	20	6754 ± 566
	Whitefish (Lake)	0	0	0	0	0	52	410	321	1058	2435	153	0	4429 ± 617
<i>Big Game</i>	Bear (Grizzly)	0	0	0	11	14	0	0	0	0	0	0	0	25 ± 1
	Caribou	25	164	114	33	1	8	11	107	44	9	24	17	557 ± 10
	Moose	0	0	1	0	1	1	0	1	2	0	0	0	6 ± 0
	Sheep (Dall)	0	0	0	0	0	0	0	0	0	2	0	0	2 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	1	0	0	0	0	0	0	0	0	0	16	0	17 ± 4
	Fox (Coloured)	21	0	0	0	0	0	0	0	0	0	43	2	66 ± 7
	Hare (unspec.)	5	43	24	30	4	1	0	0	15	4	5	0	132 ± 7
	Lynx	48	14	4	0	0	0	0	0	0	0	0	17	98 ± 4
	Mink (American)	40	13	21	0	0	0	0	0	0	0	0	35	115 ± 6
	Muskrat	0	0	168	197	223	0	0	0	0	0	0	0	588 ± 32
	Wolf	4	15	26	6	0	0	0	0	0	0	1	2	54 ± 2
	Wolverine	9	0	4	2	0	0	0	0	0	1	5	1	22 ± 1
<i>Birds</i>	Eider (unspec.)	0	0	0	0	0	0	0	0	5	0	0	0	5 ± 1
	Goose (Canada)	0	0	0	0	11	0	0	0	4	0	0	0	15 ± 1
	Goose (Greater White-fronted)	0	0	0	0	62	2	0	0	41	0	0	0	106 ± 5
	Goose (Snow)	0	0	0	0	271	0	0	0	137	8	0	0	416 ± 17
	Mallard	0	0	0	0	28	2	0	0	0	0	0	0	30 ± 2
	Oldsquaw	0	0	0	0	2	0	0	0	2	0	0	0	4 ± 0
	Pintail (Northern)	0	0	0	0	5	0	0	0	5	0	0	0	10 ± 1
	Ptarmigan (unspec.)	0	11	9	62	12	0	0	0	0	0	0	0	95 ± 8
	Scoter (unspec.)	0	0	0	0	1	2	0	3	0	0	0	0	6 ± 0
	Swan (unspec.)	0	0	0	0	25	1	0	0	0	0	0	0	26 ± 1
	Wigeon (American)	0	0	0	0	33	0	0	0	0	0	0	0	33 ± 2

Other harvested species reported, monthly, Aklavik, 1992

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Sculpin (Fourhorn)	0	0	0	0	0	0	15	0	0	0	0	0	15
<i>Fur Bearers/Small Mammals</i>	Ermine	4	0	0	0	0	0	0	0	0	0	0	0	4
<i>Birds</i>	Canvasback	0	0	0	0	2	0	0	0	0	0	0	0	2
	Scaup (unspec.)	0	0	0	0	2	0	0	0	0	0	0	0	2

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 10 Hunter response, and number of hunters harvesting selected species, monthly, Aklavik, 1992

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1992
Hunter list		158	157	156	156	156	156	155	156	152	153	152	151	160
Survey population		147	147	147	147	147	144	144	143	141	141	141	141	150
Hunters interviewed		146	146	146	146	146	143	143	142	140	138	138	139	149
Harvested		20	33	29	23	41	9	20	42	25	18	26	11	98
Response Rate (%)		99	99	99	99	99	99	99	99	99	98	98	99	99 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	1	0	0	0	0	0	0	0	0	1
	Whale (Beluga)	0	0	0	0	0	0	11	0	0	0	0	0	11
<i>Fish</i>	Burbot	0	0	0	0	0	1	0	0	1	9	6	1	17
	Char (Dolly Varden)	0	0	0	0	0	0	2	8	3	1	0	0	13
	Cisco (unspec.)	0	0	0	0	0	0	0	2	0	3	0	0	5
	Herring (Pacific)	0	0	0	0	0	0	3	4	0	1	0	0	6
	Herring/Cisco (unspec.)	0	0	0	0	0	0	0	1	0	0	0	0	1
	Inconnu	0	0	0	0	0	2	4	10	3	9	6	1	21
	Pike (Northern)	0	0	0	0	0	1	2	7	4	11	6	2	22
	Whitefish (Broad)	0	0	0	0	0	2	5	11	6	9	2	1	17
	Whitefish (Lake)	0	0	0	0	0	2	5	8	4	6	1	0	11
<i>Big Game</i>	Bear (Grizzly)	0	0	0	5	7	0	0	0	0	0	0	0	10
	Caribou	6	25	20	11	1	4	4	27	11	2	6	2	66
	Moose	0	0	1	0	1	1	0	1	2	0	0	0	6
	Sheep (Dall)	0	0	0	0	0	0	0	0	0	2	0	0	2
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	1	0	0	0	0	0	0	0	0	0	2	0	2
	Fox (Coloured)	5	0	0	0	0	0	0	0	0	0	3	2	7
	Hare (unspec.)	1	3	4	3	1	1	0	0	1	1	1	0	9
	Lynx	10	4	2	0	0	0	0	0	0	0	3	3	14
	Mink (American)	10	3	2	0	0	0	0	0	0	0	8	2	16
	Muskrat	0	0	2	4	5	0	0	0	0	0	0	0	10
	Wolf	2	6	8	4	0	0	0	0	0	0	1	2	12
	Wolverine	2	0	2	2	0	0	0	0	0	1	3	1	7
	Eider (unspec.)	0	0	0	0	0	0	0	0	1	0	0	0	1
<i>Birds</i>	Goose (Canada)	0	0	0	0	6	0	0	0	2	0	0	0	7
	Goose (Greater White-fronted)	0	0	0	0	14	1	0	0	6	0	0	0	20
	Goose (Snow)	0	0	0	0	25	0	0	0	7	1	0	0	29
	Mallard	0	0	0	0	7	1	0	0	0	0	0	0	8
	Oldsquaw	0	0	0	0	1	0	0	0	1	0	0	0	1
	Pintail (Northern)	0	0	0	0	2	0	0	0	1	0	0	0	3
	Ptarmigan (unspec.)	0	1	1	3	1	0	0	0	0	0	0	0	4
	Scoter (unspec.)	0	0	0	0	1	1	0	1	0	0	0	0	3
	Swan (unspec.)	0	0	0	0	11	1	0	0	0	0	0	0	11
	Wigeon (American)	0	0	0	0	7	0	0	0	0	0	0	0	7

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 11 Total estimated harvest, selected species, monthly, Aklavik, 1993

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total‡
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	0	1	0	0	0	0	1 ± 0
	Whale (Beluga)	0	0	0	0	0	8	9	3	0	0	0	0	21 ± 2
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	20	382	564	0	966 ± 94
	Char (Dolly Varden)	0	0	0	0	0	0	172	705	303	0	60	0	1241 ± 158
	Cisco (unspec.)	0	0	0	0	0	0	239	0	1612	3552	0	0	5403 ± 907
	Grayling (Arctic)	0	0	0	0	0	0	0	0	0	0	104	0	104 ± 12
	Herring (Pacific)	0	0	0	0	0	0	536	0	0	0	0	0	536 ± 118
	Inconnu	109	0	0	0	2	99	44	177	217	439	28	0	1116 ± 83
	Pike (Northern)	0	0	0	0	0	78	2	197	475	537	350	0	1638 ± 108
	Trout (Lake)	0	0	0	0	0	0	0	0	0	0	0	3	3 ± 1
	Whitefish (Broad)	0	0	0	0	73	93	143	880	1533	538	302	0	3562 ± 263
	Whitefish (Lake)	0	0	0	0	0	0	32	102	353	1060	30	0	1577 ± 144
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	0	1	0	0	0	0	0	0	1 ± 0
	Bear (Polar)	0	0	0	1	2	0	0	0	0	0	0	0	3 ± 0
	Caribou	66	54	29	29	0	81	12	67	26	27	36	41	470 ± 12
	Moose	0	0	0	0	1	0	1	4	3	1	0	0	10 ± 1
	Sheep (Dall)	0	0	0	0	0	0	0	0	1	0	0	0	1 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	0	0	0	0	0	0	0	0	0	6	0	6 ± 1
	Fox (Coloured)	0	1	0	0	0	0	0	0	0	0	34	2	37 ± 2
	Hare (unspec.)	59	10	27	104	0	0	0	0	16	0	0	12	229 ± 22
	Lynx	4	7	0	0	0	0	0	0	0	0	4	3	18 ± 2
	Mink (American)	1	0	0	0	0	0	0	0	0	0	12	19	32 ± 2
	Muskrat	0	0	185	353	118	31	0	0	0	0	0	0	686 ± 64
	Wolf	1	0	2	5	0	0	0	0	0	0	0	0	8 ± 1
	Wolverine	0	0	0	1	0	0	0	0	0	0	3	0	4 ± 0
<i>Birds</i>	Brant	0	0	0	0	0	0	0	4	1	0	0	0	5 ± 1
	Goose (Canada)	0	0	0	0	17	0	0	0	0	0	0	0	17 ± 1
	Goose (Greater White-fronted)	0	0	0	15	76	0	0	0	11	0	0	0	102 ± 5
	Goose (Snow)	0	0	0	0	198	0	0	0	95	0	0	0	293 ± 13
	Mallard	0	0	0	0	33	0	0	0	16	0	0	0	49 ± 3
	Oldsquaw	0	0	0	0	10	2	0	0	0	0	0	0	12 ± 1
	Pintail (Northern)	0	0	0	0	9	0	0	0	0	0	0	0	9 ± 1
	Ptarmigan (unspec.)	0	0	12	10	0	0	0	0	12	0	0	0	34 ± 3
	Scoter (unspec.)	0	0	0	0	19	3	0	0	0	0	0	0	22 ± 2
	Swan (unspec.)	0	0	0	0	21	0	0	0	2	0	0	0	23 ± 2
	Wigeon (American)	0	0	0	0	75	0	0	0	59	0	0	0	134 ± 9

Other harvested species reported, monthly, Aklavik, 1993

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Big Game</i>	Bear (American Black)	0	0	0	0	0	0	1	0	0	0	0	0	1
<i>Fur Bearers/Small Mammals</i>	Ermine	2	0	0	2	0	0	0	0	0	0	0	0	4
	Otter (River)	0	0	0	0	0	0	0	0	0	0	1	0	1
<i>Birds</i>	Merganser (unspec.)	0	0	0	0	0	0	0	0	6	0	0	0	6
	Scaup (unspec.)	0	0	0	0	13	0	0	0	0	0	0	0	13
	Shoveler	0	0	0	0	5	0	0	0	0	0	0	0	5

‡ Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 12 Hunter response, and number of hunters harvesting selected species, monthly, Aklavik, 1993

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1993
Hunter list		162	161	158	158	158	157	156	156	152	152	139	138	162
Survey population		145	141	141	140	138	139	138	137	135	136	135	132	147
Hunters interviewed		142	139	140	139	137	136	134	134	134	134	134	131	144
Harvested		19	13	12	11	30	28	21	36	27	25	26	13	85
Response Rate (%)		98	99	99	99	99	98	97	98	99	99	99	99	99 ^a
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	0	1	0	0	0	0	1
	Whale (Beluga)	0	0	0	0	0	6	9	3	0	0	0	0	15
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	1	10	5	0	11
	Char (Dolly Varden)	0	0	0	0	0	0	6	7	2	0	3	0	15
	Cisco (unspec.)	0	0	0	0	0	0	3	0	1	1	0	0	5
	Grayling (Arctic)	0	0	0	0	0	0	0	0	0	0	3	0	3
	Herring (Pacific)	0	0	0	0	0	0	3	0	0	0	0	0	3
	Inconnu	1	0	0	0	1	3	3	3	4	9	2	0	18
	Pike (Northern)	0	0	0	0	0	2	1	2	4	9	4	0	14
	Trout (Lake)	0	0	0	0	0	0	0	0	0	0	0	1	1
	Whitefish (Broad)	0	0	0	0	1	3	5	4	8	6	1	0	17
	Whitefish (Lake)	0	0	0	0	0	0	2	1	2	7	1	0	11
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Bear (Polar)	0	0	0	1	2	0	0	0	0	0	0	0	3
	Caribou	13	9	6	4	0	18	8	24	8	10	11	10	63
	Moose	0	0	0	0	1	0	1	3	3	1	0	0	9
	Sheep (Dall)	0	0	0	0	0	0	0	0	1	0	0	0	1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	0	0	0	0	0	0	0	0	0	0	3	3
	Fox (Coloured)	0	1	0	0	0	0	0	0	0	0	0	7	9
	Hare (unspec.)	1	1	2	3	0	0	0	0	1	0	0	1	7
	Lynx	2	2	0	0	0	0	0	0	0	0	2	1	3
	Mink (American)	1	0	0	0	0	0	0	0	0	0	6	3	8
	Muskrat	0	0	4	1	5	1	0	0	0	0	0	0	8
	Wolf	1	0	1	2	0	0	0	0	0	0	0	0	3
	Wolverine	0	0	0	1	0	0	0	0	0	0	1	0	2
<i>Birds</i>	Brant	0	0	0	0	0	0	0	1	1	0	0	0	2
	Goose (Canada)	0	0	0	0	8	0	0	0	0	0	0	0	8
	Goose (Greater White-fronted)	0	0	0	1	16	0	0	0	2	0	0	0	19
	Goose (Snow)	0	0	0	0	19	0	0	0	8	0	0	0	26
	Mallard	0	0	0	0	8	0	0	0	3	0	0	0	9
	Oldsquaw	0	0	0	0	1	1	0	0	0	0	0	0	2
	Pintail (Northern)	0	0	0	0	3	0	0	0	0	0	0	0	3
	Ptarmigan (unspec.)	0	0	1	1	0	0	0	0	1	0	0	0	3
	Scoter (unspec.)	0	0	0	0	5	1	0	0	0	0	0	0	5
	Swan (unspec.)	0	0	0	0	7	0	0	0	1	0	0	0	8
	Wigeon (American)	0	0	0	0	10	0	0	0	3	0	0	0	11

^a Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 13 Total estimated harvest, selected species, monthly, Aklavik, 1994

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Whale (Beluga)	0	0	0	0	0	0	18	2	0	0	0	0	20 ± 4
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	24	46	20	0	89 ± 52
	Char (Dolly Varden)	0	0	0	0	116	2	27	1990	605	0	0	0	2742 ± 1212
	Cisco (unspec.)	0	0	0	0	0	15	566	429	0	0	0	0	1011 ± 388
	Cod (Arctic)	0	0	0	0	0	0	1	0	0	0	0	0	1 ± 1
	Grayling (Arctic)	0	0	0	0	28	0	0	0	0	0	0	0	28 ± 21
	Herring (Pacific)	0	0	0	0	0	0	179	119	0	0	0	0	298 ± 143
	Inconnu	1	0	0	0	0	38	31	30	375	39	18	1	534 ± 308
	Pike (Northern)	1	0	0	0	0	0	0	24	18	0	0	30	73 ± 38
	Whitefish (Broad)	0	0	0	0	0	40	192	612	611	2999	0	0	4454 ± 2564
	Whitefish (Lake)	0	0	0	0	0	15	0	95	30	0	0	0	141 ± 62
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	1	0	0	0	0	0	0	0	1 ± 1
	Caribou	10	188	54	9	2	35	4	5	34	12	14	16	384 ± 49
	Moose	0	0	0	0	0	0	0	2	4	0	1	0	7 ± 3
	Sheep (Dall)	0	0	0	0	0	0	0	0	1	0	0	0	1 ± 1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	2	0	0	0	0	0	0	0	0	0	0	0	2 ± 2
	Fox (Coloured)	3	0	7	0	0	0	0	0	0	0	0	0	11 ± 4
	Hare (unspec.)	0	30	13	69	0	2	0	1	79	0	0	18	212 ± 67
	Lynx	6	13	8	0	0	0	0	0	0	0	0	8	35 ± 11
	Marten (American)	0	0	0	0	0	0	0	0	0	0	0	16	16 ± 15
	Mink (American)	6	1	0	0	0	0	0	0	0	0	25	60	91 ± 61
	Muskrat	0	0	359	499	698	104	0	0	0	0	0	0	1660 ± 409
	Wolf	0	0	4	0	0	0	0	0	0	0	0	1	5 ± 2
	Wolverine	1	1	4	2	0	0	0	0	0	0	0	0	8 ± 3
<i>Birds</i>	Brant	0	0	0	0	0	6	0	0	2	0	0	0	8 ± 5
	Goose (Canada)	0	0	0	0	40	1	0	0	0	0	0	0	41 ± 17
	Goose (Greater White-fronted)	0	0	0	0	181	5	0	0	28	0	0	0	213 ± 49
	Goose (Snow)	0	0	0	0	125	0	0	0	54	0	0	0	179 ± 40
	Mallard	0	0	0	0	30	16	0	0	18	0	0	0	65 ± 17
	Pintail (Northern)	0	0	0	0	3	5	0	2	2	0	0	0	13 ± 5
	Ptarmigan (unspec.)	0	8	2	49	0	0	0	2	2	0	0	0	64 ± 37
	Scoter (unspec.)	0	0	0	0	0	29	0	0	18	0	0	0	48 ± 17
	Swan (unspec.)	0	0	0	0	22	8	0	0	0	0	0	0	30 ± 7
	Wigeon (American)	0	0	0	0	20	12	0	0	28	0	0	0	59 ± 23

Other harvested species reported, monthly, Aklavik, 1994

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Marine Mammals</i>	Seal (unspec.)	0	0	0	0	0	0	0	1	0	0	0	0	1
<i>Big Game</i>	Bear (American Black)	0	0	0	0	0	0	0	0	1	0	0	0	1
<i>Fur Bearers/Small Mammals</i>	Ermine	0	0	0	1	0	0	0	0	0	0	0	0	1
<i>Birds</i>	Canvasback	0	0	0	0	1	0	0	0	0	0	0	0	1
	Duck (unspec.)	0	0	0	0	0	0	0	0	7	0	0	0	7
	Goldeneye (unspec.)	0	0	0	0	0	3	0	0	0	0	0	0	3
	Scaup (unspec.)	0	0	0	0	8	4	0	0	10	0	0	0	22
	Shoveler	0	0	0	0	1	0	0	4	0	0	0	0	5

#Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 14 Hunter response, and number of hunters harvesting selected species, monthly, Aklavik, 1994

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1994
Hunter list		242	239	235	236	232	233	230	231	228	227	227	226	245
Survey population		232	228	231	228	226	226	224	223	224	223	223	222	237
Hunters interviewed		199	195	196	196	194	192	188	187	185	171	171	171	201
Harvested		6	25	19	12	29	15	23	25	25	7	8	5	74
Response Rate (%)		86	86	85	86	86	85	84	84	83	77	77	77	83 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>		0	0	0	0	0	0	12	2	0	0	0	0	13
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	1	1	1	0	3
	Char (Dolly Varden)	0	0	0	0	1	1	3	12	1	0	0	0	18
	Cisco (unspec.)	0	0	0	0	0	1	3	5	0	0	0	0	9
	Cod (Arctic)	0	0	0	0	0	0	1	0	0	0	0	0	1
	Grayling (Arctic)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Herring (Pacific)	0	0	0	0	0	0	2	1	0	0	0	0	2
	Inconnu	1	0	0	0	0	3	3	2	2	1	2	1	12
	Pike (Northern)	1	0	0	0	0	0	0	1	1	0	0	1	4
	Whitefish (Broad)	0	0	0	0	0	3	4	6	5	3	0	0	12
	Whitefish (Lake)	0	0	0	0	0	2	0	2	1	0	0	0	5
<i>Big Game</i>		0	0	0	0	1	0	0	0	0	0	0	0	1
	Caribou	3	20	13	3	1	5	3	3	10	3	3	2	46
	Moose	0	0	0	0	0	0	0	1	3	0	1	0	5
	Sheep (Dall)	0	0	0	0	0	0	0	0	1	0	0	0	1
<i>Fur Bearers/Small Mammals</i>		1	0	0	0	0	0	0	0	0	0	0	0	1
	Fox (Arctic)	1	0	1	0	0	0	0	0	0	0	0	0	2
	Fox (Coloured)	0	1	1	2	0	1	0	1	3	0	0	1	8
	Hare (unspec.)	2	2	2	0	0	0	0	0	0	0	0	1	4
	Lynx	0	0	0	0	0	0	0	0	0	0	0	1	1
	Marten (American)	2	1	0	0	0	0	0	0	0	0	2	1	6
	Mink (American)	0	0	0	0	0	0	0	0	0	0	0	0	0
	Muskrat	0	0	2	6	6	3	0	0	0	0	0	0	14
	Wolf	0	0	1	0	0	0	0	0	0	0	1	0	2
<i>Birds</i>		1	1	2	1	0	0	0	0	0	0	0	0	5
	Brant	0	0	0	0	0	1	0	0	1	0	0	0	2
	Goose (Canada)	0	0	0	0	6	1	0	0	0	0	0	0	6
	Goose (Greater White-fronted)	0	0	0	0	16	1	0	0	3	0	0	0	19
	Goose (Snow)	0	0	0	0	11	0	0	0	5	0	0	0	16
	Mallard	0	0	0	0	7	3	0	0	2	0	0	0	10
	Pintail (Northern)	0	0	0	0	1	1	0	1	1	0	0	0	4
	Ptarmigan (unspec.)	0	1	1	1	0	0	0	1	1	0	0	0	4
	Scoter (unspec.)	0	0	0	0	0	3	0	0	2	0	0	0	4
	Swan (unspec.)	0	0	0	0	11	2	0	0	0	0	0	0	11
Wigeon (American)		0	0	0	0	6	1	0	0	2	0	0	0	8

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 15 Total estimated harvest, selected species, monthly, Aklavik, 1995

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Whale (Beluga)	0	0	0	0	0	0	26	2	1	0	0	0	29 ± 2
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	0	104	128	0	232 ± 46
	Char (Dolly Varden)	0	0	0	0	0	7	27	218	265	0	0	0	516 ± 111
	Cisco (unspec.)	0	0	0	0	0	0	117	136	0	2550	0	0	2804 ± 516
	Herring (Pacific)	0	0	0	0	0	38	690	856	0	0	0	0	1584 ± 318
	Inconnu	0	0	0	0	2	311	60	81	17	116	79	0	666 ± 115
	Pike (Northern)	0	0	0	0	0	19	0	3	0	2	1	0	25 ± 10
	Whitefish (Broad)	0	0	0	0	16	721	603	696	582	996	12	0	3625 ± 420
	Whitefish (Lake)	0	0	0	0	0	0	79	109	11	510	0	0	708 ± 153
<i>Big Game</i>	Bear (Grizzly)	0	0	0	1	0	0	0	0	0	0	0	0	1 ± 1
	Bear (Polar)	0	0	1	0	0	0	0	0	0	0	0	0	1 ± 1
	Caribou	11	8	7	20	33	29	19	107	80	373	24	17	729 ± 27
	Moose	0	0	1	0	0	0	1	0	1	0	0	0	3 ± 1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	0	6	0	0	0	0	0	0	0	1	0	7 ± 4
	Fox (Coloured)	0	30	0	1	0	0	0	0	0	0	31	26	88 ± 15
	Hare (unspec.)	0	47	22	158	0	0	0	0	39	57	10	0	334 ± 101
	Lynx	0	10	4	4	0	0	0	0	0	0	8	16	43 ± 7
	Mink (American)	0	4	0	6	0	0	0	0	0	0	10	17	37 ± 6
	Muskrat	0	0	153	179	180	138	0	0	0	0	0	0	649 ± 162
	Wolf	0	0	7	1	0	0	0	0	0	0	7	3	18 ± 3
	Wolverine	0	1	2	0	0	0	0	0	0	0	2	1	6 ± 1
<i>Birds</i>	Goose (Greater White-fronted)	0	0	0	0	77	21	0	7	12	0	0	0	117 ± 22
	Mallard	0	0	0	0	40	14	0	0	6	0	0	0	61 ± 12
	Pintail (Northern)	0	0	0	0	0	10	0	0	0	0	0	0	10 ± 6
	Ptarmigan (unspec.)	0	0	0	0	0	0	0	0	0	0	0	0	18 ± 7
	Scoter (unspec.)	0	0	0	0	3	11	0	0	0	0	0	0	14 ± 7
	Swan (unspec.)	0	0	0	0	1	0	0	0	4	0	0	0	5 ± 2
	Wigeon (American)	0	0	0	0	77	28	0	0	28	0	0	0	133 ± 23

Other harvested species reported, monthly, Aklavik, 1995

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Big Game</i>	Bear (American Black)	0	0	0	0	0	1	0	0	0	0	0	0	1
<i>Fur Bearers/Small Mammals</i>	Ermine	0	2	0	0	0	0	0	0	0	0	0	0	2
<i>Birds</i>	Goldeneye (unspec.)	0	0	0	0	3	0	0	0	0	0	0	0	3
	Scaup (unspec.)	0	0	0	0	0	0	0	0	6	0	0	0	6
	Shoveler	0	0	0	0	4	0	0	0	0	0	0	0	4

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 16 Hunter response, and number of hunters harvesting selected species, monthly, Aklavik, 1995

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1995
Hunter list		254	251	250	250	236	236	190	182	181	170	167	168	254
Survey population		242	242	241	241	226	225	175	166	162	153	150	153	242
Hunters interviewed		216	216	216	216	214	206	167	157	153	150	147	147	216
Harvested		3	8	10	8	16	20	37	39	22	44	14	9	82
Response Rate (%)		89	89	90	90	95	92	95	95	94	98	98	96	93 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>		0	0	0	0	0	0	23	2	1	0	0	0	24
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	0	2	1	0	3
	Char (Dolly Varden)	0	0	0	0	0	1	2	10	2	0	0	0	14
	Cisco (unspec.)	0	0	0	0	0	0	3	2	0	2	0	0	5
	Herring (Pacific)	0	0	0	0	0	1	2	5	0	0	0	0	8
	Inconnu	0	0	0	0	1	5	4	2	2	3	2	0	13
	Pike (Northern)	0	0	0	0	0	2	0	1	0	1	1	0	3
	Whitefish (Broad)	0	0	0	0	1	5	5	7	4	4	1	0	12
	Whitefish (Lake)	0	0	0	0	0	0	2	2	1	1	0	0	4
<i>Big Game</i>		0	0	0	1	0	0	0	0	0	0	0	0	1
	Bear (Grizzly)	0	0	1	0	0	0	0	0	0	0	0	0	1
	Bear (Polar)	0	0	1	0	0	0	0	0	0	0	0	0	1
	Caribou	3	3	2	4	7	8	6	25	14	41	5	3	64
	Moose	0	0	1	0	0	0	1	0	1	0	0	0	2
<i>Fur Bearers/Small Mammals</i>		0	0	1	0	0	0	0	0	0	0	1	0	2
	Fox (Arctic)	0	1	0	1	0	0	0	0	0	0	5	5	7
	Fox (Coloured)	0	2	1	2	0	0	0	0	3	1	1	0	8
	Hare (unspec.)	0	3	1	1	0	0	0	0	0	0	3	2	4
	Lynx	0	1	0	1	0	0	0	0	0	0	3	4	5
	Mink (American)	0	0	3	1	2	2	0	0	0	0	0	0	8
	Muskrat	0	0	2	1	0	0	0	0	0	0	0	0	7
	Wolf	0	1	2	0	0	0	0	0	0	0	3	3	4
	Wolverine	0	0	0	0	6	2	0	0	2	0	0	0	8
<i>Birds</i>		0	0	0	0	6	2	0	2	2	0	0	0	11
	Goose (Greater White-fronted)	0	0	0	0	4	3	0	0	1	0	0	0	8
	Mallard	0	0	0	0	0	1	0	0	0	0	0	0	1
	Pintail (Northern)	0	0	0	0	0	0	0	0	0	0	0	0	1
	Ptarmigan (unspec.)	0	0	0	0	1	1	0	0	0	0	0	0	1
	Scoter (unspec.)	0	0	0	0	1	0	0	0	0	0	0	0	2
	Swan (unspec.)	0	0	0	0	1	0	0	0	1	0	0	0	2
	Wigeon (American)	0	0	0	0	6	2	0	0	2	0	0	0	8

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 17 Total estimated harvest, selected species, monthly, Aklavik, 1996

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Whale (Beluga)	0	0	0	0	0	0	17	4	0	0	0	0	22 ± 3
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	0	474	114	0	588 ± 136
	Char (Dolly Varden)	0	0	0	0	0	0	357	1579	108	11	0	0	2054 ± 356
	Cisco (unspec.)	0	0	0	0	0	0	1233	772	0	0	0	0	2005 ± 394
	Inconnu	0	0	0	0	0	147	27	0	22	70	167	0	433 ± 83
	Pike (Northern)	0	0	0	0	0	0	0	0	0	32	4	0	36 ± 12
	Whitefish (Broad)	0	0	0	0	0	572	243	305	2268	1276	0	0	4664 ± 1281
<i>Big Game</i>	Bear (Grizzly)	0	0	1	1	3	0	0	0	0	0	0	0	5 ± 1
	Bear (Polar)	0	0	1	0	0	0	0	0	0	0	0	0	1 ± 0
	Caribou	11	26	32	35	1	31	10	38	32	56	23	41	336 ± 19
	Moose	0	1	1	0	0	0	0	1	4	0	1	0	9 ± 1
	Sheep (Dall)	1	0	0	1	0	0	0	0	0	0	0	2	4 ± 1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	0	0	0	0	0	0	0	0	0	1	1	2 ± 1
	Fox (Coloured)	12	2	1	0	0	0	0	0	0	0	21	20	57 ± 10
	Hare (unspec.)	23	0	0	26	0	0	0	0	0	0	0	0	49 ± 8
	Lynx	2	12	1	0	0	0	0	0	0	0	6	9	30 ± 4
	Marten (American)	0	1	0	0	0	0	0	0	0	0	2	2	5 ± 1
	Mink (American)	9	0	0	0	0	0	0	0	0	0	21	25	55 ± 8
	Muskrat	0	0	21	94	447	202	0	0	0	0	0	0	764 ± 166
	Wolf	0	0	0	3	0	0	0	0	0	0	0	0	3 ± 1
	Wolverine	1	3	1	2	0	0	0	0	0	0	1	0	8 ± 1
<i>Birds</i>	Brant	0	0	0	0	0	0	0	11	0	0	0	0	11 ± 6
	Goose (Canada)	0	0	0	0	23	0	0	0	0	0	0	0	23 ± 9
	Goose (Greater White-fronted)	0	0	0	0	137	0	0	11	91	0	0	0	239 ± 35
	Goose (Snow)	0	0	0	0	80	0	0	11	64	0	0	0	155 ± 26
	Mallard	0	0	0	0	21	0	0	38	38	0	0	0	96 ± 23
	Scoter (unspec.)	0	0	0	0	43	22	0	0	0	0	0	0	65 ± 15
	Swan (unspec.)	0	0	0	0	14	0	0	0	6	0	0	0	20 ± 5
	Wigeon (American)	0	0	0	0	83	0	0	33	49	0	0	0	165 ± 28

Other harvested species reported, monthly, Aklavik, 1996

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Birds</i>	Goldeneye (unspec.)	0	0	0	0	20	0	0	0	0	0	0	0	20

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 18 Hunter response, and number of hunters harvesting selected species, monthly, Aklavik, 1996

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1996
Hunter list		170	160	160	159	144	144	144	143	140	140	142	142	170
Survey population		149	142	140	137	136	133	133	133	135	134	134	132	149
Hunters interviewed		148	140	136	132	129	123	123	124	125	126	125	123	148
Harvested		9	11	16	19	23	13	19	21	16	15	13	12	53
Response Rate (%)		99	99	97	96	95	92	92	93	93	94	93	93	95 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>		0	0	0	0	0	0	12	4	0	0	0	0	15
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	0	6	2	0	7
	Char (Dolly Varden)	0	0	0	0	0	0	3	11	1	1	0	0	13
	Cisco (unspec.)	0	0	0	0	0	0	7	6	0	0	0	0	10
	Inconnu	0	0	0	0	0	3	1	0	1	4	4	0	9
	Pike (Northern)	0	0	0	0	0	0	0	0	0	2	1	0	3
	Whitefish (Broad)	0	0	0	0	0	3	2	4	2	2	0	0	8
<i>Big Game</i>	Bear (Grizzly)	0	0	1	1	2	0	0	0	0	0	0	0	4
	Bear (Polar)	0	0	1	0	0	0	0	0	0	0	0	0	1
	Caribou	5	7	12	12	1	7	3	11	8	10	5	7	37
	Moose	0	1	1	0	0	0	0	1	4	0	1	0	8
	Sheep (Dall)	1	0	0	1	0	0	0	0	0	0	0	1	3
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	0	0	0	0	0	0	0	0	0	1	1	1
	Fox (Coloured)	4	1	1	0	0	0	0	0	0	0	3	2	8
	Hare (unspec.)	1	0	0	2	0	0	0	0	0	0	0	0	3
	Lynx	1	2	1	0	0	0	0	0	0	0	3	4	6
	Marten (American)	0	1	0	0	0	0	0	0	0	0	2	1	3
	Mink (American)	1	0	0	0	0	0	0	0	0	0	4	5	7
	Muskrat	0	0	1	3	5	1	0	0	0	0	0	0	7
	Wolf	0	0	0	2	0	0	0	0	0	0	0	0	2
	Wolverine	1	3	1	2	0	0	0	0	0	0	1	0	6
<i>Birds</i>	Brant	0	0	0	0	0	0	0	1	0	0	0	0	1
	Goose (Canada)	0	0	0	0	3	0	0	0	0	0	0	0	3
	Goose (Greater White-fronted)	0	0	0	0	10	0	0	1	5	0	0	0	15
	Goose (Snow)	0	0	0	0	9	0	0	1	3	0	0	0	12
	Mallard	0	0	0	0	1	0	0	2	2	0	0	0	4
	Scoter (unspec.)	0	0	0	0	3	2	0	0	0	0	0	0	5
	Swan (unspec.)	0	0	0	0	5	0	0	0	1	0	0	0	6
	Wigeon (American)	0	0	0	0	5	0	0	2	3	0	0	0	9

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 19 Total estimated harvest, selected species, monthly, Aklavik, 1997

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [‡]
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	0	0	0	0	1	0	0	0	0	1 ± 0
	Whale (Beluga)	0	0	0	0	0	0	13	0	0	0	0	0	13 ± 1
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	0	315	2	8	326 ± 91
	Char (Dolly Varden)	0	0	0	0	0	0	106	806	0	106	0	0	1017 ± 165
	Cisco (unspec.)	0	0	0	0	0	0	2633	921	0	0	0	0	3553 ± 532
	Inconnu	21	0	0	0	0	0	55	61	0	106	113	7	363 ± 85
	Pike (Northern)	0	0	0	0	0	0	2	6	1	11	0	6	25 ± 7
	Whitefish (Broad)	0	0	0	0	0	0	123	260	50	2279	2027	0	4738 ± 1297
	Whitefish (Lake)	0	0	0	0	0	0	51	161	0	32	0	0	244 ± 33
<i>Big Game</i>	Bear (Grizzly)	0	0	0	1	2	0	0	0	0	1	0	0	4 ± 1
	Bear (Polar)	0	0	0	0	1	0	0	0	0	0	0	0	1 ± 0
	Caribou	24	20	31	22	17	24	22	39	55	130	43	37	463 ± 24
	Moose	0	0	0	1	0	1	0	0	3	1	0	0	6 ± 1
	Sheep (Dall)	2	1	1	0	0	0	0	0	0	0	0	0	4 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	4	1	0	0	0	0	0	0	0	0	0	0	5 ± 1
	Fox (Coloured)	4	6	1	0	0	0	0	0	0	0	18	49	78 ± 26
	Hare (unspec.)	0	4	0	0	0	0	0	20	117	12	0	11	164 ± 18
	Lynx	29	31	3	0	0	0	0	0	0	0	4	16	84 ± 10
	Marten (American)	1	0	0	0	0	0	0	0	0	0	0	0	1 ± 0
	Mink (American)	21	13	0	0	0	0	0	0	0	0	3	48	86 ± 32
	Muskrat	0	0	440	585	1735	340	0	0	0	0	0	0	3100 ± 260
	Wolf	0	2	1	4	0	0	0	0	0	0	8	6	20 ± 3
	Wolverine	3	6	0	0	0	0	0	0	0	0	0	1	10 ± 1
<i>Birds</i>	Goose (Greater White-fronted)	0	0	0	0	29	0	0	7	6	0	0	0	43 ± 4
	Goose (Snow)	0	0	0	0	30	0	0	0	0	0	0	0	30 ± 7
	Mallard	0	0	0	0	130	30	0	0	0	0	0	0	160 ± 20
	Oldsquaw	0	0	0	0	0	3	0	0	0	0	0	0	3 ± 1
	Pintail (Northern)	0	0	0	0	1	0	0	0	5	0	0	0	6 ± 1
	Swan (unspec.)	0	0	0	0	11	0	0	0	0	0	0	0	11 ± 2
	Wigeon (American)	0	0	0	0	153	22	0	0	0	0	0	0	175 ± 20

Other harvested species reported, monthly, Aklavik, 1997

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Sculpin (Fourhorn)	0	0	0	0	0	0	0	1	0	0	0	0	1
<i>Big Game</i>	Bear (American Black)	0	0	0	0	0	0	0	1	0	0	0	0	1
<i>Fur Bearers/Small Mammals</i>	Ermine	0	0	0	0	0	0	0	0	0	0	0	1	1
	Otter (River)	0	0	1	0	0	0	0	0	0	0	0	0	1
<i>Birds</i>	Canvasback	0	0	0	0	3	7	0	0	0	0	0	0	10
	Goldeneye (unspec.)	0	0	0	0	1	2	0	0	4	9	0	0	16
	Scaup (unspec.)	0	0	0	0	0	5	0	0	0	0	0	0	5

‡ Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 20 Hunter response, and number of hunters harvesting selected species, monthly, Aklavik, 1997

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1997
Hunter list		147	145	144	144	144	144	143	142	140	140	140	139	147
Survey population		133	129	126	126	126	126	126	126	126	127	126	125	135
Hunters interviewed		132	128	125	125	124	123	123	124	124	120	115	109	134
Harvested		12	10	11	10	21	9	22	20	20	25	12	11	55
Response Rate (%)		99	99	99	99	98	98	98	98	98	94	91	87	97 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	0	0	0	0	1	0	0	0	0	1
	Whale (Beluga)	0	0	0	0	0	0	10	0	0	0	0	0	10
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	0	4	1	1	5
	Char (Dolly Varden)	0	0	0	0	0	0	5	6	0	1	0	0	12
	Cisco (unspec.)	0	0	0	0	0	0	9	4	0	0	0	0	10
	Inconnu	1	0	0	0	0	0	1	3	0	1	2	1	5
	Pike (Northern)	0	0	0	0	0	0	1	1	1	1	0	1	3
	Whitefish (Broad)	0	0	0	0	0	0	2	3	1	4	3	0	7
	Whitefish (Lake)	0	0	0	0	0	0	1	4	0	2	0	0	6
<i>Big Game</i>	Bear (Grizzly)	0	0	0	1	2	0	0	0	0	1	0	0	3
	Bear (Polar)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Caribou	4	4	5	6	3	6	7	12	12	21	5	6	43
	Moose	0	0	0	1	0	1	0	0	3	1	0	0	5
	Sheep (Dall)	2	1	1	0	0	0	0	0	0	0	0	0	4
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	2	1	0	0	0	0	0	0	0	0	0	0	2
	Fox (Coloured)	2	3	1	0	0	0	0	0	0	0	2	3	6
	Hare (unspec.)	0	1	0	0	0	0	0	1	5	1	0	1	6
	Lynx	4	5	1	0	0	0	0	0	0	0	2	3	7
	Marten (American)	1	0	0	0	0	0	0	0	0	0	0	0	1
	Mink (American)	3	2	0	0	0	0	0	0	0	0	2	3	6
	Muskrat	0	0	4	6	5	3	0	0	0	0	0	0	12
	Wolf	0	2	1	1	0	0	0	0	0	0	2	3	8
	Wolverine	3	1	0	0	0	0	0	0	0	0	0	1	4
<i>Birds</i>	Goose (Greater White-fronted)	0	0	0	0	5	0	0	2	1	0	0	0	8
	Goose (Snow)	0	0	0	0	2	0	0	0	0	0	0	0	2
	Mallard	0	0	0	0	4	2	0	0	0	0	0	0	5
	Oldsquaw	0	0	0	0	0	1	0	0	0	0	0	0	1
	Pintail (Northern)	0	0	0	0	1	0	0	0	1	0	0	0	2
	Swan (unspec.)	0	0	0	0	4	0	0	0	0	0	0	0	4
	Wigeon (American)	0	0	0	0	5	2	0	0	0	0	0	0	6

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 21 Total estimated harvest, selected species, annual and ten-year mean, Aklavik, 1988 - 1997

Category	Species	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	1	0	0	0	0	0
	Seal (Ringed)	0	3	2	3	1	0	0	0	0	1	1
	Whale (Beluga)	14	14	19	22	14	21	20	29	22	13	19
<i>Fish</i>	Burbot	2943	3504	2416	1311	1610	966	89	232	588	326	1399
	Char (Dolly Varden)	661	1111	661	349	750	1241	2742	516	2054	1017	1110
	Cisco (unspec.)	1905	7166	8529	5721	9928	5403	1011	2804	2005	3553	4803
	Cod (Arctic)	0	0	0	0	0	0	1	0	0	0	0
	Cod (Saffron)	1	5	0	0	0	0	0	0	0	0	1
	Grayling (Arctic)	1	0	0	0	0	104	28	0	0	0	13
	Herring (Pacific)	0	404	2012	504	4354	536	298	1584	0	0	969
	Herring/Cisco (unspec.)	0	0	102	0	201	0	0	0	0	0	30
	Inconnu	1687	3294	2191	1568	2242	1116	534	666	433	363	1409
	Pike (Northern)	1554	2819	1996	1114	1674	1638	73	25	36	25	1095
	Trout (Lake)	0	196	3	1	0	3	0	0	0	0	20
	Whitefish (Broad)	8257	8188	6843	7195	6754	3562	4454	3625	4664	4738	5828
	Whitefish (Lake)	3167	4785	2427	3945	4429	1577	141	708	0	244	2142
	Whitefish (unspec.)	868	444	15	0	0	0	0	0	0	0	133
<i>Big Game</i>	Bear (Grizzly)	2	5	4	6	25	1	1	1	5	4	5
	Bear (Polar)	5	2	2	3	0	3	0	1	1	1	2
	Caribou	1222	545	983	740	557	470	384	729	336	463	643
	Moose	15	16	10	8	6	10	7	3	9	6	9
	Sheep (Dall)	1	1	0	1	2	1	1	0	4	4	2
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	29	0	0	5	17	6	2	7	2	5	7
	Fox (Coloured)	261	135	37	44	66	37	11	88	57	78	81
	Hare (unspec.)	416	774	567	599	132	229	212	334	49	164	348
	Lynx	7	6	2	71	98	18	35	43	30	84	39
	Marten (American)	0	0	0	0	0	0	16	0	5	1	2
	Mink (American)	87	174	74	402	115	32	91	37	55	86	115
	Muskrat	17769	2383	562	1728	588	686	1660	649	764	3100	2989
	Wolf	12	2	5	20	54	8	5	18	3	20	15
	Wolverine	9	11	6	18	22	4	8	6	8	10	10
<i>Birds</i>	Brant	0	0	0	0	0	5	8	0	11	0	2
	Eider (unspec.)	5	9	0	0	5	0	0	0	0	0	2
	Goose (Canada)	8	10	41	28	15	17	41	0	23	0	18
	Goose (Greater White-fronted)	259	35	70	113	106	102	213	117	239	43	130
	Goose (Snow)	186	76	86	61	416	293	179	0	155	30	148
	Mallard	213	48	64	61	30	49	65	61	96	160	85
	Oldsquaw	36	5	8	5	4	12	0	0	0	3	7
	Pintail (Northern)	54	31	0	0	10	9	13	10	0	6	13
	Ptarmigan (unspec.)	302	186	55	50	95	34	64	18	0	0	80
	Scoter (unspec.)	128	36	60	61	6	22	48	14	65	0	44
	Swan (unspec.)	12	4	7	0	26	23	30	5	20	11	14
	Wigeon (American)	185	73	27	13	33	134	59	133	165	175	100

Other harvested species reported, annual and ten-year mean, Aklavik, 1988 - 1997

Category	Species	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean
<i>Marine Mammals</i>	Seal (unspec.)	2	0	0	0	0	0	1	0	0	0	0
<i>Fish</i>	Fish (unspec.)	350	0	0	0	0	0	0	0	0	0	35
	Sculpin (fourhorn)	0	15	0	0	15	0	0	0	0	1	3
	Sucker (unspec.)	0	49	9	0	0	0	0	0	0	0	6
	Trout (unspec.)	0	36	61	0	0	0	0	0	0	0	10
<i>Big Game</i>	Bear (American Black)	2	1	5	0	0	1	1	1	0	1	1
<i>Fur Bearers/Small Mammals</i>	Ermine	25	4	7	0	4	4	1	2	0	1	5
	Otter (River)	0	0	0	1	0	1	0	0	0	1	0
<i>Birds</i>	Canvasback	10	9	0	20	2	0	1	0	0	10	5
	Duck (unspec.)	5	18	0	0	0	0	7	0	0	0	3
	Goldeneye (unspec.)	12	0	0	0	0	0	3	3	20	16	5
	Goose (unspec.)	6	0	0	10	0	0	0	0	0	0	2
	Loon (Arctic)	2	0	0	0	0	0	0	0	0	0	0
	Merganser (unspec.)	0	0	0	0	0	6	0	0	0	0	1
	Scaup (unspec.)	75	29	7	0	2	13	22	6	0	5	16
	Shoveler	2	2	2	0	0	5	5	4	0	0	2
	Teal (Green-winged)	4	3	0	0	0	0	0	0	0	0	1

Table 22 Hunter response, and number of hunters harvesting selected species, annual and ten-year mean, Aklavik, 1988-1997

HUNTER RESPONSE		1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean
Hunter list		163	162	162	158	160	162	245	254	170	147	178
Survey population		163	160	156	149	150	147	237	242	149	135	169
Hunters interviewed		163	160	156	148	149	144	201	216	148	134	162
Harvested		141	117	110	108	98	85	74	82	53	55	92
Response Rate (%)		99	99	99	97	99	99	83	93	99	99	96
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES												
Category	Species	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean##
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	1	0	0	0	0	0
	Seal (Ringed)	0	3	1	3	1	0	0	0	0	1	1
	Whale (Beluga)	10	12	18	19	11	15	13	24	15	10	15
<i>Fish</i>	Burbot	29	26	22	27	17	11	3	3	7	5	15
	Char (Dolly Varden)	21	15	11	9	13	15	18	14	13	12	14
	Cisco (unspec.)	19	11	10	12	5	5	9	5	10	10	10
	Cod (Arctic)	0	0	0	0	0	0	1	0	0	0	0
	Cod (Saffron)	1	1	0	0	0	0	0	0	0	0	0
	Grayling (Arctic)	1	0	0	0	0	3	1	0	0	0	1
	Herring (Pacific)	0	3	6	5	6	3	2	8	0	0	3
	Herring/Cisco (unspec.)	0	0	1	0	1	0	0	0	0	0	0
	Inconnu	38	35	28	35	21	18	12	13	9	5	21
	Pike (Northern)	40	30	24	20	22	14	4	3	3	3	16
	Trout (Lake)	0	6	2	1	0	1	0	0	0	0	1
	Whitefish (Broad)	38	31	22	28	17	17	12	12	8	7	19
	Whitefish (Lake)	29	19	14	23	11	11	5	4	0	6	12
	Whitefish (unspec.)	6	4	1	0	0	0	0	0	0	0	1
<i>Big Game</i>	Bear (Grizzly)	2	3	4	6	10	1	1	1	4	3	4
	Bear (Polar)	5	2	2	3	0	3	0	1	1	1	2
	Caribou	95	72	90	76	66	63	46	64	37	43	65
	Moose	12	13	9	6	6	9	5	2	8	5	8
	Sheep (Dall)	1	1	0	1	2	1	1	0	3	4	1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	4	0	0	1	2	3	1	2	1	2	2
	Fox (Coloured)	22	17	5	10	7	9	2	7	8	6	9
	Hare (unspec.)	22	24	19	14	9	7	8	8	3	6	12
	Lynx	2	1	2	10	14	3	4	4	6	7	5
	Marten (American)	0	0	0	0	0	0	1	0	3	1	1
	Mink (American)	13	15	10	20	16	8	6	5	7	6	11
	Muskrat	57	19	11	14	10	8	14	8	7	12	16
	Wolf	6	2	5	7	12	3	2	7	2	8	5
	Wolverine	4	6	2	6	7	2	5	4	6	4	5
<i>Birds</i>	Brant	0	0	0	0	0	2	2	0	1	0	1
	Eider (unspec.)	2	1	0	0	1	0	0	0	0	0	0
	Goose (Canada)	3	3	8	6	7	8	6	0	3	0	4
	Goose (Greater White-fronted)	32	9	9	12	20	19	19	11	15	8	15
	Goose (Snow)	16	7	7	7	29	26	16	0	12	2	12
	Mallard	34	12	9	7	8	9	10	8	4	5	11
	Oldsquaw	8	1	2	1	1	2	0	0	0	1	2
	Pintail (Northern)	9	7	0	0	3	3	4	1	0	2	3
	Ptarmigan (unspec.)	17	12	3	4	4	3	4	1	0	0	5
	Scooter (unspec.)	23	9	10	7	3	5	4	2	5	0	7
	Swan (unspec.)	8	2	4	0	11	8	11	2	6	4	6
	Wigeon (American)	23	13	4	2	7	11	8	8	9	6	9

Some hunters may have hunted in more than one month but are only counted once in the total.

Holman Tables

Table 23 Total estimated harvest, selected species, monthly, Holman, 1988

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	1	1	0	6	3	1	0	0	0	13 ± 2
	Seal (Ringed)	11	36	27	7	23	174	380	360	35	2	38	26	1120 ± 60
<i>Fish</i>	Char (Arctic)	0	0	0	0	0	817	1550	2191	34	0	0	0	4592 ± 291
	Char (Arctic Land-locked)	0	0	0	0	0	26	0	0	0	0	0	0	26 ± 10
	Char (unspec.)	0	0	0	0	0	133	107	313	0	4571	0	0	5124 ± 453
	Trout (Lake)	3	4	29	173	1028	523	206	38	13	59	0	0	2076 ± 155
<i>Big Game</i>	Bear (Polar)	2	2	0	15	2	0	0	0	0	0	0	0	21 ± 3
	Caribou	102	22	53	51	56	1	94	42	3	112	118	29	681 ± 15
	Muskox	6	11	17	6	22	0	8	7	6	6	1	0	92 ± 6
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	329	167	57	105	0	0	0	0	0	0	8	2	669 ± 42
	Fox (Coloured)	0	0	0	1	0	0	0	0	0	0	2	0	3 ± 1
	Hare (unspec.)	0	0	0	15	2	0	0	1	8	0	0	1	27 ± 5
<i>Birds</i>	Brant	0	0	0	0	0	0	0	2	0	0	0	0	2 ± 1
	Eider (unspec.)	0	0	0	0	0	4656	0	5	280	0	0	0	*4942 ± 224
	Goose (Canada)	0	0	0	0	74	10	0	2	1	0	0	0	87 ± 20
	Goose (Snow)	0	0	0	0	2	4	0	27	0	0	0	0	33 ± 11
	Oldsquaw	0	0	0	0	0	0	0	0	5	0	0	0	5 ± 2
	Ptarmigan (unspec.)	0	0	0	14	7	0	0	0	0	0	0	0	21 ± 4

Other harvested species reported, monthly, Holman, 1988

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Cod (unspec.)	0	0	0	0	0	0	0	1	0	0	0	0	1
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	4	0	0	0	0	0	0	0	4
	Goose (unspec.)	0	0	0	0	0	0	0	2	0	0	0	0	2
	Loon (Arctic)	0	0	0	0	0	0	0	5	4	0	0	0	9
	Loon (unspec.)	0	0	0	0	0	3	3	0	1	0	0	0	7

Total estimated harvest for the period plus or minus the 95% confidence interval.

* Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

Table 24 Hunter response, and number of hunters harvesting selected species, monthly, Holman, 1988

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1988
Hunter list		82	81	80	79	79	79	78	77	76	75	75	75	82
Survey population		79	78	77	77	77	77	76	75	74	74	74	74	79
Hunters interviewed		77	76	74	74	73	74	73	72	71	71	71	71	77
Harvested		29	28	17	35	32	65	41	40	22	32	20	12	65
Response Rate (%)		97	97	96	96	95	96	96	96	96	96	96	96	96 ^A

NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	1	1	0	4	2	1	0	0	0	7
	Seal (Ringed)	5	9	3	2	8	26	25	19	12	2	5	9	37
<i>Fish</i>	Char (Arctic)	0	0	0	0	0	11	25	25	1	22	0	0	37
	Trout (Lake)	1	3	5	16	27	16	8	3	3	4	0	0	45
<i>Big Game</i>	Bear (Polar)	2	2	0	4	2	0	0	0	0	0	0	0	6
	Caribou	22	11	9	18	13	1	20	12	1	20	17	9	49
	Muskox	4	8	4	4	7	0	7	5	4	6	1	0	28
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	17	12	4	10	0	0	0	0	0	0	3	1	21
	Fox (Coloured)	0	0	0	1	0	0	0	0	0	0	1	0	2
	Hare (unspec.)	0	0	0	3	1	0	0	1	5	0	0	1	8
<i>Birds</i>	Brant	0	0	0	0	0	0	0	1	0	0	0	0	1
	Eider (unspec.)	0	0	0	0	0	64	0	2	14	0	0	0	*65
	Goose (Canada)	0	0	0	0	11	3	0	1	1	0	0	0	14
	Goose (Snow)	0	0	0	0	1	2	0	1	0	0	0	0	4
	Oldsquaw	0	0	0	0	0	0	0	0	1	0	0	0	1
	Ptarmigan (unspec.)	0	0	0	4	1	0	0	0	0	0	0	0	4

^A Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

* Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

Table 25 Total estimated harvest, selected species, monthly, Holman, 1989

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	1	0	1	1	0	0	0	0	0	0	3 ± 0
	Seal (Ringed)	7	38	5	6	15	122	157	140	77	6	6	0	579 ± 22
<i>Fish</i>	Char (Arctic)	0	0	0	0	0	175	1463	1097	103	3262	0	0	6100 ± 307
	Char (Arctic Land-locked)	0	0	0	0	1	0	0	0	0	0	0	0	1 ± 0
	Flounder	0	0	0	0	0	0	0	1	0	0	0	0	1 ± 0
	Trout (Lake)	0	12	37	149	653	191	320	10	20	556	0	0	1950 ± 86
<i>Big Game</i>	Bear (Polar)	2	1	1	3	18	0	0	0	0	0	0	5	30 ± 2
	Caribou	47	24	29	25	10	1	113	74	2	139	179	20	664 ± 10
	Muskox	1	18	14	17	13	0	13	3	15	7	9	1	112 ± 4
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	16	10	2	4	0	0	0	0	0	0	58	6	97 ± 9
	Fox (Coloured)	0	0	0	0	0	0	0	0	0	0	2	0	2 ± 0
	Hare (unspec.)	0	4	7	7	0	0	0	0	5	4	3	2	33 ± 2
	Wolf	0	0	0	2	0	0	0	0	0	0	0	0	2 ± 0
<i>Birds</i>	Brant	0	0	0	0	0	0	0	0	4	0	0	0	4 ± 2
	Eider (unspec.)	0	0	0	0	0	3415	20	8	224	0	0	0	*3667 ± 88
	Goose (Canada)	0	0	0	0	6	31	0	7	2	0	0	0	47 ± 4
	Goose (Snow)	0	0	0	0	0	4	0	0	0	0	0	0	4 ± 1
	Ptarmigan (unspec.)	0	0	0	44	2	0	0	0	0	0	0	2	48 ± 1
	Swan (unspec.)	0	0	0	0	0	0	0	0	1	0	0	0	1 ± 0

Other harvested species reported, monthly, Holman, 1989

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Birds</i>	Loon (Arctic)	0	0	0	0	0	0	0	0	15	0	0	0	15
	Loon (Yellow-billed)	0	0	0	0	0	0	0	0	3	0	0	0	3

[#]Total estimated harvest for the period plus or minus the 95% confidence interval.

* Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

Table 26 Hunter response, and number of hunters harvesting selected species, monthly, Holman, 1989

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1989
Hunter list		92	87	87	87	87	86	86	86	87	87	88	87	93
Survey population		81	81	81	82	80	80	80	80	78	77	78	78	86
Hunters interviewed		79	79	80	82	79	79	79	79	75	75	77	77	86
Harvested		11	22	20	25	25	63	32	34	24	28	23	11	75
Response Rate (%)		98	98	99	100	99	99	99	99	96	97	99	99	98 ^A
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	1	0	1	1	0	0	0	0	0	0	3
	Seal (Ringed)	2	8	1	2	4	23	13	14	11	1	2	0	37
<i>Fish</i>	Char (Arctic)	0	0	0	0	1	5	19	16	3	24	0	0	34
	Flounder	0	0	0	0	0	0	0	1	0	0	0	0	1
	Trout (Lake)	0	3	6	9	18	11	3	1	4	16	0	0	40
<i>Big Game</i>	Bear (Polar)	2	1	1	3	2	0	0	0	0	0	0	0	11
	Caribou	10	9	10	10	4	1	17	16	1	21	21	5	48
	Muskox	1	13	8	10	7	0	6	3	8	4	6	1	30
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	3	1	1	2	0	0	0	0	0	0	7	1	10
	Fox (Coloured)	0	0	0	0	0	0	0	0	0	0	2	0	2
	Hare (unspec.)	0	3	2	1	0	0	0	0	2	1	2	1	9
	Wolf	0	0	0	1	0	0	0	0	0	0	0	0	1
<i>Birds</i>	Brant	0	0	0	0	0	0	0	0	1	0	0	0	1
	Eider (unspec.)	0	0	0	0	0	62	1	2	12	0	0	0	*65
	Goose (Canada)	0	0	0	0	2	5	0	1	1	0	0	0	9
	Goose (Snow)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Ptarmigan (unspec.)	0	0	0	3	1	0	0	0	0	0	0	1	4
	Swan (unspec.)	0	0	0	0	0	0	0	0	1	0	0	0	1

^A Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

* Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

Table 27 Total estimated harvest, selected species, monthly, Holman, 1990

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	1	1	1	0	1	1	0	0	0	5 ± 1
	Seal (Ringed)	12	21	36	37	57	216	590	305	86	17	18	2	1398 ± 52
<i>Fish</i>	Char (Arctic)	0	0	0	0	0	6	2115	1800	619	3168	0	0	7707 ± 284
	Char (Arctic Land-locked)	0	0	0	0	0	0	0	0	0	10	0	0	10 ± 2
	Trout (Lake)	0	24	112	184	1467	581	208	74	20	933	0	0	3603 ± 105
<i>Big Game</i>	Bear (Polar)	2	1	3	0	1	0	0	0	0	0	0	2	9 ± 1
	Caribou	8	34	19	17	11	2	29	128	0	42	176	29	495 ± 8
	Muskox	0	11	12	0	1	0	3	6	6	6	6	6	58 ± 2
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	31	10	0	0	0	0	0	0	0	0	120	252	413 ± 45
	Hare (unspec.)	0	2	0	2	0	0	0	3	7	0	0	1	15 ± 1
	Wolf	0	0	0	0	0	0	0	0	0	0	3	1	4 ± 1
<i>Birds</i>	Goose (Canada)	0	0	0	0	64	50	0	0	4	0	0	0	118 ± 8
	Eider (unspec.)	0	0	0	0	0	2245	0	0	131	0	0	0	*2375 ± 64
	Oldsquaw	0	0	0	0	0	0	0	7	0	0	0	0	7 ± 1
	Ptarmigan (unspec.)	0	0	6	21	0	0	0	0	0	0	0	0	27 ± 5

Other harvested species reported, monthly, Holman, 1990

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	4	0	0	0	0	0	0	0	4
	Loon (Arctic)	0	0	0	0	0	0	4	0	16	0	0	0	20
	Loon (Yellow-billed)	0	0	0	0	0	0	0	0	4	0	0	0	4

[#]Total estimated harvest for the period plus or minus the 95% confidence interval.

* Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

Table 28 Hunter response, and number of hunters harvesting selected species, monthly, Holman, 1990

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1990
Hunter list		92	92	83	84	90	90	90	90	90	90	90	90	93
Survey population		82	82	79	79	75	76	79	78	78	78	77	80	86
Hunters interviewed		80	80	78	78	74	75	77	77	77	77	76	79	84
Harvested		7	14	24	22	39	59	43	30	19	38	33	15	72
Response Rate (%)		98	98	99	99	99	99	97	99	99	99	99	99	98 ^A
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	1	1	1	0	1	1	0	0	0	5
	Seal (Ringed)	3	3	4	7	7	20	27	15	8	5	5	2	37
<i>Fish</i>	Char (Arctic)	0	0	0	0	0	2	28	17	9	31	0	0	37
	Trout (Lake)	0	2	9	14	33	22	11	3	2	28	0	0	57
<i>Big Game</i>	Bear (Polar)	1	1	1	0	1	0	0	0	0	0	0	2	6
	Caribou	3	9	6	6	5	1	9	21	0	12	28	8	46
	Muskox	0	6	9	0	1	0	2	4	6	6	5	4	25
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	4	1	0	0	0	0	0	0	0	0	4	4	8
	Hare (unspec.)	0	1	0	1	0	0	0	1	3	0	0	1	7
	Wolf	0	0	0	0	0	0	0	0	0	0	2	1	3
<i>Birds</i>	Goose (Canada)	0	0	0	0	9	10	0	0	1	0	0	0	19
	Eider (unspec.)	0	0	0	0	0	56	0	0	7	0	0	0	*56
	Oldsquaw	0	0	0	0	0	0	0	2	0	0	0	0	2
	Ptarmigan (unspec.)	0	0	1	1	0	0	0	0	0	0	0	0	2

^A Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

* Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

Table 29 Total estimated harvest, selected species, monthly, Holman, 1991

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	1	0	0	5	3	0	0	0	9 ± 2
	Seal (Ringed)	8	12	64	28	57	68	144	214	144	10	4	12	765 ± 58
<i>Fish</i>	Char (Arctic)	0	0	0	0	0	0	1173	734	124	1484	0	0	3514 ± 261
	Trout (Lake)	0	10	43	394	1556	1062	453	102	14	1134	0	0	4767 ± 223
<i>Big Game</i>	Bear (Polar)	2	6	2	8	5	0	0	0	0	0	0	0	24 ± 3
	Caribou	20	42	26	38	27	6	12	223	7	38	83	6	529 ± 16
	Muskox	2	8	7	9	25	2	5	7	1	8	5	1	83 ± 5
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	102	104	5	0	0	0	0	0	0	0	33	43	287 ± 44
	Hare (unspec.)	1	3	0	3	0	1	1	4	12	1	2	0	28 ± 4
	Wolf	0	1	2	4	4	0	0	0	0	0	4	0	16 ± 2
<i>Birds</i>	Eider (unspec.)	0	0	0	0	5	3577	0	36	242	0	0	0	*3859 ± 201
	Goose (Canada)	0	0	0	0	244	57	0	10	0	0	0	0	311 ± 24
	Goose (Greater White-fronted)	0	0	0	0	2	1	0	0	0	0	0	0	3 ± 1
	Goose (Snow)	0	0	0	0	0	3	0	0	0	0	0	0	3 ± 1
	Ptarmigan (unspec.)	9	0	4	20	10	0	0	0	0	1	0	0	45 ± 8
	Swan (unspec.)	0	0	0	0	2	1	0	2	0	0	0	0	5 ± 1

Other harvested species reported, monthly, Holman, 1991

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Sculpin (Fourhorn)	0	0	0	0	0	2	0	0	0	0	0	0	2
<i>Birds</i>	Loon (Arctic)	0	0	0	0	0	0	0	0	16	0	0	0	16
	Loon (Yellow-billed)	0	0	0	0	0	2	0	0	3	0	0	0	5

#Total estimated harvest for the period plus or minus the 95% confidence interval.

* Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

Table 30 Hunter response, and number of hunters harvesting selected species, monthly, Holman, 1991

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1991
Hunter list		153	145	145	145	146	147	147	147	147	147	147	147	154
Survey population		132	132	132	132	132	132	132	131	131	130	130	130	134
Hunters interviewed		127	127	127	127	127	126	126	125	125	123	122	122	129
Harvested		12	24	22	39	54	68	46	52	28	30	18	9	85
Response Rate (%)		96	96	96	96	96	95	95	95	95	95	94	94	95 ^a
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	1	0	0	3	3	0	0	0	7
	Seal (Ringed)	2	4	4	5	12	8	17	19	18	3	2	5	38
<i>Fish</i>	Char (Arctic)	0	0	0	0	0	0	26	16	6	19	0	0	38
	Trout (Lake)	0	3	4	25	49	33	18	8	2	23	0	0	66
<i>Big Game</i>	Bear (Polar)	2	6	2	1	2	0	0	0	0	0	0	0	9
	Caribou	6	11	9	12	11	5	5	32	2	11	15	1	51
	Muskox	2	7	6	9	9	1	3	6	1	4	5	1	30
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	5	6	1	0	0	0	0	0	0	0	3	2	8
	Hare (unspec.)	1	2	0	1	0	1	1	3	5	1	1	0	9
	Wolf	0	1	2	4	4	0	0	0	0	0	2	0	10
<i>Birds</i>	Eider (unspec.)	0	0	0	0	2	64	0	4	12	0	0	0	*65
	Goose (Canada)	0	0	0	0	28	7	0	2	0	0	0	0	30
	Goose (Greater White-fronted)	0	0	0	0	1	1	0	0	0	0	0	0	2
	Goose (Snow)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Ptarmigan (unspec.)	1	0	1	3	1	0	0	0	0	1	0	0	7
	Swan (unspec.)	0	0	0	0	1	1	0	1	0	0	0	0	3

^a Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

*** Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

Table 31 Total estimated harvest, selected species, monthly, Holman, 1992

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	1	1	0	0	5	0	7 ± 1
	Seal (Ringed)	2	0	28	11	36	124	262	143	41	2	25	1	676 ± 53
<i>Fish</i>	Char (Arctic)	0	0	0	0	0	0	1938	1706	1590	2925	425	0	8585 ± 391
	Cod (Arctic)	0	0	0	0	0	0	0	0	2	0	0	0	2 ± 0
	Trout (Lake)	0	0	161	475	1344	649	473	317	49	521	19	0	4008 ± 191
	Whitefish (Lake)	0	0	0	0	0	0	0	0	0	2	8	0	10 ± 2
<i>Big Game</i>	Bear (Polar)	8	3	0	0	0	0	0	0	0	0	0	0	11 ± 1
	Caribou	0	61	58	23	10	2	0	144	3	56	72	20	450 ± 12
	Muskox	1	9	5	5	7	0	4	9	16	24	9	4	95 ± 3
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	18	117	62	89	0	0	0	0	0	0	87	178	552 ± 48
	Fox (Coloured)	0	0	0	0	0	0	0	0	0	0	2	0	2 ± 0
	Hare (unspec.)	0	1	2	2	3	0	0	14	8	12	10	3	55 ± 3
	Wolf	0	2	1	0	0	0	0	0	0	1	0	1	5 ± 1
	Wolverine	0	1	0	0	0	0	0	0	0	0	0	0	1 ± 0
<i>Birds</i>	Brant	0	0	0	0	0	2	0	0	7	0	0	0	9 ± 1
	Eider (unspec.)	0	0	0	0	0	4357	0	0	110	0	0	0	*4467 ± 128
	Goose (Canada)	0	0	0	0	152	60	0	0	24	0	0	0	236 ± 22
	Goose (Greater White-fronted)	0	0	0	0	0	2	0	0	0	0	0	0	2 ± 1
	Goose (Snow)	0	0	0	0	1	20	0	7	0	0	0	0	28 ± 6
	Ptarmigan (unspec.)	0	0	2	0	37	0	0	0	26	76	20	17	180 ± 16

Other harvested species reported, monthly, Holman, 1992

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Cod (unspec.)	0	0	0	0	0	0	0	1	0	0	0	0	1
	Sculpin (Fourhorn)	0	0	0	0	0	0	0	1	1	0	0	0	2
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	2	0	0	0	0	0	0	0	2
	Loon (Yellow-billed)	0	0	0	0	0	12	2	4	5	0	0	0	23
	Owl (Snowy)	0	0	0	0	0	0	0	0	4	9	0	0	13

[#]Total estimated harvest for the period plus or minus the 95% confidence interval.

* Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

Table 32 Hunter response, and number of hunters harvesting selected species, monthly, Holman, 1992

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1992
Hunter list		156	156	156	154	154	154	154	154	154	154	154	154	156
Survey population		138	138	137	137	136	135	135	135	132	132	132	130	138
Hunters interviewed		133	133	132	132	131	130	130	130	131	130	130	127	134
Harvested		10	19	18	28	42	59	31	37	30	42	37	16	85
Response Rate (%)		96	96	96	96	96	96	96	96	99	98	98	98	97 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	1	1	0	0	3	0	5
	Seal (Ringed)	1	0	1	2	6	20	18	12	7	2	6	1	33
<i>Fish</i>	Char (Arctic)	0	0	0	0	0	0	21	23	15	25	2	0	39
	Cod (Arctic)	0	0	0	0	0	0	0	0	1	0	0	0	1
	Trout (Lake)	0	0	5	22	34	12	8	6	5	22	2	0	51
	Whitefish (Lake)	0	0	0	0	0	0	0	0	0	1	1	0	1
<i>Big Game</i>	Bear (Polar)	8	3	0	0	0	0	0	0	0	0	0	0	11
	Caribou	0	12	13	6	4	1	0	23	1	13	14	7	41
	Muskox	1	4	5	4	7	0	4	7	13	16	7	3	37
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	2	5	5	2	0	0	0	0	0	0	13	8	20
	Fox (Coloured)	0	0	0	0	0	0	0	0	0	0	1	0	1
	Hare (unspec.)	0	1	2	1	2	0	0	5	3	7	5	1	22
	Wolf	0	1	1	0	0	0	0	0	0	1	0	1	3
	Wolverine	0	1	0	0	0	0	0	0	0	0	0	0	1
<i>Birds</i>	Brant	0	0	0	0	0	1	0	0	1	0	0	0	2
	Eider (unspec.)	0	0	0	0	0	59	0	0	8	0	0	0	*59
	Goose (Canada)	0	0	0	0	14	10	0	0	4	0	0	0	23
	Goose (Snow)	0	0	0	0	1	3	0	1	0	0	0	0	5
	Goose (Greater White-fronted)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Ptarmigan (unspec.)	0	0	1	0	2	0	0	0	1	9	2	2	13

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

* Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

Table 33 Total estimated harvest, selected species, monthly, Holman, 1993

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	2	0	1	5	2	0	0	0	11 ± 2
	Seal (Ringed)	2	10	24	8	167	294	159	87	41	1	1	0	795 ± 80
<i>Fish</i>	Char (Arctic)	0	0	0	0	0	21	1718	3255	163	2310	895	0	8363 ± 603
	Char (unspec.)	0	0	0	0	0	0	0	1	0	0	0	0	1 ± 0
<i>Cod</i>	Cod (Saffron)	0	0	0	0	0	11	0	2	0	0	0	0	13 ± 5
	Trout (Lake)	0	25	126	416	1750	1448	467	194	163	548	0	0	5137 ± 227
<i>Big Game</i>	Whitefish (unspec.)	0	0	0	0	0	0	0	0	0	2	0	0	2 ± 1
	Bear (Polar)	2	0	1	3	7	0	0	0	0	0	0	2	16 ± 2
<i>Caribou</i>	Caribou	17	15	9	3	24	3	120	162	3	78	3	0	437 ± 14
	Muskox	5	15	14	19	7	5	8	7	7	18	18	0	124 ± 6
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	334	360	245	151	0	0	0	0	0	8	933	643	2674 ± 165
	Fox (Coloured)	0	0	0	0	0	0	0	0	0	0	0	2	2 ± 1
<i>Hare</i>	Hare (unspec.)	3	2	0	3	0	0	0	2	9	3	4	0	27 ± 4
	Wolf	0	1	1	3	0	0	0	0	0	1	1	0	7 ± 1
<i>Wolverine</i>	Wolverine	0	1	0	0	0	0	0	0	0	0	0	1	2 ± 1
<i>Birds</i>	Eider (unspec.)	0	0	0	0	2	1628	0	6	173	0	0	0	*1809 ± 56
	Goose (Canada)	0	0	0	0	152	153	6	23	0	0	0	0	335 ± 30
<i>Goose (Snow)</i>	Goose (Snow)	0	0	0	0	2	0	4	9	53	0	0	0	68 ± 13
	Ptarmigan (unspec.)	0	0	0	13	4	0	0	0	0	271	11	22	321 ± 38
<i>Swan (unspec.)</i>	Swan (unspec.)	0	0	0	0	2	0	1	3	2	0	0	0	8 ± 1

Other harvested species reported, monthly, Holman, 1993

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Cod (unspec.)	0	0	0	0	0	0	10	0	0	0	0	0	10
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	7	0	0	0	0	0	0	0	7
	Loon (Yellow-billed)	0	0	0	0	0	0	10	3	5	0	0	0	18
	Owl (Snowy)	0	0	0	0	0	0	0	26	3	0	0	0	29

[#]Total estimated harvest for the period plus or minus the 95% confidence interval.

* Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

Table 34 Hunter response, and number of hunters harvesting selected species, monthly, Holman, 1993

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1993
Hunter list		156	155	155	153	153	153	153	153	153	153	153	153	156
Survey population		131	130	127	127	126	126	125	125	124	123	121	121	132
Hunters interviewed		129	124	121	121	120	120	119	119	118	117	115	115	130
Harvested		19	30	19	40	58	71	61	66	28	31	33	15	90
Response Rate (%)		98	95	95	95	95	95	95	95	95	95	95	95	95 ^A
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	1	0	1	5	2	0	0	0	8
	Seal (Ringed)	2	5	4	4	10	19	22	17	10	1	1	0	38
<i>Fish</i>	Char (Arctic)	0	0	0	0	0	1	34	35	4	10	5	0	44
	Cod (Saffron)	0	0	0	0	0	1	0	1	0	0	0	0	2
	Trout (Lake)	0	3	8	30	46	34	18	9	10	22	0	0	72
	Whitefish (unspec.)	0	0	0	0	0	0	0	0	0	1	0	0	1
<i>Big Game</i>	Bear (Polar)	2	0	1	3	2	0	0	0	0	0	0	2	8
	Caribou	6	6	4	1	7	1	25	32	1	12	2	0	48
	Muskox	3	11	8	13	6	5	7	7	4	7	11	0	39
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	14	16	8	7	0	0	0	0	0	1	26	14	32
	Fox (Coloured)	0	0	0	0	0	0	0	0	0	0	0	1	1
	Hare (unspec.)	2	1	0	2	0	0	0	2	3	1	3	0	10
	Wolf	0	1	1	2	0	0	0	0	0	1	1	0	5
	Wolverine	0	1	0	0	0	0	0	0	0	0	0	1	2
<i>Birds</i>	Eider (unspec.)	0	0	0	0	1	63	0	2	10	0	0	0	*66
	Goose (Canada)	0	0	0	0	20	19	1	4	0	0	0	0	35
	Goose (Snow)	0	0	0	0	1	0	1	3	6	0	0	0	9
	Ptarmigan (unspec.)	0	0	0	1	1	0	0	0	0	15	1	1	17
	Swan (unspec.)	0	0	0	0	2	0	1	2	2	0	0	0	6

^A Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

* Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

Table 35 Total estimated harvest, selected species, monthly, Holman, 1994

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	1	0	1	3	5	0	0	0	0	10 ± 0
	Seal (Ringed)	17	15	26	17	86	151	329	111	30	2	2	28	814 ± 2
<i>Fish</i>	Char (Arctic)	0	0	0	0	0	20	2545	3342	1019	1622	1461	0	10009 ± 0
	Char (Arctic Land-locked)	0	0	0	0	0	0	0	0	0	7	0	0	7 ± 0
	Cisco (unspec.)	0	0	0	0	0	0	109	0	0	0	0	0	109 ± 0
	Cod (Arctic)	0	0	0	0	0	0	62	0	0	0	0	0	62 ± 0
	Trout (Lake)	0	12	54	297	1569	785	721	59	88	487	70	0	4142 ± 0
	Whitefish (Lake)	0	0	0	0	0	0	0	0	0	238	12	0	250 ± 0
<i>Big Game</i>	Bear (Polar)	0	2	0	3	1	0	0	0	0	0	0	0	6 ± 0
	Caribou	1	2	0	24	13	0	123	144	0	16	9	7	339 ± 0
	Muskox	8	10	10	14	4	2	7	10	2	9	13	6	95 ± 1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	443	438	332	248	0	0	0	0	0	0	626	262	2349 ± 40
	Fox (Coloured)	0	0	0	1	0	0	0	0	0	0	0	0	1 ± 0
	Hare (unspec.)	1	2	1	0	0	0	0	0	0	0	0	2	6 ± 0
	Wolf	0	0	0	0	1	0	1	0	0	0	0	0	2 ± 0
	Wolverine	0	0	0	4	0	0	0	0	0	0	0	0	4 ± 0
<i>Birds</i>	Brant	0	0	0	0	0	2	0	0	0	0	0	0	2 ± 0
	Eider (unspec.)	0	0	0	0	0	2674	0	0	46	0	0	0	*2720 ± 0
	Goose (Canada)	0	0	0	0	294	29	35	5	0	0	0	0	363 ± 0
	Goose (Greater White-fronted)	0	0	0	0	1	0	0	0	0	0	0	0	1 ± 0
	Goose (Snow)	0	0	0	0	36	3	0	2	2	0	0	0	43 ± 0
	Oldsquaw	0	0	0	0	0	0	0	0	3	0	0	0	3 ± 0
	Ptarmigan (unspec.)	0	0	0	60	22	0	0	0	10	13	20	0	125 ± 0
	Swan (unspec.)	0	0	0	0	1	0	1	0	0	0	0	0	2 ± 0

Other harvested species reported, monthly, Holman, 1994

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fur Bearers/Small Mammals</i>	Ermine	0	0	0	0	0	0	0	5	0	0	0	0	5
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	13	0	0	0	0	0	0	0	13
	Loon (Arctic)	0	0	0	0	0	0	0	0	34	0	0	0	34
	Loon (Yellow-billed)	0	0	0	0	0	3	0	0	1	0	0	0	4

#Total estimated harvest for the period plus or minus the 95% confidence interval.

* Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

Table 36 Hunter response, and number of hunters harvesting selected species, monthly, Holman, 1994

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1994
Hunter list		155	138	137	136	137	137	137	126	124	124	123	123	155
Survey population		124	125	125	124	125	126	125	121	115	115	112	111	131
Hunters interviewed		122	125	125	124	125	126	125	121	115	115	112	111	129
Harvested		21	25	25	46	70	78	65	51	19	38	30	16	101
Response Rate (%)		98	100	100	100	100	100	100	100	100	100	100	100	100 ^A
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	1	0	1	3	4	0	0	0	0	8
	Seal (Ringed)	6	6	8	6	10	35	30	25	8	2	1	8	56
<i>Fish</i>	Char (Arctic)	0	0	0	0	0	4	39	36	12	11	10	0	52
	Cisco (unspec.)	0	0	0	0	0	0	1	0	0	0	0	0	1
	Cod (Arctic)	0	0	0	0	0	0	3	0	0	0	0	0	3
	Trout (Lake)	0	3	9	31	65	33	25	4	5	28	4	0	83
<i>Big Game</i>	Whitefish (Lake)	0	0	0	0	0	0	0	0	0	2	2	0	4
	Bear (Polar)	0	2	0	3	1	0	0	0	0	0	0	0	5
	Caribou	1	2	0	7	2	0	21	24	0	4	2	1	40
	Muskox	7	8	7	11	4	2	7	10	2	6	8	4	37
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	14	14	14	9	0	0	0	0	0	0	19	14	24
	Fox (Coloured)	0	0	0	1	0	0	0	0	0	0	0	0	1
	Hare (unspec.)	1	1	1	0	0	0	0	0	0	0	0	1	4
	Wolf	0	0	0	0	1	0	1	0	0	0	0	0	2
	Wolverine	0	0	0	2	0	0	0	0	0	0	0	0	2
<i>Birds</i>	Brant	0	0	0	0	0	1	0	0	0	0	0	0	1
	Eider (unspec.)	0	0	0	0	0	66	0	0	5	0	0	0	*66
	Goose (Canada)	0	0	0	0	44	7	4	3	0	0	0	0	49
	Goose (Greater White-fronted)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Goose (Snow)	0	0	0	0	9	2	0	1	1	0	0	0	12
	Oldsquaw	0	0	0	0	0	0	0	0	1	0	0	0	1
	Ptarmigan (unspec.)	0	0	0	6	3	0	0	0	1	2	4	0	12
	Swan (unspec.)	0	0	0	0	1	0	1	0	0	0	0	0	2

^A Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

* Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

Table 37 Total estimated harvest, selected species, monthly, Holman, 1995

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	3	2	0	1	0	0	6 ± 0
	Seal (Ringed)	39	6	0	36	23	63	249	20	101	1	7	1	546 ± 0
<i>Fish</i>	Char (Arctic)	0	0	0	0	0	219	3563	1822	96	4553	49	0	10302 ± 0
	Char (Arctic Land-locked)	0	0	0	0	44	0	8	0	0	17	10	0	79 ± 0
	Cod (Arctic)	0	0	0	0	21	34	32	0	0	0	0	0	87 ± 0
	Pike (Northern)	0	0	0	0	0	0	0	0	0	20	0	0	†20 ± 0
	Trout (Lake)	0	2	45	441	1509	938	443	71	152	324	16	0	3941 ± 0
	Whitefish (Broad)	0	0	0	0	0	0	0	0	0	45	0	0	†45 ± 0
<i>Big Game</i>	Bear (Polar)	1	1	6	1	0	0	0	0	0	0	0	0	9 ± 0
	Caribou	3	4	0	25	0	0	81	82	0	154	80	0	429 ± 0
	Muskox	10	23	8	6	4	3	9	8	5	5	8	5	94 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	329	237	127	85	0	0	0	0	0	0	25	24	827 ± 0
	Fox (Coloured)	0	0	0	0	0	0	0	0	0	0	1	0	1 ± 0
	Hare (unspec.)	6	0	3	5	0	0	0	0	4	1	1	2	22 ± 0
	Wolf	3	2	0	0	1	0	0	0	0	6	3	3	18 ± 0
<i>Birds</i>	Brant	0	0	0	0	4	0	0	0	0	0	0	0	4 ± 0
	Eider (unspec.)	0	0	0	0	2	3120	0	30	108	0	0	0	*3260 ± 0
	Goose (Canada)	0	0	0	0	170	110	4	8	3	0	0	0	295 ± 0
	Goose (Snow)	0	0	0	0	40	11	0	5	1	0	0	0	57 ± 0
	Ptarmigan (unspec.)	0	10	9	102	7	0	0	3	37	43	0	0	211 ± 0
	Swan (unspec.)	0	0	0	0	5	3	0	3	0	0	0	0	11 ± 0

Other harvested species reported, monthly, Holman, 1995

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	14	0	0	0	0	0	0	0	14
	Loon (Arctic)	0	0	0	0	0	0	0	0	32	0	0	0	32
	Loon (Yellow-billed)	0	0	0	0	0	0	0	1	1	0	0	0	2

Total estimated harvest for the period plus or minus the 95% confidence interval.

† Pike (Northern) and Whitefish (Broad) are not found on the Arctic islands. A hunter from Holman may have harvested in another community.

* Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

Table 38 Hunter response, and number of hunters harvesting selected species, monthly, Holman, 1995

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1995
Hunter list		130	130	130	130	130	130	130	130	130	130	130	124	130
Survey population		115	120	120	120	120	120	120	113	113	113	113	117	126
Hunters interviewed		115	120	120	120	120	120	120	113	113	113	113	117	126
Harvested		26	24	21	43	58	74	56	41	19	34	22	9	89
Response Rate (%)		100	100	100	100	100	100	100	100	100	100	100	100	100 ^A
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	3	2	0	1	0	0	5
	Seal (Ringed)	8	4	0	5	7	18	20	3	11	1	4	1	36
<i>Fish</i>	Char (Arctic)	0	0	0	0	4	12	39	25	5	14	2	0	51
	Cod (Arctic)	0	0	0	0	2	7	4	0	0	0	0	0	10
	Pike (Northern)	0	0	0	0	0	0	0	0	0	1	0	0	†1
	Trout (Lake)	0	2	5	32	55	35	22	8	10	20	2	0	71
<i>Big Game</i>	Whitefish (Broad)	0	0	0	0	0	0	0	0	0	3	0	0	†3
	Bear (Polar)	1	1	6	1	0	0	0	0	0	0	0	0	9
	Caribou	1	1	0	5	0	0	22	17	0	14	13	0	35
<i>Fur Bearers/Small Mammals</i>	Muskox	8	15	6	4	3	3	8	6	3	4	5	4	35
	Fox (Arctic)	15	11	8	8	0	0	0	0	0	0	4	4	15
	Fox (Coloured)	0	0	0	0	0	0	0	0	0	0	1	0	1
	Hare (unspec.)	1	0	2	1	0	0	0	0	2	1	1	1	7
<i>Birds</i>	Wolf	1	2	0	0	1	0	0	0	0	4	1	1	8
	Brant	0	0	0	0	1	0	0	0	0	0	0	0	1
	Eider (unspec.)	0	0	0	0	1	62	0	4	8	0	0	0	*62
	Goose (Canada)	0	0	0	0	27	14	2	4	1	0	0	0	31
	Goose (Snow)	0	0	0	0	8	4	0	2	1	0	0	0	12
	Ptarmigan (unspec.)	0	2	2	12	2	0	0	1	4	5	0	0	18
	Swan (unspec.)	0	0	0	0	4	2	0	2	0	0	0	0	7

^A Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

† Pike (Northern) and Whitefish (Broad) are not found on the Arctic islands. A hunter from Holman may have harvested in another community.

* Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

Table 39 Total estimated harvest, selected species, monthly, Holman, 1996

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	7	4	1	0	0	0	12 ± 1
	Seal (Ringed)	11	9	3	7	36	167	527	259	100	37	0	8	1164 ± 26
<i>Fish</i>	Char (Arctic)	0	0	0	0	0	76	3564	2086	164	1978	58	0	7925 ± 111
	Char (Arctic Land-locked)	0	0	0	0	18	0	0	0	0	0	0	0	18 ± 0
	Cod (Arctic)	0	0	0	0	19	22	5	4	0	0	0	0	50 ± 4
	Flounder	0	0	0	0	0	0	1	2	0	0	0	0	3 ± 0
	Trout (Lake)	0	25	174	352	1707	1402	143	62	65	195	0	0	4126 ± 66
<i>Big Game</i>	Bear (Polar)	0	0	0	1	1	0	0	0	0	2	3	5	12 ± 0
	Caribou	0	3	1	4	2	0	78	61	0	35	5	0	189 ± 4
	Muskox	3	12	14	7	12	4	3	11	7	31	39	6	149 ± 1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	27	21	33	21	0	0	0	0	0	0	422	211	735 ± 2
	Fox (Coloured)	0	0	1	0	0	0	0	0	0	0	0	0	1 ± 0
	Hare (unspec.)	1	1	1	1	0	0	0	0	12	3	6	2	27 ± 0
	Wolf	1	0	4	1	7	1	0	0	0	0	3	5	22 ± 0
<i>Birds</i>	Brant	0	0	0	0	3	12	0	3	2	0	0	0	20 ± 1
	Eider (unspec.)	0	0	0	0	4	2727	0	10	137	38	1	0	*2917 ± 30
	Goose (Canada)	0	0	0	0	235	70	13	93	2	0	0	0	413 ± 6
	Goose (Snow)	0	0	0	0	11	10	0	161	49	0	0	0	231 ± 1
	Oldsquaw	0	0	0	0	0	0	0	0	2	0	0	0	2 ± 0
	Ptarmigan (unspec.)	0	0	4	39	119	0	0	0	27	51	33	5	278 ± 3
	Swan (unspec.)	0	0	0	0	0	4	0	1	0	0	0	0	5 ± 1

Other harvested species reported, monthly, Holman, 1996

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Fish (unspec.)	0	0	0	0	0	0	150	0	200	0	0	0	350
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	7	0	0	0	0	0	0	0	7
	Loon (Arctic)	0	0	0	0	0	0	0	0	81	0	0	0	81
	Loon (Yellow-billed)	0	0	0	0	0	0	5	5	8	0	0	0	18
	Owl (Snowy)	0	0	0	0	0	0	0	0	0	2	0	0	2

[#]Total estimated harvest for the period plus or minus the 95% confidence interval.

* Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

Table 40 Hunter response, and number of hunters harvesting selected species, monthly, Holman, 1996

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1996
Hunter list		121	121	121	121	121	121	121	121	121	121	122	120	122
Survey population		113	113	113	114	113	113	113	114	113	113	115	113	122
Hunters interviewed		113	113	113	113	113	112	112	114	113	113	115	113	122
Harvested		9	15	26	37	66	79	79	44	27	43	34	19	99
Response Rate (%)		100	100	100	99	100	99	99	100	100	100	100	100	100 ^A
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	5	4	1	0	0	0	7
	Seal (Ringed)	3	4	2	4	7	28	40	14	11	4	0	2	52
<i>Fish</i>	Char (Arctic)	0	0	0	0	2	6	70	30	7	23	1	0	78
	Cod (Arctic)	0	0	0	0	2	2	1	2	0	0	0	0	6
	Flounder	0	0	0	0	0	0	1	1	0	0	0	0	2
	Trout (Lake)	0	3	12	31	56	38	10	7	7	17	0	0	76
<i>Big Game</i>	Bear (Polar)	0	0	0	1	1	0	0	0	0	2	3	5	9
	Caribou	0	1	1	3	2	0	18	11	0	3	3	0	30
	Muskox	3	8	11	6	11	4	3	6	7	24	24	4	46
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	3	5	8	4	0	0	0	0	0	0	19	14	19
	Fox (Coloured)	0	0	1	0	0	0	0	0	0	0	0	0	1
	Hare (unspec.)	1	1	1	1	0	0	0	0	5	1	4	1	10
	Wolf	1	0	3	1	3	1	0	0	0	0	3	4	11
<i>Birds</i>	Brant	0	0	0	0	1	4	0	2	1	0	0	0	7
	Eider (unspec.)	0	0	0	0	1	71	0	2	10	2	1	0	*71
	Goose (Canada)	0	0	0	0	32	9	1	4	1	0	0	0	36
	Goose (Snow)	0	0	0	0	4	4	0	13	10	0	0	0	19
	Oldsquaw	0	0	0	0	0	0	0	0	1	0	0	0	1
	Ptarmigan (unspec.)	0	0	3	5	10	0	0	0	3	8	4	1	22
	Swan (unspec.)	0	0	0	0	0	2	0	1	0	0	0	0	3

^A Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

* Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

Table 41 Total estimated harvest, selected species, monthly, Holman, 1997

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	1	1	1	0	0	0	0	0	3 ± 0
	Seal (Ringed)	8	11	6	15	116	65	117	67	109	6	5	4	529 ± 0
<i>Fish</i>	Char (Arctic)	0	0	0	0	0	14	3241	1045	69	1336	384	0	6089 ± 0
	Char (Arctic Land-locked)	0	0	0	0	0	10	0	0	0	1	0	0	11 ± 0
	Cod (Arctic)	0	0	0	0	0	3	0	0	0	0	0	0	3 ± 0
	Trout (Lake)	4	8	21	234	1045	1080	253	51	6	209	1	0	2912 ± 0
	Whitefish (Lake)	0	0	0	0	0	0	0	0	2	46	0	0	48 ± 0
<i>Big Game</i>	Bear (Polar)	0	0	1	1	0	0	0	0	0	0	0	0	2 ± 0
	Caribou	0	0	0	6	2	0	21	89	0	76	2	1	197 ± 0
	Muskox	15	29	23	19	30	1	8	27	28	13	25	13	231 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	219	339	268	88	0	0	0	0	0	0	271	127	1312 ± 0
	Fox (Coloured)	0	0	0	0	0	0	0	0	0	0	1	0	1 ± 0
	Hare (unspec.)	8	14	4	2	1	0	0	0	9	0	1	2	41 ± 0
	Wolf	3	1	1	2	0	0	0	0	0	7	3	0	17 ± 0
<i>Birds</i>	Brant	0	0	0	0	2	20	6	0	0	0	0	0	28 ± 0
	Eider (unspec.)	0	0	0	0	0	2414	4	0	2	0	0	0	*2420 ± 0
	Goose (Canada)	0	0	0	0	259	86	2	6	6	0	0	0	359 ± 0
	Goose (Snow)	0	0	0	0	33	12	0	16	2	0	0	0	63 ± 0
	Ptarmigan (unspec.)	19	11	12	47	110	0	0	0	3	11	5	1	219 ± 0
	Swan (unspec.)	0	0	0	0	2	2	0	0	2	0	0	0	6 ± 0

Other harvested species reported, monthly, Holman, 1997

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Marine Mammals</i>	Walrus	0	0	0	0	0	0	0	0	1	0	0	0	1
<i>Fish</i>	Cod (unspec.)	0	0	0	0	0	9	0	0	0	0	0	0	9
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	18	0	0	1	0	0	0	0	19
	Loon (Arctic)	0	0	0	0	0	0	0	0	20	0	0	0	20
	Loon (Yellow-billed)	0	0	0	0	0	8	6	0	3	1	0	0	18

[#]Total estimated harvest for the period plus or minus the 95% confidence interval.

* Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

Table 42 Hunter response, and number of hunters harvesting selected species, monthly, Holman, 1997

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1997
Hunter list		125	125	125	125	125	125	125	125	125	125	125	125	125
Survey population		113	114	114	114	115	115	111	109	109	107	108	112	120
Hunters interviewed		113	114	114	114	115	115	111	109	109	107	108	112	120
Harvested		24	27	28	32	56	76	60	39	22	32	20	15	92
Response Rate (%)		100	100	100	100	100	100	100	100	100	100	100	100	100 ^A
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	1	1	1	0	0	0	0	0	3
	Seal (Ringed)	6	2	1	3	9	15	22	9	11	3	2	3	39
<i>Fish</i>	Char (Arctic)	0	0	0	0	0	5	48	21	5	18	2	0	58
	Cod (Arctic)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Trout (Lake)	2	3	3	12	45	36	13	5	1	17	1	0	63
	Whitefish (Lake)	0	0	0	0	0	0	0	0	1	4	0	0	5
<i>Big Game</i>	Bear (Polar)	0	0	1	1	0	0	0	0	0	0	0	0	2
	Caribou	0	0	0	1	1	0	5	16	0	9	2	1	24
	Muskox	12	16	15	12	12	1	6	11	12	8	6	8	40
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	14	12	11	6	0	0	0	0	0	0	14	8	19
	Fox (Coloured)	0	0	0	0	0	0	0	0	0	0	1	0	1
	Hare (unspec.)	3	4	2	1	1	0	0	0	3	0	1	2	12
	Wolf	3	1	1	2	0	0	0	0	0	4	3	0	11
<i>Birds</i>	Brant	0	0	0	0	2	5	2	0	0	0	0	0	8
	Eider (unspec.)	0	0	0	0	0	69	1	0	1	0	0	0	*69
	Goose (Canada)	0	0	0	0	32	17	1	1	3	0	0	0	43
	Goose (Snow)	0	0	0	0	5	2	0	1	2	0	0	0	10
	Ptarmigan (unspec.)	1	1	2	4	6	0	0	0	1	2	1	1	11
	Swan (unspec.)	0	0	0	0	1	2	0	0	1	0	0	0	4

^A Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

* Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

Table 43 Total estimated harvest, selected species, annual and ten-year mean, Holman, 1988 - 1997

Category	Species	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean
<i>Marine Mammals</i>	Seal (Bearded)	13	3	5	9	7	11	10	6	12	3	8
	Seal (Ringed)	1120	579	1398	765	676	795	814	546	1164	529	839
<i>Fish</i>	Char (Arctic)	4592	6100	7707	3514	8585	8363	10009	10302	7925	6089	**n/a
	Char (Arctic Land-locked)	26	1	10	0	0	0	7	79	18	11	**n/a
	Char (unspec.)	5124	0	0	0	0	1	0	0	0	0	**n/a
	Cisco (unspec.)	0	0	0	0	0	0	109	0	0	0	11
	Cod (Arctic)	0	0	0	0	2	0	62	87	50	3	20
	Cod (Saffron)	0	0	0	0	0	13	0	0	0	0	1
	Flounder	0	1	0	0	0	0	0	0	3	0	0
	Pike (Northern)	0	0	0	0	0	0	0	20	0	0	†2
	Trout (Lake)	2076	1950	3603	4767	4008	5137	4142	3941	4126	2912	3666
	Whitefish (Broad)	0	0	0	0	0	0	0	45	0	0	†5
	Whitefish (Lake)	0	0	0	0	10	0	250	0	0	48	31
	Whitefish (unspec.)	0	0	0	0	0	2	0	0	0	0	0
<i>Big Game</i>	Bear (Polar)	21	30	9	24	11	16	6	9	12	2	14
	Caribou	681	664	495	529	450	437	339	429	189	197	441
	Muskox	92	112	58	83	95	124	95	94	149	231	113
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	669	97	413	287	552	2674	2349	827	735	1312	992
	Fox (Coloured)	3	2	0	0	2	2	1	1	1	1	1
	Hare (unspec.)	27	33	15	28	55	27	6	22	27	41	28
	Wolf	0	2	4	16	5	7	2	18	22	17	9
	Wolverine	0	0	0	0	1	2	4	0	0	0	1
<i>Birds</i>	Brant	2	4	0	0	9	0	2	4	20	28	7
	Eider (unspec.)	4942	3667	2375	3859	4467	1809	2720	3260	2917	2420	*3244
	Goose (Canada)	87	47	118	311	236	335	363	295	413	359	256
	Goose (Greater White-fronted)	0	0	0	3	2	0	1	0	0	0	1
	Goose (Snow)	33	4	0	3	28	68	43	57	231	63	53
	Oldsquaw	5	0	7	0	0	0	3	0	2	0	2
	Ptarmigan (unspec.)	21	48	27	45	180	321	125	211	278	219	148
	Swan (unspec.)	0	1	0	5	0	8	2	11	5	6	4

Other harvested species reported, annual and ten-year mean, Holman, 1988 - 1997

Category	Species	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean
<i>Marine Mammals</i>	Walrus	0	0	0	0	0	0	0	0	0	1	0
<i>Fish</i>	Cod (unspec.)	1	0	0	0	1	10	0	0	0	9	2
	Fish (unspec.)	0	0	0	0	0	0	0	0	350	0	35
	Sculpin (Fourhorn)	0	0	0	2	2	0	0	0	0	0	0
<i>Fur Bearers/Small Mammal</i>	Ermine	0	0	0	0	0	0	5	0	0	0	1
<i>Birds</i>	Crane (Sandhill)	4	0	4	0	2	7	13	14	7	19	7
	Goose (unspec.)	2	0	0	0	0	0	0	0	0	0	0
	Loon (Arctic)	9	15	20	16	0	0	34	32	81	20	23
	Loon (unspec.)	7	0	0	0	0	0	0	0	0	0	1
	Loon (Yellow-billed)	0	3	4	5	23	18	4	2	18	18	10
	Owl (Snowy)	0	0	0	0	13	29	0	0	2	0	4

† Pike (Northern) and Whitefish (Broad) are not found on the Arctic islands. A hunter from Holman may have harvested in another community.

* Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

** Char was reported differently over the ten-year period.

Table 44 Hunter response, and number of hunters harvesting selected species, annual and ten-year mean, Holman, 1988 - 1997

HUNTER RESPONSE		1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean
Hunter list		82	93	93	154	156	156	155	130	122	125	127
Survey population		79	86	86	134	138	132	131	126	122	120	115
Hunters interviewed		77	86	84	129	134	130	129	126	122	120	114
Harvested		65	75	72	85	85	90	101	89	99	92	85
Response Rate (%)		96	98	98	95	97	95	100	100	100	100	98
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES												
Category	Species	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	7	3	5	7	5	8	8	5	7	3	6
	Seal (Ringed)	37	37	37	38	33	38	56	36	52	39	40
<i>Fish</i>	Char (Arctic)	37	34	37	38	39	44	52	51	78	58	47
	Cisco (unspec.)	0	0	0	0	0	0	1	0	0	0	0
	Cod (Arctic)	0	0	0	0	1	0	3	10	6	1	2
	Cod (Saffron)	0	0	0	0	0	2	0	0	0	0	0
	Flounder	0	1	0	0	0	0	0	0	2	0	0
	Pike (Northern)	0	0	0	0	0	0	0	1	0	0	*0
	Trout (Lake)	45	40	57	66	51	72	83	71	76	63	62
	Whitefish (Broad)	0	0	0	0	0	0	0	3	0	0	*0
	Whitefish (Lake)	0	0	0	0	1	0	4	0	0	5	1
	Whitefish (unspec.)	0	0	0	0	0	1	0	0	0	0	0
<i>Big Game</i>	Bear (Polar)	6	11	6	9	11	8	5	9	9	2	8
	Caribou	49	48	46	51	41	48	40	35	30	24	41
	Muskox	28	30	25	30	37	39	37	35	46	40	35
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	21	10	8	8	20	32	24	15	19	19	18
	Fox (Coloured)	2	2	0	0	1	1	1	1	1	1	1
	Hare (unspec.)	8	9	7	9	22	10	4	7	10	12	10
	Wolf	0	1	3	10	3	5	2	8	11	11	5
	Wolverine	0	0	0	0	1	2	2	0	0	0	1
<i>Birds</i>	Brant	1	1	0	0	2	0	1	1	7	8	2
	Eider (unspec.)	65	65	56	65	59	66	66	62	71	69	*64
	Goose (Canada)	14	9	19	30	23	35	49	31	36	43	29
	Goose (Greater White-fronted)	0	0	0	2	1	0	1	0	0	0	0
	Goose (Snow)	4	1	0	1	5	9	12	12	19	10	7
	Oldsquaw	1	0	2	0	0	0	1	0	1	0	1
	Ptarmigan (unspec.)	4	4	2	7	13	17	12	18	22	11	11
	Swan (unspec.)	0	1	0	3	0	6	2	7	3	4	3

^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

* Data for Eider was collected and reported by species (Common and King) in Holman. Detailed information is available from the Joint Secretariat.

† Pike (Northern) and Whitefish (Broad) are not found on the Arctic islands. A hunter from Holman may have harvested in another community.

Inuvik Tables

INUVIK

Table 45 Total estimated harvest, selected species, monthly, Inuvik, 1988

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Whale (Beluga)	0	0	0	0	0	0	158	5	0	0	0	0	163 ± 55
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	3	0	3045	4929	995	8972 ± 3428
	Char (unspec.)	0	0	0	0	0	0	0	259	258	0	0	0	516 ± 572
	Cisco (unspec.)	0	0	0	0	0	13	1509	802	0	0	0	0	2324 ± 1740
	Inconnu	0	0	0	0	0	79	336	507	425	734	634	45	2761 ± 887
	Pike (Northern)	0	0	0	0	0	53	129	1284	541	2133	1195	144	5480 ± 2169
	Trout (Lake)	0	0	0	0	26	3	13	0	5	0	0	249	296 ± 388
	Whitefish (Broad)	0	0	0	0	0	158	4219	3484	4174	6768	2685	50	21537 ± 8369
	Whitefish (Lake)	0	0	0	0	0	132	388	1876	6106	8471	1585	535	19094 ± 9649
<i>Big Game</i>	Caribou	147	189	82	81	8	21	26	8	121	129	492	286	1589 ± 255
	Moose	8	8	0	0	0	0	0	0	18	0	0	7	41 ± 20
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	0	0	0	0	0	0	0	0	0	0	2	2 ± 4
	Fox (Coloured)	32	45	0	0	0	0	0	0	0	0	93	105	274 ± 71
	Hare (unspec.)	0	0	0	153	0	0	0	0	283	332	39	329	1136 ± 625
	Lynx	0	0	0	0	0	0	0	0	0	0	10	12	23 ± 25
	Marten (American)	39	138	0	0	0	0	0	0	0	0	201	338	717 ± 523
	Mink (American)	82	75	0	0	0	0	0	0	0	0	162	157	475 ± 135
	Muskrat	0	0	5843	3947	18667	9679	0	0	0	0	0	0	38136 ± 9512
	Wolf	0	5	5	0	0	0	0	0	0	0	0	3	13 ± 12
	Wolverine	0	5	0	0	0	0	0	0	0	0	0	2	8 ± 9
<i>Birds</i>	Goose (Canada)	0	0	0	0	8	8	0	3	278	52	0	0	348 ± 264
	Goose (Greater White-fronted)	0	0	0	0	82	16	39	0	283	0	0	0	420 ± 237
	Goose (Snow)	0	0	0	0	266	289	72	0	119	0	0	0	746 ± 436
	Mallard	0	0	0	0	32	45	10	3	247	0	0	0	337 ± 168
	Oldsquaw	0	0	0	0	103	37	0	0	5	8	0	0	152 ± 135
	Pintail (Northern)	0	0	0	0	42	0	0	0	21	0	0	0	63 ± 54
	Ptarmigan (unspec.)	0	0	0	0	0	0	0	0	0	0	0	12	12 ± 19
	Scoter (unspec.)	0	0	0	0	34	50	52	0	72	10	0	0	218 ± 132
	Swan (unspec.)	0	0	0	0	5	0	0	3	3	0	0	0	10 ± 8
	Wigeon (American)	0	0	0	0	63	24	8	101	340	26	0	0	561 ± 272

Other harvested species reported, monthly, Inuvik, 1988

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Big Game</i>	Bear (American Black)	0	0	0	0	0	3	0	0	1	0	0	0	4
<i>Fur Bearers/Small Mammals</i>	Ermine	12	22	0	0	0	0	0	0	0	0	45	73	152
	Squirrel (Arctic Ground)	0	0	0	0	0	0	0	0	0	0	13	11	24
<i>Birds</i>	Duck (unspec.)	0	0	0	0	0	30	0	0	60	0	0	0	90
	Goldeneye (unspec.)	0	0	0	0	2	0	0	0	0	0	0	0	2
	Scaup (unspec.)	0	0	0	0	0	0	0	0	10	0	0	0	10

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 46 Hunter response, and number of hunters harvesting selected species, monthly, Inuvik, 1988

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1988
Hunter list		221	221	221	221	221	221	222	220	220	220	220	220	222
Survey population		221	221	221	221	221	221	220	220	219	219	219	219	222
Hunters interviewed		84	83	84	85	84	84	85	85	85	85	85	88	88
Harvested		16	20	22	18	24	17	29	16	29	25	40	26	67
Response Rate (%)		38	38	38	38	38	38	39	39	39	39	39	40	39 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total##
<i>Marine Mammals</i>		0	0	0	0	0	0	25	2	0	0	0	0	26
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	1	0	16	19	2	30
	Char (Arctic)	0	0	0	0	0	0	0	1	1	0	0	0	1
	Cisco (unspec.)	0	0	0	0	0	1	6	2	0	0	0	0	9
	Inconnu	0	0	0	0	0	1	6	7	6	10	15	3	27
	Pike (Northern)	0	0	0	0	0	2	2	7	7	16	16	3	27
	Trout (Lake)	0	0	0	0	1	1	1	0	1	0	0	1	5
	Whitefish (Broad)	0	0	0	0	0	2	9	9	7	12	7	1	25
	Whitefish (Lake)	0	0	0	0	0	1	1	5	6	12	5	2	16
<i>Big Game</i>	Caribou	13	13	7	5	1	1	4	2	8	8	28	17	52
	Moose	1	2	0	0	0	0	0	0	5	0	0	2	7
<i>Fur Bearers/Small Mammals</i>		0	0	0	0	0	0	0	0	0	0	0	1	1
	Fox (Arctic)	5	6	0	0	0	0	0	0	0	0	9	10	19
	Fox (Coloured)	0	0	0	2	0	0	0	0	7	4	3	3	15
	Hare (unspec.)	0	0	0	0	0	0	0	0	0	0	1	1	1
	Lynx	2	3	0	0	0	0	0	0	0	0	5	5	7
	Marten (American)	6	8	0	0	0	0	0	0	0	0	13	12	21
	Mink (American)	0	0	17	13	19	12	0	0	0	0	0	0	29
	Muskrat	0	1	1	0	0	0	0	0	0	0	1	0	3
	Wolf	0	1	0	0	0	0	0	0	0	0	0	0	2
<i>Birds</i>		0	0	0	0	2	1	0	1	6	2	0	0	11
	Goose (Canada)	0	0	0	0	5	1	1	0	8	0	0	0	15
	Goose (Greater White-fronted)	0	0	0	0	9	2	2	0	5	0	0	0	17
	Goose (Snow)	0	0	0	0	2	2	1	1	10	0	0	0	16
	Mallard	0	0	0	0	3	2	0	0	1	1	0	0	7
	Oldsquaw	0	0	0	0	2	0	0	0	2	0	0	0	4
	Pintail (Northern)	0	0	0	0	0	0	0	0	0	0	0	0	1
	Ptarmigan (unspec.)	0	0	0	0	0	0	0	0	0	0	0	0	11
	Scoter (unspec.)	0	0	0	0	3	3	1	0	3	1	0	0	3
	Swan (unspec.)	0	0	0	0	2	0	0	1	1	0	0	0	0
	Wigeon (American)	0	0	0	0	2	3	1	3	12	2	0	0	20

Δ Mean monthly response rate.

Some hunters may have hunted in more than one month but are only counted once in the total.

Table 47 Total estimated harvest, selected species, monthly, Inuvik, 1989

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Whale (Beluga)	0	0	0	0	0	0	31	5	0	0	0	0	35 ± 7
<i>Fish</i>	Burbot	116	22	0	0	0	0	31	93	99	1861	794	36	3052 ± 713
	Char (Arctic)	0	0	0	0	0	0	0	0	1	0	0	0	1 ± 1
	Cisco (unspec.)	0	0	0	0	0	0	57	0	0	0	0	0	57 ± 39
	Grayling (Arctic)	0	0	0	0	0	0	2	0	0	0	0	0	2 ± 2
	Inconnu	46	0	0	0	0	242	213	112	323	481	130	24	1570 ± 223
	Pike (Northern)	37	11	0	0	4	150	114	370	807	1225	212	24	2953 ± 489
	Trout (Lake)	11	32	0	8	11	11	9	0	0	0	8	0	90 ± 22
	Whitefish (Broad)	74	0	0	0	0	735	510	1193	1582	1791	535	60	6482 ± 1045
	Whitefish (Lake)	85	0	0	0	0	422	419	671	1567	2932	422	90	6608 ± 1331
	Whitefish (unspec.)	0	0	0	0	3	0	0	0	37	0	0	0	41 ± 29
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	1	0	0	0	2	0	0	0	3 ± 1
	Caribou	52	104	71	42	10	17	3	14	34	38	178	71	635 ± 44
	Moose	2	1	1	2	0	0	0	0	1	7	0	4	18 ± 4
	Muskox	0	0	0	0	4	0	0	0	1	0	0	0	6 ± 2
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	1	0	0	0	0	0	0	0	0	0	0	0	1 ± 1
	Fox (Coloured)	31	34	8	0	0	0	0	0	0	0	95	49	217 ± 21
	Hare (unspec.)	128	214	86	48	11	0	0	0	200	205	55	26	972 ± 190
	Lynx	4	5	1	0	0	0	0	0	0	0	0	4	14 ± 4
	Marten (American)	58	119	11	0	0	0	0	0	0	0	121	111	420 ± 90
	Mink (American)	49	50	2	0	0	0	0	0	0	0	50	49	200 ± 24
	Muskrat	0	0	1173	1934	2157	1041	0	0	0	0	0	0	6305 ± 655
	Wolf	0	2	0	1	0	0	0	0	0	0	0	0	3 ± 1
	Wolverine	0	0	0	0	0	0	0	0	0	0	5	0	5 ± 4
<i>Birds</i>	Brant	0	0	0	0	0	0	14	0	0	0	0	0	14 ± 9
	Goose (Canada)	0	0	0	0	11	11	0	2	47	0	0	0	71 ± 17
	Goose (Greater White-fronted)	0	0	0	0	82	47	0	6	54	0	0	0	189 ± 37
	Goose (Snow)	0	0	0	0	324	7	0	0	40	0	0	0	370 ± 82
	Mallard	0	0	0	0	28	36	0	1	120	0	0	0	186 ± 36
	Oldsquaw	0	0	0	0	18	0	0	0	30	0	0	0	48 ± 18
	Pintail (Northern)	0	0	0	0	8	7	0	0	44	0	0	0	59 ± 20
	Ptarmigan (unspec.)	20	83	30	33	0	0	0	0	0	2	0	0	168 ± 39
	Scoter (unspec.)	0	0	0	0	75	45	0	0	40	0	0	0	160 ± 28
	Swan (unspec.)	0	0	0	0	12	11	0	0	0	0	0	0	23 ± 8
	Wigeon (American)	0	0	0	0	71	55	0	0	123	0	0	0	249 ± 39

Other harvested species reported, monthly, Inuvik, 1989

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Big Game</i>	Bear (American Black)	0	0	0	0	0	0	2	0	0	0	0	0	2
<i>Fur Bearers/Small Mammals</i>	Ermine	7	20	0	0	0	0	0	0	0	0	0	1	28
<i>Birds</i>	Canvasback	0	0	0	0	23	2	0	0	0	0	0	0	25
	Duck (unspec.)	0	0	0	0	0	0	0	0	2	0	0	0	2
	Loon (Common)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Merganser (unspec.)	0	0	0	0	0	0	0	0	2	0	0	0	2
	Scaup (unspec.)	0	0	0	0	9	6	0	0	20	0	0	0	35
	Shoveler	0	0	0	0	0	0	0	0	10	0	0	0	10

#Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 48 Hunter response, and number of hunters harvesting selected species, monthly, Inuvik, 1989

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1989
Hunter list		229	230	230	228	227	228	223	225	224	224	224	224	233
Survey population		226	226	222	221	221	217	216	215	214	214	214	214	229
Hunters interviewed		207	210	206	204	202	193	190	184	183	181	180	178	215
Harvested		23	30	30	34	41	26	30	16	33	25	42	26	111
Response Rate (%)		92	93	93	92	91	89	88	86	86	85	84	83	88 ^a
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Whale (Beluga)	0	0	0	0	0	0	17	4	0	0	0	0	19
<i>Fish</i>	Burbot	3	1	0	0	0	0	2	2	4	17	12	1	31
	Char (Arctic)	0	0	0	0	0	0	0	0	1	0	0	0	1
	Cisco (unspec.)	0	0	0	0	0	0	1	0	0	0	0	0	1
	Grayling (Arctic)	0	0	0	0	0	0	1	0	0	0	0	0	1
	Inconnu	3	0	0	0	0	10	9	8	12	12	6	1	35
	Pike (Northern)	3	1	0	0	2	9	8	10	10	14	5	1	33
	Trout (Lake)	1	1	0	3	3	1	2	0	0	0	1	0	10
	Whitefish (Broad)	3	0	0	0	0	11	13	11	11	6	2	1	31
	Whitefish (Lake)	3	0	0	0	0	11	9	10	11	6	3	1	28
	Whitefish (unspec.)	0	0	0	0	2	0	0	0	1	0	0	0	3
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	1	0	0	0	1	0	0	0	1
	Caribou	8	16	11	13	5	4	3	1	6	6	29	13	59
	Moose	1	1	1	2	0	0	0	0	1	4	0	1	11
	Muskox	0	0	0	0	2	0	0	0	1	0	0	0	3
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	1	0	0	0	0	0	0	0	0	0	0	0	1
	Fox (Coloured)	9	12	2	0	0	0	0	0	0	0	13	11	21
	Hare (unspec.)	3	7	6	6	1	0	0	0	4	5	3	3	21
	Lynx	2	2	1	0	0	0	0	0	0	0	0	2	5
	Marten (American)	4	5	1	0	0	0	0	0	0	0	5	6	11
	Mink (American)	9	10	1	0	0	0	0	0	0	0	9	11	22
	Muskrat	0	0	12	14	21	13	0	0	0	0	0	0	31
	Wolf	0	2	0	1	0	0	0	0	0	0	0	0	3
	Wolverine	0	0	0	0	0	0	0	0	0	0	1	0	1
<i>Birds</i>	Brant	0	0	0	0	0	0	1	0	0	0	0	0	1
	Goose (Canada)	0	0	0	0	1	1	0	1	8	0	0	0	10
	Goose (Greater White-fronted)	0	0	0	0	10	2	0	1	5	0	0	0	18
	Goose (Snow)	0	0	0	0	10	1	0	0	3	0	0	0	12
	Mallard	0	0	0	0	8	7	0	1	12	0	0	0	23
	Oldsquaw	0	0	0	0	4	0	0	0	2	0	0	0	6
	Pintail (Northern)	0	0	0	0	2	2	0	0	4	0	0	0	6
	Ptarmigan (unspec.)	3	3	6	3	0	0	0	0	0	1	0	0	13
	Scoter (unspec.)	0	0	0	0	13	7	0	0	4	0	0	0	19
	Swan (unspec.)	0	0	0	0	3	2	0	0	0	0	0	0	5
	Wigeon (American)	0	0	0	0	10	8	0	0	11	0	0	0	24

^a Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 49 Total estimated harvest, selected species, monthly, Inuvik, 1990

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Whale (Beluga)	0	0	0	0	0	0	51	4	0	0	0	0	55 ± 5
<i>Fish</i>	Burbot	20	0	0	0	2	5	5	44	518	2944	625	5	4169 ± 658
	Char (Arctic)	2	0	0	0	0	0	5	5	0	0	0	0	13 ± 4
	Cisco (unspec.)	0	0	0	0	0	0	109	0	0	0	0	0	109 ± 62
	Flounder	0	0	0	0	0	0	76	0	0	0	0	0	76 ± 43
	Grayling (Arctic)	0	0	0	0	0	0	5	0	0	0	0	0	5 ± 3
	Herring (Pacific)	0	0	0	0	0	0	231	54	0	0	0	0	285 ± 127
	Inconnu	20	0	0	0	129	559	1207	544	493	1235	36	0	4224 ± 651
	Pike (Northern)	20	0	1	5	36	131	92	98	388	545	91	0	1407 ± 213
	Trout (Lake)	0	0	0	3	15	25	23	49	17	0	4	0	135 ± 26
	Whitefish (Broad)	51	0	0	0	147	785	2199	1795	2286	4446	636	0	12346 ± 1841
	Whitefish (Lake)	77	0	0	0	61	598	568	849	695	1307	862	18	5035 ± 690
	Whitefish (unspec.)	0	0	0	0	56	0	0	0	97	0	0	0	153 ± 57
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	0	0	0	0	0	1	0	0	1 ± 1
	Bear (Polar)	0	0	0	1	0	0	0	0	0	0	0	0	1 ± 0
	Caribou	38	103	38	44	17	25	20	42	41	46	108	81	602 ± 38
	Moose	1	0	1	1	0	0	0	0	6	1	0	0	11 ± 2
<i>Fur Bearers/Small Mammals</i>	Fox (Coloured)	14	4	0	0	0	0	0	0	0	0	8	21	48 ± 8
	Hare (unspec.)	32	42	149	190	445	92	0	95	277	407	85	38	1851 ± 181
	Lynx	0	0	0	0	0	0	0	0	0	0	0	4	4 ± 2
	Marten (American)	133	78	0	0	0	0	0	0	0	0	4	20	235 ± 33
	Mink (American)	58	4	0	0	0	0	0	0	0	0	64	88	214 ± 31
	Muskrat	0	0	508	428	2567	709	0	0	0	0	0	0	4212 ± 434
	Wolf	0	0	0	1	0	0	0	0	0	0	0	0	1 ± 0
<i>Birds</i>	Goose (Canada)	0	0	0	0	34	5	4	5	32	11	0	0	92 ± 13
	Goose (Greater White-fronted)	0	0	0	6	256	11	24	12	57	6	0	0	372 ± 45
	Goose (Snow)	0	0	0	6	473	11	49	8	23	0	0	0	569 ± 83
	Mallard	0	0	0	0	19	14	2	14	57	6	0	0	112 ± 15
	Oldsquaw	0	0	0	0	23	0	0	0	0	0	0	0	23 ± 7
	Pintail (Northern)	0	0	0	0	8	11	0	2	22	0	0	0	43 ± 13
	Ptarmigan (unspec.)	0	0	15	39	73	0	0	0	0	0	0	0	128 ± 34
	Scoter (unspec.)	0	0	0	0	70	153	0	18	16	11	0	0	269 ± 49
	Swan (unspec.)	0	0	0	0	17	4	0	1	4	0	0	0	27 ± 4
	Wigeon (American)	0	0	0	0	56	44	2	34	116	22	0	0	273 ± 37

Other harvested species reported, monthly, Inuvik, 1990

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Sculpin (Fourhorn)	0	0	0	0	0	0	50	0	0	0	0	0	50
<i>Fur Bearers/Small Mammals</i>	Ermine	1	0	0	0	0	0	0	0	0	0	0	6	7
<i>Birds</i>	Canvasback	0	0	0	0	12	11	0	0	16	0	0	0	39
	Scaup (unspec.)	0	0	0	0	0	0	0	2	0	0	0	0	2
	Shoveler	0	0	0	0	0	0	0	0	5	0	0	0	5
	Teal (Green-winged)	0	0	0	0	0	0	0	0	7	0	0	0	7

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 50 Hunter response, and number of hunters harvesting selected species, monthly, Inuvik, 1990

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1990
Hunter list		233	239	239	235	235	235	236	236	235	235	235	235	240
Survey population		221	221	218	217	215	211	211	210	207	204	202	204	230
Hunters interviewed		216	217	212	211	205	194	194	193	192	185	167	167	228
Harvested		30	32	26	33	45	26	57	37	53	43	28	29	136
Response Rate (%)		98	98	97	97	95	92	92	92	93	91	83	82	92 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Whale (Beluga)	0	0	0	0	0	0	32	3	0	0	0	0	34
<i>Fish</i>	Burbot	1	0	0	0	1	1	1	2	6	26	6	1	30
	Char (Arctic)	1	0	0	0	0	0	1	1	0	0	0	0	3
	Cisco (unspec.)	0	0	0	0	0	0	1	0	0	0	0	0	1
	Flounder	0	0	0	0	0	0	1	0	0	0	0	0	1
	Grayling (Arctic)	0	0	0	0	0	0	1	0	0	0	0	0	1
	Herring (Pacific)	0	0	0	0	0	0	2	1	0	0	0	0	2
	Inconnu	1	0	0	0	3	6	14	9	9	28	4	0	44
	Pike (Northern)	1	0	1	1	3	4	4	5	6	19	3	0	29
	Trout (Lake)	0	0	0	1	3	2	3	4	2	0	1	0	10
	Whitefish (Broad)	1	0	0	0	2	7	16	11	8	10	3	0	30
	Whitefish (Lake)	1	0	0	0	2	2	7	7	5	8	5	1	18
	Whitefish (unspec.)	0	0	0	0	2	0	0	0	1	0	0	0	3
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	0	0	0	0	0	1	0	0	1
	Bear (Polar)	0	0	0	1	0	0	0	0	0	0	0	0	1
	Caribou	12	26	13	13	6	4	11	10	11	11	16	17	81
	Moose	1	0	1	1	0	0	0	0	5	1	0	0	9
<i>Fur Bearers/Small Mammals</i>	Fox (Coloured)	5	3	0	0	0	0	0	0	0	0	3	6	12
	Hare (unspec.)	4	3	6	11	8	3	0	7	16	13	4	2	45
	Lynx	0	0	0	0	0	0	0	0	0	0	0	3	3
	Marten (American)	6	4	0	0	0	0	0	0	0	0	2	4	9
	Mink (American)	12	4	0	0	0	0	0	0	0	0	8	12	19
	Muskrat	0	0	13	10	21	8	0	0	0	0	0	0	31
	Wolf	0	0	0	1	0	0	0	0	0	0	0	0	1
<i>Birds</i>	Goose (Canada)	0	0	0	0	6	1	1	2	9	1	0	0	20
	Goose (Greater White-fronted)	0	0	0	1	16	1	2	2	10	1	0	0	26
	Goose (Snow)	0	0	0	1	17	1	5	1	4	0	0	0	25
	Mallard	0	0	0	0	5	3	1	4	10	1	0	0	21
	Oldsquaw	0	0	0	0	2	0	0	0	0	0	0	0	2
	Pintail (Northern)	0	0	0	0	2	2	0	1	1	0	0	0	4
	Ptarmigan (unspec.)	0	0	1	4	1	0	0	0	0	0	0	0	6
	Scoter (unspec.)	0	0	0	0	8	6	0	3	2	1	0	0	18
	Swan (unspec.)	0	0	0	0	7	2	0	1	2	0	0	0	8
	Wigeon (American)	0	0	0	0	8	5	1	5	7	1	0	0	20

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 51 Total estimated harvest, selected species, monthly, Inuvik, 1991

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Whale (Beluga)	0	0	0	0	0	0	28	5	0	0	0	0	33 ± 6
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	0	179	712	0	891 ± 399
	Herring/Cisco (unspec.)	0	0	0	0	0	0	524	514	0	0	0	0	1037 ± 514
	Inconnu	0	0	2	0	0	29	172	137	122	83	130	0	674 ± 177
	Pike (Northern)	0	1	1	0	0	86	26	46	413	196	622	0	1390 ± 395
	Trout (Lake)	0	2	0	1	0	0	9	9	0	0	0	0	22 ± 9
	Whitefish (Broad)	0	0	0	0	502	396	1082	571	2225	620	1752	0	7147 ± 1931
	Whitefish (Lake)	0	0	0	0	0	186	85	114	1918	784	1582	0	4669 ± 1635
<i>Big Game</i>	Caribou	46	54	75	55	0	1	15	15	9	102	61	56	490 ± 32
	Moose	0	0	2	0	0	0	1	0	1	3	5	1	14 ± 3
<i>Fur Bearers/Small Mammals</i>	Fox (Coloured)	0	1	1	0	0	0	0	0	0	0	9	12	23 ± 4
	Hare (unspec.)	0	0	183	140	56	0	0	0	34	13	5	0	430 ± 72
	Lynx	0	0	0	0	0	0	0	0	0	0	11	29	40 ± 9
	Marten (American)	0	0	0	0	0	0	0	0	0	0	15	25	40 ± 16
	Mink (American)	9	8	7	0	0	0	0	0	0	0	151	160	335 ± 56
	Muskrat	0	0	392	198	2086	1387	0	0	0	0	0	0	4063 ± 816
	Wolf	0	2	0	0	0	0	0	0	0	0	1	0	3 ± 1
<i>Birds</i>	Brant	0	0	0	0	0	0	3	0	0	0	0	0	3 ± 2
	Goose (Canada)	0	0	0	1	1	0	0	0	0	0	0	0	2 ± 1
	Goose (Greater White-fronted)	0	0	0	0	57	11	2	0	24	0	0	0	95 ± 18
	Goose (Snow)	0	0	0	0	40	0	11	0	2	0	0	0	54 ± 14
	Mallard	0	0	0	0	52	13	3	0	51	0	0	0	120 ± 32
	Oldsquaw	0	0	0	0	4	5	0	0	0	0	0	0	9 ± 3
	Pintail (Northern)	0	0	0	0	6	0	0	0	0	0	0	0	6 ± 4
	Ptarmigan (unspec.)	0	0	0	0	0	0	0	0	0	8	0	0	8 ± 5
	Scoter (unspec.)	0	0	0	0	21	36	6	0	0	0	0	0	63 ± 19
	Swan (unspec.)	0	0	0	0	3	3	0	0	0	0	0	0	7 ± 3
	Wigeon (American)	0	0	0	2	48	40	0	0	0	0	0	0	90 ± 20

Other harvested species reported, monthly, Inuvik, 1991

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Fish (unspec.)	0	0	0	0	0	0	0	0	1	1	0	0	2
<i>Fur Bearers/Small Mammals</i>	Ermine	6	0	0	0	0	0	0	0	0	0	9	22	37
<i>Birds</i>	Canvasback	0	0	0	0	6	0	0	0	0	0	0	0	6
	Shoveler	0	0	0	0	1	0	0	0	0	0	0	0	1

#Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 52 Hunter response, and number of hunters harvesting selected species, monthly, Inuvik, 1991

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1991
Hunter list		255	255	255	254	254	254	254	254	252	251	251	251	255
Survey population		232	232	229	232	232	231	230	226	225	225	226	222	239
Hunters interviewed		210	207	207	206	208	201	202	198	198	201	200	193	221
Harvested		16	15	36	22	19	12	21	10	14	25	27	23	109
Response Rate (%)		91	89	90	89	90	87	88	88	88	89	88	87	89 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{†‡}
<i>Marine Mammals</i>	Whale (Beluga)	0	0	0	0	0	0	16	3	0	0	0	0	18
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	0	3	4	0	6
	Herring/Cisco (unspec.)	0	0	0	0	0	0	1	1	0	0	0	0	1
	Inconnu	0	0	2	0	0	2	3	2	2	3	2	0	11
	Pike (Northern)	0	1	1	0	0	1	2	2	2	2	3	0	8
	Trout (Lake)	0	1	0	1	0	0	1	1	0	0	0	0	3
	Whitefish (Broad)	0	0	0	0	1	3	3	3	1	3	3	0	11
	Whitefish (Lake)	0	0	0	0	0	3	1	1	1	1	2	0	6
<i>Big Game</i>	Caribou	13	12	22	11	0	1	8	3	2	15	14	11	66
	Moose	0	0	2	0	0	0	1	0	1	3	3	1	10
<i>Fur Bearers/Small Mammals</i>	Fox (Coloured)	0	1	1	0	0	0	0	0	0	0	2	5	8
	Hare (unspec.)	0	0	9	10	1	0	0	0	1	2	1	0	19
	Lynx	0	0	0	0	0	0	0	0	0	0	6	6	10
	Marten (American)	0	0	0	0	0	0	0	0	0	0	2	2	4
	Mink (American)	3	2	2	0	0	0	0	0	0	0	13	11	18
	Muskrat	0	0	9	7	12	6	0	0	0	0	0	0	27
	Wolf	0	2	0	0	0	0	0	0	0	0	1	0	3
<i>Birds</i>	Brant	0	0	0	0	0	0	1	0	0	0	0	0	1
	Goose (Canada)	0	0	0	1	1	0	0	0	0	0	0	0	2
	Goose (Greater White-fronted)	0	0	0	0	9	2	2	0	7	0	0	0	18
	Goose (Snow)	0	0	0	0	7	0	1	0	1	0	0	0	8
	Mallard	0	0	0	0	8	5	1	0	2	0	0	0	15
	Oldsquaw	0	0	0	0	2	2	0	0	0	0	0	0	4
	Pintail (Northern)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Ptarmigan (unspec.)	0	0	0	0	0	0	0	0	0	1	0	0	1
	Scoter (unspec.)	0	0	0	0	6	5	1	0	0	0	0	0	11
	Swan (unspec.)	0	0	0	0	1	1	0	0	0	0	0	0	2
	Wigeon (American)	0	0	0	1	9	5	0	0	0	0	0	0	15

^Δ Mean monthly response rate.^{†‡} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 53 Total estimated harvest, selected species, monthly, Inuvik, 1992

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Whale (Beluga)	0	0	0	0	0	1	52	0	0	0	0	0	53 ± 2
<i>Fish</i>	Burbot	0	0	0	0	0	0	10	9	10	469	427	0	925 ± 72
	Char (Arctic)	0	0	0	0	0	0	20	0	0	0	0	0	20 ± 4
	Cisco (unspec.)	0	0	0	0	0	0	106	50	0	0	0	0	156 ± 17
	Grayling (Arctic)	0	0	0	0	0	0	5	0	0	0	0	0	5 ± 1
	Herring (Pacific)	0	0	0	0	0	0	222	101	0	0	0	0	323 ± 46
	Inconnu	0	0	0	0	0	10	141	101	25	37	79	0	394 ± 23
	Pike (Northern)	0	0	0	0	0	0	32	116	58	55	0	0	261 ± 21
	Trout (Lake)	0	0	0	0	10	7	31	13	0	7	10	0	79 ± 5
	Whitefish (Broad)	0	0	0	0	0	252	491	621	2472	908	151	0	4895 ± 437
	Whitefish (Lake)	0	0	0	0	0	0	15	484	706	303	655	0	2163 ± 185
<i>Big Game</i>	Bear (Polar)	0	0	0	0	1	0	0	0	0	0	0	0	1 ± 0
	Caribou	68	96	62	27	28	8	15	27	30	111	141	49	663 ± 9
	Moose	4	1	0	0	0	0	0	1	0	2	1	2	11 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Coloured)	19	7	0	0	0	0	0	0	0	0	29	6	61 ± 2
	Hare (unspec.)	110	30	7	39	25	0	0	0	5	0	0	0	216 ± 6
	Lynx	37	8	4	1	0	0	0	0	0	0	20	31	101 ± 3
	Marten (American)	62	50	50	50	0	0	0	0	0	0	6	3	222 ± 13
	Mink (American)	52	5	0	0	0	0	0	0	0	0	11	18	86 ± 1
	Muskrat	0	25	63	338	890	1015	0	0	0	0	0	0	2331 ± 109
	Wolf	1	0	0	0	0	0	0	0	0	1	2	0	4 ± 0
<i>Birds</i>	Brant	0	0	0	0	0	0	0	0	3	0	0	0	3 ± 1
	Goose (Canada)	0	0	0	0	32	7	1	4	19	0	0	0	63 ± 3
	Goose (Greater White-fronted)	0	0	0	0	100	7	0	6	21	0	0	0	134 ± 3
	Goose (Snow)	0	0	0	0	202	10	0	0	90	0	0	0	302 ± 9
	Mallard	0	0	0	0	31	3	35	18	8	0	0	0	96 ± 4
	Pintail (Northern)	0	0	0	0	13	0	0	0	0	0	0	0	13 ± 0
	Ptarmigan (unspec.)	0	2	0	0	0	0	0	0	0	0	0	0	2 ± 0
	Scoter (unspec.)	0	0	0	0	16	15	0	22	0	0	0	0	53 ± 3
	Swan (unspec.)	0	0	0	0	29	0	1	0	6	0	0	0	36 ± 1
	Wigeon (American)	0	0	0	0	23	0	0	10	0	0	0	0	33 ± 2

Other harvested species reported, monthly, Inuvik, 1992

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fur Bearers/Small Mammals</i>	Ermine	0	0	0	0	0	0	0	0	0	0	2	0	2
<i>Birds</i>	Canvasback	0	0	0	0	3	0	0	0	0	0	0	0	3
	Goose (unspec.)	0	0	0	0	5	0	0	0	0	0	0	0	5
	Scaup (unspec.)	0	0	0	0	10	0	0	0	32	0	0	0	42
	Teal (Green-winged)	0	0	0	0	0	3	0	0	0	0	0	0	3

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 54 Hunter response, and number of hunters harvesting selected species, monthly, Inuvik, 1992

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1992
Hunter list		261	261	261	260	259	259	259	259	257	257	257	257	261
Survey population		232	231	230	226	226	224	224	224	222	223	222	219	233
Hunters interviewed		232	230	228	225	226	222	222	222	220	221	221	218	233
Harvested		25	27	17	15	30	14	32	21	18	32	35	22	109
Response Rate (%)		100	100	99	100	100	99	99	99	99	99	100	100	99 ^a
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Whale (Beluga)	0	0	0	0	0	1	21	0	0	0	0	0	21
<i>Fish</i>	Burbot	0	0	0	0	0	0	1	2	1	5	6	0	12
	Char (Arctic)	0	0	0	0	0	0	1	0	0	0	0	0	1
	Cisco (unspec.)	0	0	0	0	0	0	2	1	0	0	0	0	2
	Grayling (Arctic)	0	0	0	0	0	0	1	0	0	0	0	0	1
	Herring (Pacific)	0	0	0	0	0	0	1	1	0	0	0	0	1
	Inconnu	0	0	0	0	0	1	4	3	1	3	2	0	12
	Pike (Northern)	0	0	0	0	0	0	2	2	2	3	0	0	7
	Trout (Lake)	0	0	0	0	1	1	5	2	0	1	1	0	9
	Whitefish (Broad)	0	0	0	0	0	1	4	6	2	2	2	0	13
	Whitefish (Lake)	0	0	0	0	0	0	1	3	1	1	2	0	5
<i>Big Game</i>	Bear (Polar)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Caribou	15	21	15	7	9	2	12	9	6	24	21	14	85
	Moose	3	1	0	0	0	0	0	1	0	2	1	1	6
<i>Fur Bearers/Small Mammals</i>	Fox (Coloured)	4	2	0	0	0	0	0	0	0	0	7	2	12
	Hare (unspec.)	1	1	1	2	3	0	0	0	1	0	0	0	9
	Lynx	4	5	1	1	0	0	0	0	0	0	7	6	15
	Marten (American)	3	1	1	1	0	0	0	0	0	0	1	1	6
	Mink (American)	6	2	0	0	0	0	0	0	0	0	5	7	13
	Muskrat	0	1	2	6	5	8	0	0	0	0	0	0	15
	Wolf	1	0	0	0	0	0	0	0	0	1	2	0	4
<i>Birds</i>	Brant	0	0	0	0	0	0	0	0	1	0	0	0	1
	Goose (Canada)	0	0	0	0	5	1	1	2	3	0	0	0	9
	Goose (Greater White-fronted)	0	0	0	0	9	2	0	2	2	0	0	0	12
	Goose (Snow)	0	0	0	0	14	3	0	0	5	0	0	0	18
	Mallard	0	0	0	0	7	1	3	3	1	0	0	0	12
	Pintail (Northern)	0	0	0	0	3	0	0	0	0	0	0	0	3
	Ptarmigan (unspec.)	0	1	0	0	0	0	0	0	0	0	0	0	1
	Scoter (unspec.)	0	0	0	0	2	2	0	3	0	0	0	0	7
	Swan (unspec.)	0	0	0	0	10	0	1	0	2	0	0	0	12
	Wigeon (American)	0	0	0	0	3	0	0	1	0	0	0	0	4

^a Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 55 Total estimated harvest, selected species, monthly, Inuvik, 1993

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	0	1	0	0	0	0	0	0	0	1 ± 1
	Whale (Beluga)	0	0	0	0	0	0	44	0	0	0	0	0	44 ± 4
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	11	0	380	383	0	774 ± 145
	Cisco (unspec.)	0	0	0	0	0	0	381	0	0	0	0	0	381 ± 110
	Inconnu	0	0	0	0	0	43	151	21	4	83	28	0	330 ± 55
	Pike (Northern)	0	0	0	0	0	96	18	0	0	1	315	3	433 ± 102
	Trout (Lake)	0	0	0	6	0	0	13	10	4	0	7	2	42 ± 7
	Whitefish (Broad)	0	0	0	0	0	654	543	319	80	212	480	53	2342 ± 366
	Whitefish (Lake)	0	0	0	0	0	271	0	266	53	191	285	53	1119 ± 218
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	1	0	0	0	0	0	0	0	1 ± 1
	Bear (Polar)	0	0	0	1	0	0	0	0	0	0	0	0	1 ± 1
	Caribou	64	74	47	21	6	0	6	17	9	61	41	46	392 ± 21
	Moose	3	0	2	0	0	0	0	0	5	2	2	0	15 ± 2
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	0	0	0	0	0	0	0	0	0	0	7	7 ± 2
	Fox (Coloured)	1	0	0	0	0	0	0	0	0	0	6	13	20 ± 3
	Hare (unspec.)	1	6	18	19	0	0	0	18	0	26	0	2	91 ± 18
	Lynx	12	0	8	0	0	0	0	0	0	0	5	11	36 ± 7
	Marten (American)	3	0	0	0	0	0	0	0	0	0	4	3	11 ± 3
	Mink (American)	11	3	0	0	0	0	0	0	0	0	3	3	20 ± 3
	Muskrat	0	0	115	21	471	90	0	0	0	0	0	0	698 ± 119
	Wolf	0	0	0	0	0	0	0	0	0	0	1	0	1 ± 1
	Wolverine	0	0	0	1	1	0	0	0	0	0	0	0	2 ± 1
<i>Birds</i>	Goose (Canada)	0	0	0	0	13	0	0	0	23	0	0	0	36 ± 9
	Goose (Greater White-fronted)	0	0	0	0	154	0	5	9	67	0	0	0	235 ± 26
	Goose (Snow)	0	0	0	0	183	0	0	0	3	0	0	0	186 ± 22
	Mallard	0	0	0	0	22	0	0	0	11	0	0	0	33 ± 7
	Oldsquaw	0	0	0	0	6	0	0	0	9	0	0	0	15 ± 4
	Pintail (Northern)	0	0	0	0	2	0	0	0	7	0	0	0	10 ± 2
	Ptarmigan (unspec.)	0	4	0	0	3	0	0	0	0	5	0	0	13 ± 4
	Scoter (unspec.)	0	0	0	0	17	21	0	5	22	0	0	0	66 ± 14
	Swan (unspec.)	0	0	0	0	27	0	0	0	1	0	0	0	28 ± 5
	Wigeon (American)	0	0	0	0	24	0	0	0	21	0	0	0	46 ± 12

Other harvested species reported, monthly, Inuvik, 1993

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fur Bearers/Small Mammals</i>	Ermine	1	0	0	0	0	0	0	0	0	0	3	0	4
<i>Birds</i>	Canvasback	0	0	0	0	4	0	0	0	0	0	0	0	4

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 56 Hunter response, and number of hunters harvesting selected species, monthly, Inuvik, 1993

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1993
Hunter list		275	265	265	264	263	263	263	262	260	260	234	234	275
Survey population		233	231	233	233	233	233	233	232	232	231	231	231	237
Hunters interviewed		220	219	220	219	219	219	220	218	218	218	218	218	224
Harvested		23	18	19	9	24	5	26	11	21	19	24	18	84
Response Rate (%)		94	95	94	94	94	94	94	94	94	94	94	94	94 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{†‡}
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Whale (Beluga)	0	0	0	0	0	0	23	0	0	0	0	0	23
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	1	0	4	10	0	13
	Cisco (unspec.)	0	0	0	0	0	0	3	0	0	0	0	0	3
	Inconnu	0	0	0	0	0	2	3	1	1	4	4	0	12
	Pike (Northern)	0	0	0	0	0	2	1	0	0	1	5	1	8
	Trout (Lake)	0	0	0	1	0	0	3	2	1	0	1	1	4
	Whitefish (Broad)	0	0	0	0	0	3	4	1	1	2	2	1	8
<i>Big Game</i>	Whitefish (Lake)	0	0	0	0	0	2	0	1	1	3	3	1	5
	Bear (Grizzly)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Bear (Polar)	0	0	0	1	0	0	0	0	0	0	0	0	1
	Caribou	18	17	12	4	1	0	6	5	3	13	14	12	56
<i>Fur Bearers/Small Mammals</i>	Moose	1	0	1	0	0	0	0	0	5	1	1	0	7
	Fox (Arctic)	0	0	0	0	0	0	0	0	0	0	0	3	3
	Fox (Coloured)	1	0	0	0	0	0	0	0	0	0	1	4	4
	Hare (unspec.)	1	1	2	2	0	0	0	1	0	1	0	1	6
	Lynx	3	0	1	0	0	0	0	0	0	0	1	3	7
	Marten (American)	1	0	0	0	0	0	0	0	0	0	2	1	2
	Mink (American)	4	2	0	0	0	0	0	0	0	0	1	2	4
	Muskrat	0	0	3	1	5	2	0	0	0	0	0	0	7
	Wolf	0	0	0	0	0	0	0	0	0	0	1	0	1
<i>Birds</i>	Wolverine	0	0	0	1	1	0	0	0	0	0	0	0	2
	Goose (Canada)	0	0	0	0	2	0	0	0	3	0	0	0	4
	Goose (Greater White-fronted)	0	0	0	0	17	0	1	2	10	0	0	0	24
	Goose (Snow)	0	0	0	0	19	0	0	0	2	0	0	0	21
	Mallard	0	0	0	0	6	0	0	0	4	0	0	0	10
	Oldsquaw	0	0	0	0	1	0	0	0	2	0	0	0	2
	Pintail (Northern)	0	0	0	0	2	0	0	0	3	0	0	0	5
	Ptarmigan (unspec.)	0	1	0	0	1	0	0	0	0	1	0	0	2
	Scoter (unspec.)	0	0	0	0	2	1	0	1	4	0	0	0	7
	Swan (unspec.)	0	0	0	0	8	0	0	0	1	0	0	0	8
<i>INUVIK</i>	Wigeon (American)	0	0	0	0	5	0	0	0	3	0	0	0	8

Δ Mean monthly response rate.

†‡ Some hunters may have hunted in more than one month but are only counted once in the total.

Table 57 Total estimated harvest, selected species, monthly, Inuvik, 1994

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Whale (Beluga)	0	0	0	0	0	0	43	0	0	0	0	0	43 ± 3
<i>Fish</i>	Burbot	0	0	0	0	4	0	0	0	52	355	31	0	442 ± 69
	Grayling (Arctic)	0	0	0	0	0	3	9	0	2	0	0	0	14 ± 3
	Inconnu	0	0	0	0	0	171	264	99	114	198	0	0	845 ± 81
	Pike (Northern)	0	0	0	0	4	145	47	52	280	178	83	0	788 ± 96
	Trout (Lake)	0	0	0	12	0	13	28	4	35	0	0	0	93 ± 13
	Whitefish (Broad)	0	0	0	0	9	621	1035	525	694	546	542	0	3972 ± 323
	Whitefish (Lake)	0	0	0	0	9	321	0	364	466	135	284	0	1579 ± 222
<i>Big Game</i>	Caribou	60	86	69	42	7	0	12	7	31	39	78	39	470 ± 15
	Moose	3	1	1	0	0	0	0	1	2	0	0	0	8 ± 1
<i>Fur Bearers/Small Mammals</i>	Fox (Coloured)	7	3	0	0	0	0	0	0	0	0	25	36	70 ± 6
	Hare (unspec.)	19	3	22	0	0	0	0	0	0	0	0	0	44 ± 7
	Lynx	1	1	0	0	0	0	0	0	0	0	7	12	21 ± 3
	Marten (American)	2	4	0	0	0	0	0	0	0	0	8	13	27 ± 2
	Mink (American)	14	2	0	0	0	0	0	0	0	0	4	20	40 ± 4
	Muskrat	0	0	1092	368	952	1086	0	0	0	0	0	0	3499 ± 287
	Wolf	0	2	0	0	0	0	0	0	0	0	1	1	4 ± 1
<i>Birds</i>	Goose (Canada)	0	0	0	0	14	0	0	1	21	0	0	0	36 ± 6
	Goose (Greater White-fronted)	0	0	0	0	176	0	0	0	26	0	0	0	202 ± 15
	Goose (Snow)	0	0	0	0	169	26	0	0	93	0	0	0	288 ± 27
	Mallard	0	0	0	0	13	0	0	0	13	0	0	0	27 ± 4
	Oldsquaw	0	0	0	0	0	21	0	0	0	0	0	0	21 ± 8
	Scoter (unspec.)	0	0	0	0	17	21	0	0	24	0	0	0	62 ± 10
	Swan (unspec.)	0	0	0	0	45	0	0	0	0	0	0	0	45 ± 5
	Wigeon (American)	0	0	0	0	7	0	0	0	0	0	0	0	7 ± 2

Other harvested species reported, monthly, Inuvik, 1994

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fur Bearers/Small Mammals</i>	Ermine	3	0	0	0	0	0	0	0	0	0	0	0	3

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 58 Hunter response, and number of hunters harvesting selected species, monthly, Inuvik, 1994

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1994
Hunter list		266	259	259	246	245	249	246	246	244	244	244	242	271
Survey population		242	241	240	239	239	239	237	235	231	230	227	227	246
Hunters interviewed		239	237	234	235	233	231	229	226	223	221	220	217	242
Harvested		30	21	28	16	29	11	41	12	24	18	21	23	98
Response Rate (%)		99	98	98	98	97	97	97	96	97	96	97	96	97 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total^{##}
<i>Marine Mammals</i>	Whale (Beluga)	0	0	0	0	0	0	29	0	0	0	0	0	29
<i>Fish</i>	Burbot	0	0	0	0	3	0	0	0	1	7	1	0	11
	Grayling (Arctic)	0	0	0	0	0	2	2	0	1	0	0	0	2
	Inconnu	0	0	0	0	0	3	7	3	4	6	0	0	14
	Pike (Northern)	0	0	0	0	4	2	4	1	3	4	1	0	13
	Trout (Lake)	0	0	0	2	0	2	4	1	3	0	0	0	6
	Whitefish (Broad)	0	0	0	0	3	3	7	5	5	3	3	0	16
	Whitefish (Lake)	0	0	0	0	3	2	0	2	2	2	3	0	10
<i>Big Game</i>	Caribou	23	17	18	11	2	0	6	4	7	10	14	11	58
	Moose	3	1	1	0	0	0	0	1	2	0	0	0	8
<i>Fur Bearers/Small Mammals</i>	Fox (Coloured)	4	2	0	0	0	0	0	0	0	0	6	9	16
	Hare (unspec.)	3	1	2	0	0	0	0	0	0	0	0	0	5
	Lynx	1	1	0	0	0	0	0	0	0	0	3	6	8
	Marten (American)	2	1	0	0	0	0	0	0	0	0	2	8	9
	Mink (American)	2	1	0	0	0	0	0	0	0	0	2	10	11
	Muskrat	0	0	8	4	7	5	0	0	0	0	0	0	14
	Wolf	0	2	0	0	0	0	0	0	0	0	1	1	4
<i>Birds</i>	Goose (Canada)	0	0	0	0	3	0	0	1	3	0	0	0	7
	Goose (Greater White-fronted)	0	0	0	0	15	0	0	0	4	0	0	0	15
	Goose (Snow)	0	0	0	0	13	1	0	0	6	0	0	0	17
	Mallard	0	0	0	0	3	0	0	0	2	0	0	0	5
	Oldsquaw	0	0	0	0	0	1	0	0	0	0	0	0	1
	Scoter (unspec.)	0	0	0	0	2	1	0	0	2	0	0	0	5
	Swan (unspec.)	0	0	0	0	8	0	0	0	0	0	0	0	8
	Wigeon (American)	0	0	0	0	1	0	0	0	0	0	0	0	1

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 59 Total estimated harvest, selected species, monthly, Inuvik, 1995

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	3	0	0	0	0	0	0	0	0	3 ± 1
	Whale (Beluga)	0	0	0	0	0	0	37	0	0	0	0	0	37 ± 4
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	0	216	0	0	216 ± 48
	Cisco (unspec.)	0	0	0	0	0	0	157	147	0	0	0	0	304 ± 80
	Grayling (Arctic)	0	0	0	0	0	0	1	1	0	0	0	0	2 ± 1
	Inconnu	0	0	0	0	26	105	215	137	60	223	74	0	840 ± 74
	Pike (Northern)	0	0	0	8	10	232	23	63	132	242	21	0	731 ± 95
	Trout (Lake)	0	0	16	6	0	0	26	60	0	0	0	0	108 ± 26
	Whitefish (Broad)	0	0	0	0	104	391	922	515	897	777	254	0	3860 ± 335
	Whitefish (Lake)	0	0	0	0	52	282	210	273	828	682	169	0	2496 ± 300
<i>Big Game</i>	Caribou	60	38	26	25	4	0	4	13	15	16	55	16	272 ± 12
	Moose	1	1	0	0	0	0	1	3	3	0	0	0	9 ± 1
<i>Fur Bearers/Small Mammals</i>	Fox (Coloured)	0	1	0	0	0	0	0	0	0	7	8	0	17 ± 3
	Hare (unspec.)	0	0	0	38	0	0	0	0	18	0	77	0	133 ± 39
	Lynx	4	0	0	0	0	0	0	0	0	0	10	4	18 ± 4
	Marten (American)	2	0	0	0	0	0	0	0	0	0	11	14	26 ± 5
	Mink (American)	3	0	0	0	0	0	0	0	0	0	21	27	51 ± 8
	Muskrat	0	0	219	240	552	0	0	0	0	0	0	0	1011 ± 108
	Wolf	1	2	0	0	0	0	0	0	0	0	1	1	5 ± 1
<i>Birds</i>	Goose (Canada)	0	0	0	0	3	0	0	0	14	0	0	0	17 ± 5
	Goose (Greater White-fronted)	0	0	0	1	31	0	0	0	87	0	0	0	119 ± 17
	Goose (Snow)	0	0	0	0	76	0	0	0	42	0	0	0	118 ± 23
	Mallard	0	0	0	0	45	0	0	0	36	13	0	0	93 ± 16
	Pintail (Northern)	0	0	0	0	16	0	0	0	0	0	0	0	16 ± 2
	Scoter (unspec.)	0	0	0	0	15	16	0	0	0	0	0	0	30 ± 6
	Swan (unspec.)	0	0	0	0	19	0	0	0	4	6	0	0	29 ± 5
	Wigeon (American)	0	0	0	0	45	0	0	0	27	15	0	0	87 ± 13

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 60 Hunter response, and number of hunters harvesting selected species, monthly, Inuvik, 1995

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1995
Hunter list		420	413	416	414	411	413	406	398	397	393	391	391	421
Survey population		394	394	394	392	390	386	378	365	365	362	360	358	398
Hunters interviewed		381	380	381	379	376	370	362	347	346	343	340	337	385
Harvested		18	11	12	11	19	8	26	14	19	17	18	12	77
Response Rate (%)		97	96	97	97	96	96	96	95	95	95	94	94	96 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	1	0	0	0	0	0	0	0	0	1
	Whale (Beluga)	0	0	0	0	0	0	17	0	0	0	0	0	17
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	0	6	0	0	6
	Cisco (unspec.)	0	0	0	0	0	0	1	1	0	0	0	0	2
	Grayling (Arctic)	0	0	0	0	0	0	1	1	0	0	0	0	2
	Inconnu	0	0	0	0	3	5	8	5	4	8	2	0	24
	Pike (Northern)	0	0	0	1	2	4	3	2	3	8	1	0	17
	Trout (Lake)	0	0	1	1	0	0	2	2	0	0	0	0	4
	Whitefish (Broad)	0	0	0	0	3	5	9	6	6	8	2	0	24
<i>Big Game</i>	Whitefish (Lake)	0	0	0	0	3	5	6	6	6	8	2	0	21
	Caribou	14	9	7	7	1	0	4	5	6	5	13	7	37
	Moose	1	1	0	0	0	0	2	3	3	0	0	0	10
<i>Fur Bearers/Small Mammals</i>	Fox (Coloured)	0	1	0	0	0	0	0	0	0	0	3	4	7
	Hare (unspec.)	0	0	0	2	0	0	0	0	1	0	1	0	4
	Lynx	1	0	0	0	0	0	0	0	0	0	3	1	3
	Marten (American)	2	0	0	0	0	0	0	0	0	0	3	5	6
	Mink (American)	2	0	0	0	0	0	0	0	0	0	4	5	7
	Muskrat	0	0	4	3	9	0	0	0	0	0	0	0	12
	Wolf	1	2	0	0	0	0	0	0	0	0	1	1	5
<i>Birds</i>	Goose (Canada)	0	0	0	0	3	0	0	0	2	0	0	0	4
	Goose (Greater White-fronted)	0	0	0	1	4	0	0	0	8	0	0	0	11
	Goose (Snow)	0	0	0	0	4	0	0	0	4	0	0	0	7
	Mallard	0	0	0	0	9	0	0	0	2	2	0	0	10
	Pintail (Northern)	0	0	0	0	2	0	0	0	0	0	0	0	2
	Scoter (unspec.)	0	0	0	0	2	2	0	0	0	0	0	0	4
	Swan (unspec.)	0	0	0	0	6	0	0	0	1	2	0	0	7
	Wigeon (American)	0	0	0	0	7	0	0	0	2	2	0	0	8

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 61 Total estimated harvest, selected species, monthly, Inuvik, 1996

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Whale (Beluga)	0	0	0	0	0	1	28	0	0	0	0	0	29 ± 7
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	2	18	306	0	326 ± 117
	Grayling (Arctic)	0	0	0	0	0	2	3	0	33	0	0	0	38 ± 26
	Herring (Pacific)	0	0	0	0	0	0	190	0	0	0	0	0	190 ± 174
	Inconnu	0	0	0	0	34	54	215	0	45	186	393	0	927 ± 240
	Pike (Northern)	0	0	0	0	0	35	13	0	241	108	225	0	621 ± 168
	Trout (Lake)	0	0	0	13	33	10	4	0	59	6	1	0	127 ± 40
	Whitefish (Broad)	0	0	0	0	120	140	557	0	591	1023	187	0	2618 ± 659
	Whitefish (Lake)	0	0	0	0	0	93	0	0	355	301	187	0	936 ± 294
	Whitefish (unspec.)	0	0	0	0	0	0	0	0	0	2	0	0	2 ± 2
<i>Big Game</i>	Bear (Grizzly)	0	0	0	1	1	0	0	0	0	0	0	0	2 ± 1
	Caribou	38	22	29	28	6	0	22	3	30	28	127	65	398 ± 36
	Moose	3	0	0	0	0	0	0	0	5	4	0	0	11 ± 3
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	0	0	0	0	0	0	0	0	0	2	0	2 ± 2
	Fox (Coloured)	8	0	0	0	0	0	0	0	0	0	20	10	38 ± 8
	Hare (unspec.)	0	0	17	17	0	0	0	0	51	48	50	31	215 ± 53
	Lynx	1	0	0	0	0	0	0	0	0	0	10	18	29 ± 10
	Marten (American)	7	0	0	0	0	0	0	0	0	0	10	11	28 ± 7
	Mink (American)	22	0	0	0	0	0	0	0	0	0	99	61	182 ± 32
	Muskrat	0	0	554	222	1654	959	0	0	0	0	0	0	3389 ± 581
	Wolf	0	1	0	0	0	0	0	0	0	0	0	0	1 ± 0
	Wolverine	0	0	0	0	0	0	0	0	0	0	0	1	1 ± 1
<i>Birds</i>	Goose (Canada)	0	0	0	0	16	3	0	0	5	0	0	0	24 ± 6
	Goose (Greater White-fronted)	0	0	0	0	193	61	0	0	167	0	0	0	421 ± 81
	Goose (Snow)	0	0	0	0	247	34	0	0	87	0	0	0	368 ± 73
	Mallard	0	0	0	0	62	9	0	0	33	0	0	0	104 ± 24
	Pintail (Northern)	0	0	0	0	11	0	0	0	0	0	0	0	11 ± 8
	Ptarmigan (unspec.)	0	0	0	7	0	0	0	0	0	0	0	0	7 ± 4
	Scoter (unspec.)	0	0	0	0	22	7	0	0	6	0	0	0	35 ± 11
	Swan (unspec.)	0	0	0	0	56	9	0	0	6	0	0	0	71 ± 19
	Wigeon (American)	0	0	0	0	48	22	0	0	32	0	0	0	102 ± 24

Other harvested species reported, monthly, Inuvik, 1996

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fur Bearers/Small Mammals</i>	Ermine	0	0	0	0	0	0	0	0	0	0	0	2	2
<i>Birds</i>	Canvasback	0	0	0	0	0	0	0	0	7	0	0	0	7
	Crane (Sandhill)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Goldeneye (unspec.)	0	0	0	0	0	0	0	0	2	0	0	0	2
	Shoveler	0	0	0	0	0	0	0	0	10	0	0	0	10

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 62 Hunter response, and number of hunters harvesting selected species, monthly, Inuvik, 1996

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1996
Hunter list		415	404	404	402	368	237	237	237	237	237	235	235	415
Survey population		365	364	364	364	364	234	233	233	234	231	232	232	371
Hunters interviewed		354	352	338	334	318	201	184	136	198	192	186	185	359
Harvested		15	7	10	17	31	16	19	1	32	19	34	17	91
Response Rate (%)		97	97	93	92	87	86	79	58	85	83	80	80	85 ^A
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Whale (Beluga)	0	0	0	0	0	1	14	0	0	0	0	0	14
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	1	1	6	0	8
	Grayling (Arctic)	0	0	0	0	0	1	1	0	1	0	0	0	2
	Herring (Pacific)	0	0	0	0	0	0	1	0	0	0	0	0	1
	Inconnu	0	0	0	0	1	2	3	0	2	3	6	0	12
	Pike (Northern)	0	0	0	0	0	1	1	0	4	3	5	0	11
	Trout (Lake)	0	0	0	4	2	2	1	0	3	1	1	0	9
	Whitefish (Broad)	0	0	0	0	2	2	4	0	3	3	1	0	11
	Whitefish (Lake)	0	0	0	0	0	1	0	0	3	2	1	0	4
	Whitefish (unspec.)	0	0	0	0	0	0	0	0	0	1	0	0	1
<i>Big Game</i>	Bear (Grizzly)	0	0	0	1	1	0	0	0	0	0	0	0	2
	Caribou	9	7	4	10	3	0	7	1	5	12	21	8	48
	Moose	2	0	0	0	0	0	0	0	3	3	0	0	6
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	0	0	0	0	0	0	0	0	0	2	0	2
	Fox (Coloured)	5	0	0	0	0	0	0	0	0	0	7	4	12
	Hare (unspec.)	0	0	2	2	0	0	0	0	4	3	2	2	13
	Lynx	1	0	0	0	0	0	0	0	0	0	3	4	6
	Marten (American)	4	0	0	0	0	0	0	0	0	0	3	3	5
	Mink (American)	5	0	0	0	0	0	0	0	0	0	10	7	13
	Muskrat	0	0	6	4	15	4	0	0	0	0	0	0	22
	Wolf	0	1	0	0	0	0	0	0	0	0	0	0	1
	Wolverine	0	0	0	0	0	0	0	0	0	0	0	1	1
<i>Birds</i>	Goose (Canada)	0	0	0	0	5	2	0	0	2	0	0	0	9
	Goose (Greater White-fronted)	0	0	0	0	19	6	0	0	13	0	0	0	31
	Goose (Snow)	0	0	0	0	15	4	0	0	10	0	0	0	26
	Mallard	0	0	0	0	6	2	0	0	5	0	0	0	11
	Pintail (Northern)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Ptarmigan (unspec.)	0	0	0	1	0	0	0	0	0	0	0	0	1
	Scoter (unspec.)	0	0	0	0	3	1	0	0	2	0	0	0	6
	Swan (unspec.)	0	0	0	0	12	2	0	0	2	0	0	0	16
	Wigeon (American)	0	0	0	0	5	2	0	0	4	0	0	0	11

^A Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 63 Total estimated harvest, selected species, monthly, Inuvik, 1997

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	0	1	0	0	0	0	1 ± 1
	Whale (Beluga)	0	0	0	0	0	0	48	0	0	0	0	0	48 ± 9
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	38	12	156	10	216 ± 95
	Herring/Cisco (unspec.)	0	0	0	0	0	0	59	0	0	0	0	0	59 ± 33
	Inconnu	0	0	0	0	0	6	90	37	38	0	32	5	209 ± 64
	Pike (Northern)	0	0	0	0	0	17	0	25	32	15	58	0	147 ± 64
	Trout (Lake)	0	0	0	6	0	0	0	0	0	0	0	0	6 ± 3
	Whitefish (Broad)	0	0	0	0	23	87	767	162	25	85	0	0	1149 ± 286
	Whitefish (Lake)	0	0	0	0	0	35	59	81	25	61	0	0	261 ± 97
	Whitefish (unspec.)	0	0	0	0	0	0	4	0	0	0	0	0	4 ± 3
<i>Big Game</i>	Caribou	20	19	18	39	0	8	19	10	8	17	104	13	275 ± 34
	Moose	0	0	0	0	0	0	0	0	5	1	0	1	8 ± 3
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	1	0	0	0	0	0	0	0	0	0	0	1 ± 1
	Fox (Coloured)	12	0	0	0	0	0	0	0	0	0	8	9	29 ± 7
	Hare (unspec.)	11	17	58	6	0	0	0	0	38	61	0	63	253 ± 77
	Lynx	17	8	9	0	0	0	0	0	0	0	18	10	62 ± 13
	Marten (American)	8	0	0	0	0	0	0	0	0	0	0	5	13 ± 5
	Mink (American)	29	14	35	0	0	8	0	0	0	0	13	18	117 ± 28
	Muskrat	0	0	752	1237	1689	2636	0	0	0	0	0	0	6314 ± 876
	Wolf	1	0	1	0	0	0	0	0	0	0	0	0	2 ± 1
	Wolverine	0	0	0	0	1	0	0	0	0	0	0	0	1 ± 1
<i>Birds</i>	Goose (Canada)	0	0	0	0	17	0	0	0	10	0	0	0	27 ± 10
	Goose (Greater White-fronted)	0	0	0	0	188	2	17	0	65	0	0	0	272 ± 52
	Goose (Snow)	0	0	0	0	129	3	0	7	0	0	0	0	140 ± 36
	Mallard	0	0	0	0	54	140	5	0	24	0	0	0	223 ± 51
	Oldsquaw	0	0	0	0	6	0	0	0	0	0	0	0	6 ± 4
	Pintail (Northern)	0	0	0	0	35	23	0	0	5	0	0	0	63 ± 18
	Ptarmigan (unspec.)	0	0	0	23	0	0	0	0	0	0	0	0	23 ± 17
	Scoter (unspec.)	0	0	0	0	46	47	0	7	0	0	0	0	101 ± 26
	Swan (unspec.)	0	0	0	0	14	3	0	0	9	0	0	0	26 ± 7
	Wigeon (American)	0	0	0	0	76	87	7	0	13	0	0	0	183 ± 48

Other harvested species reported, monthly, Inuvik, 1997

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Birds</i>	Canvasback	0	0	0	0	3	0	0	0	5	0	0	0	8
	Scaup (unspec.)	0	0	0	0	0	0	0	0	6	0	0	0	6
	Teal (Green-winged)	0	0	0	0	1	0	0	0	0	0	0	0	1

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 64 Hunter response, and number of hunters harvesting selected species, monthly, Inuvik, 1997

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1997
Hunter list		237	235	234	235	233	230	227	226	225	231	219	210	242
Survey population		235	228	228	228	226	224	220	218	218	211	210	203	238
Hunters interviewed		208	206	198	198	196	194	185	175	172	173	162	162	217
Harvested		14	8	16	20	28	18	22	5	11	7	19	11	65
Response Rate (%)		89	90	87	87	87	87	84	80	79	82	77	80	84 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	0	1	0	0	0	0	1
	Whale (Beluga)	0	0	0	0	0	0	17	0	0	0	0	0	17
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	1	1	3	1	6
	Herring/Cisco (unspec.)	0	0	0	0	0	0	2	0	0	0	0	0	2
	Inconnu	0	0	0	0	0	1	6	1	1	0	2	1	9
	Pike (Northern)	0	0	0	0	0	1	0	1	1	2	2	0	5
	Trout (Lake)	0	0	0	2	0	0	0	0	0	0	0	0	2
	Whitefish (Broad)	0	0	0	0	1	3	6	3	1	1	0	0	11
	Whitefish (Lake)	0	0	0	0	0	1	1	2	1	1	0	0	3
<i>Big Game</i>	Caribou	6	5	6	5	0	2	10	3	2	4	12	4	37
	Moose	0	0	0	0	0	0	0	0	2	1	0	1	4
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	1	0	0	0	0	0	0	0	0	0	0	1
	Fox (Coloured)	3	0	0	0	0	0	0	0	0	0	5	4	8
	Hare (unspec.)	1	1	4	1	0	0	0	0	1	1	0	3	7
	Lynx	3	2	1	0	0	0	0	0	0	0	3	2	5
	Marten (American)	3	0	0	0	0	0	0	0	0	0	0	1	3
	Mink (American)	6	2	1	0	0	1	0	0	0	0	3	4	11
	Muskrat	0	0	9	12	15	12	0	0	0	0	0	0	23
	Wolf	1	0	1	0	0	0	0	0	0	0	0	0	2
	Wolverine	0	0	0	0	1	0	0	0	0	0	0	0	1
<i>Birds</i>	Goose (Canada)	0	0	0	0	5	0	0	0	2	0	0	0	7
	Goose (Greater White-fronted)	0	0	0	0	17	1	3	0	7	0	0	0	22
	Goose (Snow)	0	0	0	0	15	2	0	1	0	0	0	0	16
	Mallard	0	0	0	0	7	7	1	0	3	0	0	0	14
	Oldsquaw	0	0	0	0	1	0	0	0	0	0	0	0	1
	Pintail (Northern)	0	0	0	0	6	2	0	0	1	0	0	0	8
	Ptarmigan (unspec.)	0	0	0	1	0	0	0	0	0	0	0	0	1
	Scoter (unspec.)	0	0	0	0	5	4	0	1	0	0	0	0	8
	Swan (unspec.)	0	0	0	0	8	2	0	0	3	0	0	0	12
	Wigeon (American)	0	0	0	0	7	4	1	0	1	0	0	0	10

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 65 Total estimated harvest, selected species, annual and ten-year mean, Inuvik, 1988 - 1997

Category	Species	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	0	0	0	1	0
	Seal (Ringed)	0	0	0	0	0	1	0	3	0	0	0
	Whale (Beluga)	163	35	55	33	53	44	43	37	29	48	54
<i>Fish</i>	Burbot	8972	3052	4169	891	925	774	442	216	326	216	1998
	Char (Arctic)	0	1	13	0	20	0	0	0	0	0	3
	Char (unspec.)	516	0	0	0	0	0	0	0	0	0	52
	Cisco (unspec.)	2324	57	109	0	156	381	0	304	0	0	**n/a
	Flounder	0	0	76	0	0	0	0	0	0	0	8
	Grayling (Arctic)	0	2	5	0	5	0	14	2	38	0	7
	Herring (Pacific)	0	0	285	0	323	0	0	0	190	0	**n/a
	Herring/Cisco (unspec.)	0	0	0	1037	0	0	0	0	0	59	**n/a
	Inconnu	2761	1570	4224	674	394	330	845	840	927	209	1277
	Pike (Northern)	5480	2953	1407	1390	261	433	788	731	621	147	1421
	Trout (Lake)	296	90	135	22	79	42	93	108	127	6	100
	Whitefish (Lake)	19094	6608	5035	4669	2163	1119	1579	2496	936	261	4396
	Whitefish (Broad)	21537	6482	12346	7147	4895	2342	3972	3860	2618	1149	6635
	Whitefish (unspec.)	0	41	153	0	0	0	0	0	2	4	20
<i>Big Game</i>	Bear (Grizzly)	0	3	1	0	0	1	0	0	2	0	1
	Bear (Polar)	0	0	1	0	1	1	0	0	0	0	0
	Caribou	1589	635	602	490	663	392	470	272	398	275	579
	Moose	41	18	11	14	11	15	8	9	11	8	15
	Muskox	0	6	0	0	0	0	0	0	0	0	1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	2	1	0	0	0	7	0	0	2	1	1
	Fox (Coloured)	274	217	48	23	61	20	70	17	38	29	80
	Hare (unspec.)	1136	972	1851	430	216	91	44	133	215	253	534
	Lynx	23	14	4	40	101	36	21	18	29	62	35
	Marten (American)	717	420	235	40	222	11	27	26	28	13	174
	Mink (American)	475	200	214	335	86	20	40	51	182	117	172
	Muskrat	38136	6305	4212	4063	2331	698	3499	1011	3389	6314	6996
	Wolf	13	3	1	3	4	1	4	5	1	2	4
	Wolverine	8	5	0	0	0	2	0	0	1	1	2
<i>Birds</i>	Brant	0	14	0	3	3	0	0	0	0	0	2
	Goose (Canada)	348	71	92	2	63	36	36	17	24	27	72
	Goose (Greater White-fronted)	420	189	372	95	134	235	202	119	421	272	246
	Goose (Snow)	746	370	569	54	302	186	288	118	368	140	314
	Mallard	337	186	112	120	96	33	27	93	104	223	133
	Oldsquaw	152	48	23	9	0	15	21	0	0	6	27
	Pintail (Northern)	63	59	43	6	13	10	0	16	11	63	28
	Ptarmigan (unspec.)	12	168	128	8	2	13	0	0	7	3	36
	Scooter (unspec.)	218	160	269	63	53	66	62	30	35	101	106
	Swan (unspec.)	10	23	27	7	36	28	45	29	71	26	30
	Wigeon (American)	561	249	273	90	33	46	7	87	102	183	163

** Herring/Cisco was reported differently over the ten-year period.

Other harvested species reported, annual and ten-year mean, Inuvik, 1988 - 1997

Category	Species	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean
<i>Fish</i>	Fish (unspec.)	0	0	0	2	0	0	0	0	0	0	0
	Sculpin (Fourhorn)	0	0	50	0	0	0	0	0	0	0	5
<i>Big Game</i>	Bear (American Black)	4	2	0	0	0	0	0	0	0	0	1
<i>Fur Bearers/Small Mammals</i>	Ermine	152	28	7	37	2	4	3	0	2	0	24
	Squirrel (Arctic Ground)	24	0	0	0	0	0	0	0	0	0	2
<i>Birds</i>	Canvasback	0	25	39	6	3	4	0	0	7	8	9
	Crane (Sandhill)	0	0	0	0	0	0	0	0	1	0	0
	Duck (unspec.)	90	2	0	0	0	0	0	0	0	0	9
	Goldeneye (unspec.)	2	0	0	0	0	0	0	0	2	0	0
	Goose (unspec.)	0	0	0	0	5	0	0	0	0	0	1
	Loon (Common)	0	1	0	0	0	0	0	0	0	0	0
	Merganser (unspec.)	0	2	0	0	0	0	0	0	0	0	0
	Scaup (unspec.)	10	35	2	0	42	0	0	0	0	6	10
	Shoveler	0	10	5	1	0	0	0	0	10	0	3
	Teal (Green-winged)	0	0	7	0	3	0	0	0	0	1	1

Table 66 Hunter response, and number of hunters harvesting selected species, annual and ten-year mean, Inuvik, 1988 - 1997

HUNTER RESPONSE		1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean
Hunter list		222	233	240	255	261	275	271	421	415	242	284
Survey population		222	229	230	239	233	237	246	398	371	238	264
Hunters interviewed		88	215	228	221	233	224	242	385	359	217	241
Harvested		67	111	136	109	109	84	98	77	91	65	95
Response Rate (%)		39	88	92	89	99	94	97	96	85	84	86
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES												
Category	Species	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	0	0	0	1	0
	Seal (Ringed)	0	0	0	0	0	1	0	1	0	0	0
	Whale (Beluga)	26	19	34	18	21	23	29	17	14	17	22
<i>Fish</i>	Burbot	30	31	30	6	12	13	11	6	8	6	15
	Char (Arctic)	1	1	3	0	1	0	0	0	0	0	1
	Cisco (unspec.)	9	1	1	0	2	3	0	2	0	0	2
	Flounder	0	0	1	0	0	0	0	0	0	0	0
	Grayling (Arctic)	0	1	1	0	1	0	2	2	2	0	1
	Herring (Pacific)	0	0	2	0	1	0	0	0	1	0	0
	Herring/Cisco (unspec.)	0	0	0	1	0	0	0	0	0	2	0
	Inconnu	27	35	44	11	12	12	14	24	12	9	20
	Pike (Northern)	27	33	29	8	7	8	13	17	11	5	16
	Trout (Lake)	5	10	10	3	9	4	6	4	9	2	6
<i>Big Game</i>	Whitefish (Broad)	25	31	30	11	13	8	16	24	11	11	18
	Whitefish (Lake)	16	28	18	6	5	5	10	21	4	3	12
	Whitefish (unspec.)	0	3	3	0	0	0	0	0	1	1	1
	Bear (Grizzly)	0	1	1	0	0	1	0	0	2	0	1
<i>Fur Bearers/Small Mammals</i>	Bear (Polar)	0	0	1	0	1	1	0	0	0	0	0
	Caribou	52	59	81	66	85	56	58	37	48	37	58
	Moose	7	11	9	10	6	7	8	10	6	4	8
	Muskox	0	3	0	0	0	0	0	0	0	0	0
	Fox (Arctic)	1	1	0	0	0	3	0	0	2	1	1
<i>Birds</i>	Fox (Coloured)	19	21	12	8	12	4	16	7	12	8	12
	Hare (unspec.)	15	21	45	19	9	6	5	4	13	7	14
	Lynx	1	5	3	10	15	7	8	3	6	5	6
	Marten (American)	7	11	9	4	6	2	9	6	5	3	6
	Mink (American)	21	22	19	18	13	4	11	7	13	11	14
	Muskrat	29	31	31	27	15	7	14	12	22	23	21
	Wolf	3	3	1	3	4	1	4	5	1	2	3
	Wolverine	2	1	0	0	0	2	0	0	1	1	1

Some hunters may have hunted in more than one month but are only counted once in the total.

Paulatuk Tables

PAULATUK

Table 67 Total estimated harvest, selected species, monthly, Paulatuk, 1988

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	1	0	0	0	1	3	0	0	0	0	0	5 ± 0
	Seal (Ringed)	0	13	0	7	13	10	2	0	10	0	0	0	55 ± 0
<i>Fish</i>	Burbot	0	0	1	0	0	0	0	0	2	0	1	0	4 ± 0
	Char (Arctic)	0	0	40	0	0	50	281	1301	38	498	70	0	2278 ± 0
	Char (Arctic Land-locked)	0	0	0	0	71	74	12	4	1	0	0	0	162 ± 0
	Char (unspec.)	0	0	0	0	0	468	67	0	0	16	0	0	551 ± 0
	Cisco (unspec.)	0	0	0	0	0	33	13	195	12	0	0	0	253 ± 0
	Grayling (Arctic)	0	0	0	0	0	0	0	0	0	10	0	0	10 ± 0
	Herring (Pacific)	0	0	0	0	0	11	3	24	0	0	0	0	38 ± 0
	Inconnu	0	0	0	0	0	0	0	1	0	0	0	0	1 ± 0
	Pike (Northern)	0	0	0	0	0	0	0	0	2	0	0	0	2 ± 0
	Trout (Lake)	0	0	96	46	19	115	65	0	72	26	1	0	440 ± 0
	Whitefish (Broad)	0	0	0	0	0	905	404	1	2	402	8	0	1722 ± 0
	Whitefish (Lake)	0	0	0	0	0	0	0	0	340	72	0	0	412 ± 0
	Whitefish (unspec.)	0	0	2	0	0	0	0	0	42	0	0	0	44 ± 0
<i>Big Game</i>	Bear (Polar)	2	2	0	3	0	0	0	0	0	0	0	0	7 ± 0
	Caribou	9	58	32	102	72	48	22	30	113	126	46	7	665 ± 0
	Moose	0	0	0	0	0	0	0	0	0	1	0	0	1 ± 0
	Muskox	0	1	0	2	0	0	0	0	0	2	0	0	5 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	68	87	27	0	0	0	0	0	0	0	2	0	184 ± 0
	Fox (Coloured)	13	11	13	0	0	0	0	0	0	0	43	1	81 ± 0
	Hare (unspec.)	0	0	0	2	0	0	0	0	0	3	0	0	5 ± 0
	Marten (American)	11	10	0	0	0	0	0	0	0	3	45	8	77 ± 0
	Mink (American)	0	1	0	1	0	0	0	0	0	0	2	0	4 ± 0
	Muskrat	0	0	0	0	1	0	0	0	0	0	0	0	1 ± 0
	Wolf	1	1	1	32	0	0	0	0	0	2	6	0	43 ± 0
	Wolverine	3	1	4	4	0	0	0	0	0	0	6	1	19 ± 0
<i>Birds</i>	Brant	0	0	0	0	8	15	0	0	0	0	0	0	23 ± 0
	Eider (unspec.)	0	0	0	0	2	32	0	0	1	0	0	0	35 ± 0
	Goose (Canada)	0	0	0	0	311	14	9	0	0	0	0	0	334 ± 0
	Goose (Greater White-fronted)	0	0	0	0	361	15	0	0	1	0	0	0	377 ± 0
	Goose (Snow)	0	0	0	0	1490	0	0	0	20	0	0	0	1510 ± 0
	Oldsquaw	0	0	0	0	38	73	15	11	50	0	0	0	187 ± 0
	Pintail (Northern)	0	0	0	0	8	4	0	0	0	0	0	0	12 ± 0
	Ptarmigan (unspec.)	10	104	215	135	6	0	0	7	247	181	44	22	971 ± 0
	Scoter (unspec.)	0	0	0	0	0	1	0	0	0	0	0	0	1 ± 0
	Swan (unspec.)	0	0	0	0	27	0	0	0	0	0	0	0	27 ± 0

Other harvested species reported, monthly, Paulatuk, 1988

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Marine Mammals</i>	Seal (unspec.)	0	0	2	0	0	2	0	0	0	0	0	0	4
<i>Fur Bearers/Small Mammals</i>	Ermine	0	0	0	0	0	0	0	0	0	10	6	0	16
	Squirrel (Arctic Ground)	0	0	0	0	1	0	0	0	30	0	0	0	31
<i>Birds</i>	Loon (Common)	0	0	0	0	1	1	2	0	2	0	0	0	6
	Loon (Yellow-billed)	0	0	0	0	2	0	0	0	0	0	0	0	2
	Merganser (unspec.)	0	0	0	0	1	0	11	0	0	0	0	0	12
	Scaup (unspec.)	0	0	0	0	12	0	0	0	0	0	0	0	12

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 68 Hunter response, and number of hunters harvesting selected species, monthly, Paulatuk, 1988

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1988
Hunter list		62	62	62	62	62	62	63	63	63	63	63	63	63
Survey population		62	62	62	62	62	62	63	63	63	63	63	63	63
Hunters interviewed		62	62	62	62	62	62	63	63	63	63	63	63	63
Harvested		11	20	28	36	52	29	22	25	31	33	22	4	59
Response Rate (%)		100	100	100	100	100	100	100	100	100	100	100	100	100 ^A
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	1	0	0	0	1	2	0	0	0	0	0	4
	Seal (Ringed)	0	3	0	5	3	5	1	0	2	0	0	0	10
<i>Fish</i>	Burbot	0	0	1	0	0	0	0	0	1	0	1	0	3
	Char (Arctic)	0	0	3	0	4	15	13	15	2	17	3	0	40
	Cisco (unspec.)	0	0	0	0	0	3	1	2	2	0	0	0	8
	Grayling (Arctic)	0	0	0	0	0	0	0	0	0	1	0	0	1
	Herring (Pacific)	0	0	0	0	0	2	1	1	0	0	0	0	3
	Inconnu	0	0	0	0	0	0	0	1	0	0	0	0	1
	Pike (Northern)	0	0	0	0	0	0	0	0	1	0	0	0	1
	Trout (Lake)	0	0	13	4	3	10	7	0	9	3	1	0	29
	Whitefish (Broad)	0	0	0	0	0	5	7	1	1	10	1	0	20
	Whitefish (Lake)	0	0	0	0	0	0	0	0	4	2	0	0	5
	Whitefish (unspec.)	0	0	1	0	0	0	0	0	1	0	0	0	2
<i>Big Game</i>	Bear (Polar)	2	2	0	3	0	0	0	0	0	0	0	0	5
	Caribou	2	12	12	26	22	19	11	13	25	22	11	2	48
	Moose	0	0	0	0	0	0	0	0	0	1	0	0	1
	Muskox	0	1	0	2	0	0	0	0	0	2	0	0	5
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	7	9	3	0	0	0	0	0	0	0	1	0	13
	Fox (Coloured)	5	4	4	0	0	0	0	0	0	0	11	1	15
	Hare (unspec.)	0	0	0	1	0	0	0	0	0	1	0	0	2
	Marten (American)	2	2	0	0	0	0	0	0	0	2	7	2	9
	Mink (American)	0	1	0	1	0	0	0	0	0	0	2	0	4
	Muskrat	0	0	0	0	1	0	0	0	0	0	0	0	1
	Wolf	1	1	1	9	0	0	0	0	0	2	3	0	14
	Wolverine	2	1	2	2	0	0	0	0	0	0	4	1	10
<i>Birds</i>	Brant	0	0	0	0	2	1	0	0	0	0	0	0	3
	Eider (unspec.)	0	0	0	0	1	4	0	0	1	0	0	0	6
	Goose (Canada)	0	0	0	0	47	3	2	0	0	0	0	0	47
	Goose (Greater White-fronted)	0	0	0	0	45	4	0	0	1	0	0	0	46
	Goose (Snow)	0	0	0	0	50	0	0	0	3	0	0	0	50
	Oldsquaw	0	0	0	0	7	6	2	2	3	0	0	0	13
	Pintail (Northern)	0	0	0	0	3	2	0	0	0	0	0	0	5
	Ptarmigan (unspec.)	1	6	11	5	2	0	0	1	12	8	3	2	28
	Scoter (unspec.)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Swan (unspec.)	0	0	0	0	13	0	0	0	0	0	0	0	13

^A Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 69 Total estimated harvest, selected species, monthly, Paulatuk, 1989

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	3	0	0	0	0	0	0	1	0	0	0	4 ± 0
	Seal (Ringed)	0	14	0	0	1	0	31	24	31	0	0	0	101 ± 0
	Whale (Beluga)	0	0	0	0	0	0	3	3	0	0	0	0	6 ± 0
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	0	0	2	0	2 ± 0
	Char (Arctic)	0	0	136	50	0	397	216	974	80	856	449	0	3158 ± 0
	Char (Arctic Land-locked)	0	0	0	0	0	95	5	0	0	8	0	0	108 ± 0
	Cisco (unspec.)	0	0	0	0	0	25	0	0	0	0	0	0	25 ± 0
	Cod (Saffron)	0	0	0	0	0	0	60	0	0	0	0	0	60 ± 0
	Grayling (Arctic)	0	0	0	0	0	0	0	0	0	10	10	0	20 ± 0
	Herring (Pacific)	0	0	0	0	0	104	0	0	0	0	0	0	104 ± 0
	Trout (Lake)	0	0	4	21	29	83	10	36	12	17	15	0	227 ± 0
	Whitefish (Broad)	0	0	0	0	0	839	334	80	110	644	270	0	2277 ± 0
	Whitefish (Lake)	0	0	0	0	0	0	0	0	322	324	50	0	696 ± 0
<i>Big Game</i>	Bear (Grizzly)	0	0	0	1	1	0	0	0	2	0	0	0	4 ± 0
	Bear (Polar)	0	5	0	6	0	0	0	0	0	0	0	0	11 ± 0
	Caribou	11	12	17	29	162	39	26	19	51	19	16	4	405 ± 0
	Moose	1	0	0	0	0	0	0	0	0	0	0	0	1 ± 0
	Muskox	0	1	2	3	2	0	0	0	0	3	1	2	14 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	1	0	0	0	0	0	0	0	0	5	0	6 ± 0
	Fox (Coloured)	7	6	2	0	0	0	0	0	0	1	17	1	34 ± 0
	Marten (American)	27	19	0	0	0	0	0	0	0	11	29	6	92 ± 0
	Wolf	0	0	1	30	0	0	0	0	0	1	0	0	32 ± 0
	Wolverine	6	0	0	7	0	0	0	0	0	0	4	2	19 ± 0
<i>Birds</i>	Brant	0	0	0	0	15	2	0	0	0	0	0	0	17 ± 0
	Eider (unspec.)	0	0	0	0	0	15	0	0	6	0	0	0	21 ± 0
	Goose (Canada)	0	0	0	0	199	4	0	0	0	0	0	0	203 ± 0
	Goose (Greater White-fronted)	0	0	0	0	310	12	0	0	0	0	0	0	322 ± 0
	Goose (Snow)	0	0	0	0	835	6	0	5	21	0	0	0	867 ± 0
	Oldsquaw	0	0	0	0	3	17	6	19	0	0	0	0	45 ± 0
	Pintail (Northern)	0	0	0	0	2	0	0	0	0	0	0	0	2 ± 0
	Ptarmigan (unspec.)	0	25	12	34	104	0	0	9	47	112	23	0	366 ± 0
	Swan (unspec.)	0	0	0	0	32	3	0	0	0	0	0	0	35 ± 0

Other harvested species reported, monthly, Paulatuk, 1989

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Herring (Lake)	0	0	0	0	0	0	0	0	40	0	0	0	40
<i>Fur Bearers/Small Mammals</i>	Squirrel (Arctic Ground)	0	0	0	0	10	0	0	0	0	0	0	0	10
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	6	0	0	0	0	0	0	0	6
	Goose (Ross)	0	0	0	0	0	2	0	0	0	0	0	0	2
	Loon (Common)	0	0	0	0	1	5	0	2	0	0	0	0	8
	Merganser (unspec.)	0	0	0	0	0	1	0	0	0	0	0	0	1

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 70 Hunter response, and number of hunters harvesting selected species, monthly, Paulatuk, 1989

hunter response	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1989	
Hunter list	63	63	62	62	62	61	61	61	61	61	61	62	64	
Survey population	63	62	62	62	61	61	61	61	61	61	61	62	64	
Hunters interviewed	63	62	62	62	61	61	61	61	61	61	61	62	64	
Harvested	5	10	10	23	51	29	24	16	26	26	18	6	57	
Response Rate (%)	100	100	100	100	100	100	100	100	100	100	100	100	100 ^A	
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	2	0	0	0	0	0	0	1	0	0	0	3
	Seal (Ringed)	0	2	0	0	1	0	3	3	5	0	0	0	11
	Whale (Beluga)	0	0	0	0	0	0	2	1	0	0	0	0	2
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	0	0	1	0	1
	Char (Arctic)	0	0	3	1	0	20	9	8	2	18	7	0	36
	Cisco (unspec.)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Cod (Saffron)	0	0	0	0	0	0	1	0	0	0	0	0	1
	Grayling (Arctic)	0	0	0	0	0	0	0	0	0	1	1	0	1
	Herring (Pacific)	0	0	0	0	0	3	0	0	0	0	0	0	3
	Trout (Lake)	0	0	1	3	7	12	1	2	1	2	1	0	22
	Whitefish (Broad)	0	0	0	0	0	13	7	2	2	12	5	0	25
	Whitefish (Lake)	0	0	0	0	0	0	0	0	3	4	1	0	6
<i>Big Game</i>	Bear (Grizzly)	0	0	0	1	1	0	0	0	2	0	0	0	4
	Bear (Polar)	0	5	0	5	0	0	0	0	0	0	0	0	8
	Caribou	2	2	4	9	33	14	16	10	18	9	4	2	48
	Moose	1	0	0	0	0	0	0	0	0	0	0	0	1
	Muskox	0	1	2	3	1	0	0	0	0	3	1	2	11
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	1	0	0	0	0	0	0	0	0	3	0	4
	Fox (Coloured)	2	2	2	0	0	0	0	0	0	1	5	1	12
	Marten (American)	4	2	0	0	0	0	0	0	0	2	6	3	12
	Wolf	0	0	1	9	0	0	0	0	0	1	0	0	11
	Wolverine	2	0	0	3	0	0	0	0	0	0	3	2	8
<i>Birds</i>	Brant	0	0	0	0	3	1	0	0	0	0	0	0	4
	Eider (unspec.)	0	0	0	0	0	4	0	0	1	0	0	0	4
	Goose (Canada)	0	0	0	0	43	2	0	0	0	0	0	0	44
	Goose (Greater White-fronted)	0	0	0	0	44	4	0	0	0	0	0	0	44
	Goose (Snow)	0	0	0	0	47	2	0	1	2	0	0	0	48
	Oldsquaw	0	0	0	0	3	3	1	1	0	0	0	0	7
	Pintail (Northern)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Ptarmigan (unspec.)	0	2	2	2	7	0	0	1	3	8	2	0	18
	Swan (unspec.)	0	0	0	0	17	1	0	0	0	0	0	0	17

^A Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 71 Total estimated harvest, selected species, monthly, Paulatuk, 1990

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	1	0	0	2	2	0	0	0	0	5 ± 0
	Seal (Ringed)	0	0	0	5	6	2	22	4	56	0	0	0	95 ± 0
<i>Fish</i>	Burbot	0	0	0	1	0	0	0	0	0	0	0	0	1 ± 0
	Char (Arctic)	0	0	31	63	0	132	129	1652	0	263	78	21	2369 ± 0
	Char (Arctic Land-locked)	0	0	7	0	0	316	44	0	0	0	0	0	367 ± 0
	Cisco (unspec.)	0	0	0	0	0	0	0	90	0	0	0	0	90 ± 0
	Cod (Saffron)	0	0	0	0	0	0	10	0	0	0	0	0	10 ± 0
	Herring (Pacific)	0	0	0	0	0	95	30	0	0	0	0	0	125 ± 0
	Trout (Lake)	0	0	29	53	34	52	17	20	10	0	0	0	215 ± 0
	Whitefish (Broad)	0	0	7	0	0	163	195	235	0	75	160	41	876 ± 0
	Whitefish (Lake)	0	0	0	0	0	0	0	0	30	0	0	0	30 ± 0
<i>Big Game</i>	Bear (Polar)	2	6	2	1	0	0	0	0	0	0	0	0	11 ± 0
	Caribou	111	14	34	37	182	6	5	39	83	66	82	0	659 ± 0
	Moose	0	0	0	0	0	0	0	0	0	0	0	1	1 ± 0
	Muskox	0	0	0	5	0	0	0	0	0	0	0	0	5 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	16	1	0	0	0	0	0	0	0	0	58	0	75 ± 0
	Fox (Coloured)	2	8	11	1	0	0	0	0	0	0	10	1	33 ± 0
	Hare (unspec.)	0	0	1	1	0	0	0	0	0	0	0	0	2 ± 0
	Marten (American)	2	3	0	0	0	0	0	0	0	0	0	0	5 ± 0
	Mink (American)	0	1	0	0	0	0	0	0	0	0	0	0	1 ± 0
	Wolf	0	5	5	2	1	0	0	0	0	0	0	0	13 ± 0
	Wolverine	0	3	2	2	0	0	0	0	0	0	3	4	14 ± 0
<i>Birds</i>	Brant	0	0	0	0	1	11	0	3	3	0	0	0	18 ± 0
	Eider (unspec.)	0	0	0	0	4	10	0	0	0	0	0	0	14 ± 0
	Goose (Canada)	0	0	0	0	297	13	0	0	0	0	0	0	310 ± 0
	Goose (Greater White-fronted)	0	0	0	0	408	23	0	0	0	0	0	0	431 ± 0
	Goose (Snow)	0	0	0	0	864	21	0	39	8	0	0	0	932 ± 0
	Oldsquaw	0	0	0	0	0	8	0	0	0	0	0	0	8 ± 0
	Ptarmigan (unspec.)	0	40	23	68	8	0	0	20	174	0	8	0	341 ± 0
	Swan (unspec.)	0	0	0	0	37	2	0	0	0	0	0	0	39 ± 0

Other harvested species reported, monthly, Paulatuk, 1990

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	10	0	0	0	0	0	0	0	10
	Goose (Ross)	0	0	0	0	2	0	0	0	0	0	0	0	2
	Loon (Common)	0	0	0	0	0	4	0	0	0	0	0	0	4

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 72 Hunter response, and number of hunters harvesting selected species, monthly, Paulatuk, 1990

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1990
Hunter list		65	65	65	66	66	66	66	66	66	67	67	67	67
Survey population		65	65	65	66	65	65	65	65	65	65	65	65	66
Hunters interviewed		65	65	65	66	65	65	65	65	65	65	65	65	66
Harvested		14	13	19	21	51	20	16	27	20	16	15	4	59
Response Rate (%)		100	100	100	100	100	100	100	100	100	100	100	100	100 ^A
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	1	0	0	1	2	0	0	0	0	4
	Seal (Ringed)	0	0	0	2	2	1	3	1	9	0	0	0	13
<i>Fish</i>	Burbot	0	0	0	1	0	0	0	0	0	0	0	0	1
	Char (Arctic)	0	0	2	4	0	13	10	14	0	6	3	1	30
	Cisco (unspec.)	0	0	0	0	0	0	0	1	0	0	0	0	1
	Cod (Saffron)	0	0	0	0	0	0	1	0	0	0	0	0	1
	Herring (Pacific)	0	0	0	0	0	2	1	0	0	0	0	0	2
	Trout (Lake)	0	0	5	6	3	9	3	3	1	0	0	0	18
	Whitefish (Broad)	0	0	2	0	0	5	6	6	0	5	3	1	20
	Whitefish (Lake)	0	0	0	0	0	0	0	0	1	0	0	0	1
<i>Big Game</i>	Bear (Polar)	2	6	2	1	0	0	0	0	0	0	0	0	10
	Caribou	11	3	6	10	36	5	4	17	14	13	11	0	47
	Moose	0	0	0	0	0	0	0	0	0	0	0	1	1
	Muskox	0	0	0	3	0	0	0	0	0	0	0	0	3
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	3	1	0	0	0	0	0	0	0	0	3	0	6
	Fox (Coloured)	1	2	2	1	0	0	0	0	0	0	2	1	8
	Hare (unspec.)	0	0	1	1	0	0	0	0	0	0	0	0	1
	Marten (American)	1	2	0	0	0	0	0	0	0	0	0	0	3
	Mink (American)	0	1	0	0	0	0	0	0	0	0	0	0	1
	Wolf	0	1	4	1	1	0	0	0	0	0	0	0	7
	Wolverine	0	3	2	2	0	0	0	0	0	0	2	3	9
<i>Birds</i>	Brant	0	0	0	0	1	1	0	1	1	0	0	0	4
	Eider (unspec.)	0	0	0	0	2	1	0	0	0	0	0	0	3
	Goose (Canada)	0	0	0	0	37	2	0	0	0	0	0	0	39
	Goose (Greater White-fronted)	0	0	0	0	41	2	0	0	0	0	0	0	42
	Goose (Snow)	0	0	0	0	46	1	0	4	1	0	0	0	46
	Oldsquaw	0	0	0	0	0	1	0	0	0	0	0	0	1
	Ptarmigan (unspec.)	0	1	2	4	1	0	0	1	9	0	1	0	14
	Swan (unspec.)	0	0	0	0	18	2	0	0	0	0	0	0	19

^A Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 73 Total estimated harvest, selected species, monthly, Paulatuk, 1991

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	0	0	21	0	7	25	0	0	0	52 ± 7
	Whale (Beluga)	0	0	0	0	0	0	0	16	0	0	0	0	16 ± 1
<i>Fish</i>	Burbot	0	0	0	0	0	1	0	0	0	40	0	0	41 ± 9
	Char (Arctic)	0	0	0	0	6	345	79	1379	12	663	78	0	2562 ± 148
	Char (Arctic Land-locked)	0	37	5	0	64	117	6	0	0	5	0	0	234 ± 21
	Cisco (unspec.)	0	0	0	0	0	0	10	0	0	0	0	0	10 ± 3
	Cod (Arctic)	0	0	0	0	0	0	6	0	0	0	0	0	6 ± 2
	Cod (Saffron)	0	0	0	0	0	0	410	103	0	0	0	0	513 ± 82
	Grayling (Arctic)	0	0	0	0	0	0	0	0	0	21	0	0	21 ± 4
	Herring (Pacific)	0	0	0	0	0	103	15	31	0	0	0	0	149 ± 35
	Trout (Lake)	0	0	91	42	154	23	10	36	9	23	2	0	390 ± 25
	Whitefish (Broad)	0	0	0	0	0	277	51	102	3	395	21	0	849 ± 73
	Whitefish (Lake)	0	0	0	16	0	0	4	0	0	103	0	0	123 ± 24
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	3	0	0	0	0	0	0	0	3 ± 1
	Bear (Polar)	3	1	1	2	0	0	0	0	0	0	0	0	7 ± 1
	Caribou	21	9	28	92	64	50	2	40	93	90	53	0	543 ± 16
	Muskox	1	5	3	0	0	0	0	0	0	0	0	0	9 ± 1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	16	0	0	0	0	0	0	0	0	0	19	5	41 ± 6
	Fox (Coloured)	0	0	0	0	0	0	0	0	0	0	12	3	15 ± 2
	Marten (American)	0	1	0	0	0	0	0	0	0	0	0	0	1 ± 0
	Wolf	0	1	14	28	0	0	0	0	0	0	0	0	43 ± 4
	Wolverine	0	0	3	5	0	0	0	0	0	0	12	4	25 ± 2
<i>Birds</i>	Eider (unspec.)	0	0	0	0	0	6	0	0	0	0	0	0	6 ± 2
	Goose (Canada)	0	0	0	0	230	4	0	5	0	0	0	0	239 ± 14
	Goose (Greater White-fronted)	0	0	0	0	300	2	0	0	0	0	0	0	302 ± 16
	Goose (Snow)	0	0	0	0	1288	13	0	9	0	0	0	0	1311 ± 66
	Oldsquaw	0	0	0	0	0	15	0	6	0	0	0	0	22 ± 5
	Ptarmigan (unspec.)	0	23	51	51	0	0	0	10	73	5	10	5	229 ± 22
	Swan (unspec.)	0	0	0	0	40	8	0	0	0	0	0	0	48 ± 4

Other harvested species reported, monthly, Paulatuk, 1991

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	10	0	0	0	0	0	0	0	10
	Goose (Ross)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Loon (Yellow-billed)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Merganser (unspec.)	0	0	0	0	0	0	2	0	0	0	0	0	2

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 74 Hunter response, and number of hunters harvesting selected species, monthly, Paulatuk, 1991

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1991
Hunter list		81	80	80	80	80	80	80	80	80	80	80	80	81
Survey population		80	80	78	78	78	78	79	79	79	79	79	77	80
Hunters interviewed		78	78	76	76	76	76	77	77	77	77	77	77	78
Harvested		8	12	15	24	55	26	6	31	19	25	19	7	60
Response Rate (%)		98	98	97	97	97	97	97	97	97	97	97	100	98 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	0	0	5	0	2	2	0	0	0	7
	Whale (Beluga)	0	0	0	0	0	0	0	10	0	0	0	0	10
<i>Fish</i>	Burbot	0	0	0	0	0	1	0	0	0	5	0	0	5
	Char (Arctic)	0	2	2	0	11	14	2	13	1	16	5	0	36
	Cisco (unspec.)	0	0	0	0	0	0	1	0	0	0	0	0	1
	Cod (Arctic)	0	0	0	0	0	0	1	0	0	0	0	0	1
	Cod (Saffron)	0	0	0	0	0	0	3	1	0	0	0	0	4
	Grayling (Arctic)	0	0	0	0	0	0	0	0	0	3	0	0	3
	Herring (Pacific)	0	0	0	0	0	1	1	1	0	0	0	0	3
	Trout (Lake)	0	0	5	5	16	3	1	2	2	5	1	0	26
	Whitefish (Broad)	0	0	0	0	0	5	2	6	1	9	1	0	16
	Whitefish (Lake)	0	0	0	1	0	0	1	0	0	2	0	0	4
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	3	0	0	0	0	0	0	0	3
	Bear (Polar)	3	1	1	2	0	0	0	0	0	0	0	0	7
	Caribou	4	4	7	17	25	18	2	14	17	13	8	0	46
	Muskox	1	5	1	0	0	0	0	0	0	0	0	0	7
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	2	0	0	0	0	0	0	0	0	0	3	3	6
	Fox (Coloured)	0	0	0	0	0	0	0	0	0	0	5	3	8
	Marten (American)	0	1	0	0	0	0	0	0	0	0	0	0	1
	Wolf	0	1	2	7	0	0	0	0	0	0	0	0	8
	Wolverine	0	0	2	3	0	0	0	0	0	0	7	3	12
<i>Birds</i>	Eider (unspec.)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Goose (Canada)	0	0	0	0	38	2	0	2	0	0	0	0	39
	Goose (Greater White-fronted)	0	0	0	0	46	1	0	0	0	0	0	0	46
	Goose (Snow)	0	0	0	0	51	2	0	2	0	0	0	0	51
	Oldsquaw	0	0	0	0	0	1	0	1	0	0	0	0	2
	Ptarmigan (unspec.)	0	3	4	2	0	0	0	1	3	1	1	1	11
	Swan (unspec.)	0	0	0	0	16	2	0	0	0	0	0	0	17

Δ Mean monthly response rate.

Some hunters may have hunted in more than one month but are only counted once in the total.

Table 75 Total estimated harvest, selected species, monthly, Paulatuk, 1992

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	1	2	0	0	2	0	0	0	0	0	5 ± 0
	Seal (Ringed)	0	2	3	8	10	0	1	13	26	0	0	0	63 ± 0
	Whale (Beluga)	0	0	0	0	0	0	19	0	0	0	0	0	19 ± 0
<i>Fish</i>	Burbot	0	0	10	1	0	0	0	0	2	5	0	0	18 ± 0
	Char (Arctic)	0	0	0	0	1	294	99	1218	229	364	42	161	2408 ± 0
	Char (Arctic Land-locked)	0	0	4	4	12	130	0	0	0	33	0	0	183 ± 0
	Grayling (Arctic)	0	0	0	0	0	0	12	0	4	14	0	0	30 ± 0
	Herring (Pacific)	0	0	0	0	0	0	0	0	150	0	0	0	150 ± 0
	Trout (Lake)	0	4	31	89	82	131	50	35	11	54	40	0	527 ± 0
	Whitefish (Broad)	0	0	0	0	0	356	267	90	310	148	3	0	1174 ± 0
	Whitefish (Lake)	0	0	0	0	0	0	0	0	0	66	0	0	66 ± 0
<i>Big Game</i>	Bear (Grizzly)	0	0	0	1	1	0	0	0	0	0	0	0	2 ± 0
	Bear (Polar)	1	1	0	9	0	0	0	0	0	0	0	0	11 ± 0
	Caribou	0	62	12	59	102	17	27	47	84	133	3	0	546 ± 0
	Muskox	2	0	0	3	0	0	0	0	0	0	0	0	5 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	1	0	0	0	0	0	0	0	0	0	0	10	11 ± 0
	Fox (Coloured)	0	0	2	0	0	0	0	0	0	0	1	9	12 ± 0
	Hare (unspec.)	0	0	4	0	0	0	0	0	0	0	0	0	4 ± 0
	Lynx	0	0	0	0	0	0	0	0	0	0	0	1	1 ± 0
	Wolf	0	3	6	15	0	0	0	0	0	0	0	0	24 ± 0
	Wolverine	0	4	2	3	0	0	0	0	0	0	7	2	18 ± 0
<i>Birds</i>	Brant	0	0	0	0	0	6	18	0	0	0	0	0	24 ± 0
	Eider (unspec.)	0	0	0	0	0	19	0	0	0	0	0	0	19 ± 0
	Goose (Canada)	0	0	0	0	259	6	0	0	0	0	0	0	265 ± 0
	Goose (Greater White-fronted)	0	0	0	0	389	13	0	0	0	0	0	0	402 ± 0
	Goose (Snow)	0	0	0	0	2225	20	0	0	0	0	0	0	2245 ± 0
	Oldsquaw	0	0	0	0	0	3	4	0	0	0	0	0	7 ± 0
	Pintail (Northern)	0	0	0	0	0	1	0	0	0	0	0	0	1 ± 0
	Ptarmigan (unspec.)	0	43	18	29	2	0	0	0	88	52	61	15	308 ± 0
	Swan (unspec.)	0	0	0	0	49	0	0	0	0	0	0	0	49 ± 0

Other harvested species reported, monthly, Paulatuk, 1992

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fur Bearers/Small Mammals</i>	Squirrel (Arctic Ground)	0	0	0	9	0	0	0	0	0	0	0	0	9
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	7	0	0	0	0	0	0	0	7
	Merganser (unspec.)	0	0	0	0	0	1	19	0	0	0	0	0	20

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 76 Hunter response, and number of hunters harvesting selected species, monthly, Paulatuk, 1992

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1992
Hunter list		80	80	80	80	80	80	80	80	79	79	79	79	80
Survey population		79	79	79	79	79	79	79	78	78	78	78	78	79
Hunters interviewed		79	79	79	79	79	79	79	78	78	78	78	78	79
Harvested		2	14	13	22	54	26	32	20	17	26	10	5	60
Response Rate (%)		100	100	100	100	100	100	100	100	100	100	100	100	100 ^A
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	1	1	0	0	1	0	0	0	0	0	2
	Seal (Ringed)	0	1	1	2	1	0	1	2	2	0	0	0	5
	Whale (Beluga)	0	0	0	0	0	0	13	0	0	0	0	0	13
<i>Fish</i>	Burbot	0	0	1	1	0	0	0	0	1	3	0	0	5
	Char (Arctic)	0	0	1	1	3	16	10	14	5	11	3	3	34
	Grayling (Arctic)	0	0	0	0	0	0	1	0	1	2	0	0	4
	Herring (Pacific)	0	0	0	0	0	0	0	0	1	0	0	0	1
	Trout (Lake)	0	1	4	7	10	10	6	2	2	4	1	0	30
	Whitefish (Broad)	0	0	0	0	0	5	7	3	3	6	1	0	18
<i>Big Game</i>	Whitefish (Lake)	0	0	0	0	0	0	0	0	0	2	0	0	2
	Bear (Grizzly)	0	0	0	1	1	0	0	0	0	0	0	0	2
	Bear (Polar)	1	1	0	6	0	0	0	0	0	0	0	0	8
	Caribou	0	11	2	13	25	8	18	11	11	19	1	0	43
<i>Fur Bearers/Small Mammals</i>	Muskox	1	0	0	2	0	0	0	0	0	0	0	0	3
	Fox (Arctic)	1	0	0	0	0	0	0	0	0	0	0	1	2
	Fox (Coloured)	0	0	1	0	0	0	0	0	0	0	1	2	4
	Hare (unspec.)	0	0	2	0	0	0	0	0	0	0	0	0	2
	Lynx	0	0	0	0	0	0	0	0	0	0	0	1	1
	Wolf	0	3	4	4	0	0	0	0	0	0	0	0	7
<i>Birds</i>	Wolverine	0	3	2	2	0	0	0	0	0	0	4	1	10
	Brant	0	0	0	0	0	1	1	0	0	0	0	0	2
	Eider (unspec.)	0	0	0	0	0	3	0	0	0	0	0	0	3
	Goose (Canada)	0	0	0	0	38	2	0	0	0	0	0	0	39
	Goose (Greater White-fronted)	0	0	0	0	45	2	0	0	0	0	0	0	45
	Goose (Snow)	0	0	0	0	50	1	0	0	0	0	0	0	50
	Oldsquaw	0	0	0	0	0	1	2	0	0	0	0	0	3
	Pintail (Northern)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Ptarmigan (unspec.)	0	1	2	2	1	0	0	0	3	5	4	1	14
	Swan (unspec.)	0	0	0	0	20	0	0	0	0	0	0	0	20

^A Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 77 Total estimated harvest, selected species, monthly, Paulatuk, 1993

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	1	0	1	0	0	0	0	0	0	0	2 ± 0
	Seal (Ringed)	1	4	2	7	2	3	4	31	46	2	0	0	102 ± 0
	Whale (Beluga)	0	0	0	0	0	0	4	0	0	0	0	0	4 ± 0
<i>Fish</i>	Burbot	0	0	0	0	6	0	0	0	0	0	0	0	6 ± 0
	Char (Arctic)	0	0	0	0	7	177	27	1219	12	363	24	0	1829 ± 0
	Char (Arctic Land-locked)	0	0	0	2	0	8	0	0	0	0	0	0	10 ± 0
	Cisco (unspec.)	0	0	0	0	0	0	10	0	0	0	0	0	10 ± 0
	Trout (Lake)	0	0	15	33	80	8	12	0	30	4	60	30	272 ± 0
	Whitefish (Broad)	0	0	0	10	20	113	41	68	0	75	120	20	467 ± 0
	Whitefish (Lake)	0	0	15	10	0	0	0	0	0	0	0	0	25 ± 0
<i>Big Game</i>	Bear (Grizzly)	0	0	0	1	0	0	0	0	0	0	0	0	1 ± 0
	Bear (Polar)	0	1	1	1	0	0	0	0	0	0	0	0	3 ± 0
	Caribou	0	0	2	14	60	38	23	104	149	5	28	18	441 ± 0
	Moose	0	0	0	2	0	0	0	0	0	0	0	0	2 ± 0
	Muskox	5	15	8	5	0	0	0	0	2	0	1	1	37 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	4	0	0	0	0	0	0	0	0	24	17	45 ± 0
	Fox (Coloured)	0	0	0	0	0	0	0	0	0	0	15	2	17 ± 0
	Muskrat	0	0	0	0	3	0	0	0	0	0	0	0	3 ± 0
	Wolf	0	0	8	9	0	0	0	0	0	0	0	0	17 ± 0
	Wolverine	0	4	4	0	0	0	0	0	0	0	2	3	13 ± 0
<i>Birds</i>	Eider (unspec.)	0	0	0	0	0	2	0	2	0	0	0	0	4 ± 0
	Goose (Canada)	0	0	0	0	237	0	0	0	0	0	0	0	237 ± 0
	Goose (Greater White-fronted)	0	0	0	0	234	0	0	0	0	0	0	0	234 ± 0
	Goose (Snow)	0	0	0	0	741	0	0	24	10	0	0	0	775 ± 0
	Oldsquaw	0	0	0	0	0	12	0	0	0	0	0	0	12 ± 0
	Ptarmigan (unspec.)	0	25	0	0	0	0	0	0	80	3	29	0	137 ± 0
	Swan (unspec.)	0	0	0	0	38	0	0	0	0	0	0	0	38 ± 0

Other harvested species reported, monthly, Paulatuk, 1993

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	5	0	0	0	0	0	0	0	5
	Eider (Common)	0	0	0	0	0	0	0	2	0	0	0	0	2
	Goose (Ross)	0	0	0	0	18	0	0	0	0	0	0	0	18
	Merganser (unspec.)	0	0	0	0	0	0	2	10	0	0	0	0	12

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 78 Hunter response, and number of hunters harvesting selected species, monthly, Paulatuk, 1993

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1993
Hunter list		79	79	79	79	79	79	79	79	79	79	79	79	79
Survey population		77	78	78	78	78	78	78	77	77	77	77	76	78
Hunters interviewed		77	78	78	78	78	78	78	77	77	77	77	76	78
Harvested		4	9	10	10	44	15	17	26	20	9	9	8	55
Response Rate (%)		100	100	100	100	100	100	100	100	100	100	100	100	100 ^A
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	1	0	1	0	0	0	0	0	0	0	2
	Seal (Ringed)	1	1	1	2	2	2	2	4	5	1	0	0	10
	Whale (Beluga)	0	0	0	0	0	0	4	0	0	0	0	0	4
<i>Fish</i>	Burbot	0	0	0	0	1	0	0	0	0	0	0	0	1
	Char (Arctic)	0	0	0	1	2	6	3	20	1	6	2	0	28
	Cisco (unspec.)	0	0	0	0	0	0	1	0	0	0	0	0	1
	Trout (Lake)	0	0	1	2	10	2	1	0	1	1	1	1	15
	Whitefish (Broad)	0	0	0	1	1	4	3	5	0	1	2	1	11
	Whitefish (Lake)	0	0	1	1	0	0	0	0	0	0	0	0	2
<i>Big Game</i>	Bear (Grizzly)	0	0	0	1	0	0	0	0	0	0	0	0	1
	Bear (Polar)	0	1	1	1	0	0	0	0	0	0	0	0	3
	Caribou	0	0	1	3	20	10	11	18	19	2	4	4	41
	Moose	0	0	0	1	0	0	0	0	0	0	0	0	1
	Muskox	4	4	5	3	0	0	0	0	1	0	1	1	12
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	1	0	0	0	0	0	0	0	0	2	2	4
	Fox (Coloured)	0	0	0	0	0	0	0	0	0	0	2	1	3
	Muskrat	0	0	0	0	1	0	0	0	0	0	0	0	1
	Wolf	0	0	5	4	0	0	0	0	0	0	0	0	8
	Wolverine	0	2	2	0	0	0	0	0	0	0	2	2	6
<i>Birds</i>	Eider (unspec.)	0	0	0	0	0	1	0	1	0	0	0	0	2
	Goose (Canada)	0	0	0	0	34	0	0	0	0	0	0	0	34
	Goose (Greater White-fronted)	0	0	0	0	31	0	0	0	0	0	0	0	31
	Goose (Snow)	0	0	0	0	40	0	0	3	2	0	0	0	40
	Oldsquaw	0	0	0	0	0	1	0	0	0	0	0	0	1
	Ptarmigan (unspec.)	0	1	0	0	0	0	0	0	3	1	2	0	5
	Swan (unspec.)	0	0	0	0	13	0	0	0	0	0	0	0	13

^A Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 79 Total estimated harvest, selected species, monthly, Paulatuk, 1994

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	1	0	0	0	0	1	0	3	0	0	0	5 ± 0
	Seal (Ringed)	0	4	0	0	0	3	0	26	56	0	0	0	89 ± 0
	Whale (Beluga)	0	0	0	0	0	0	5	3	0	0	0	0	8 ± 0
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	0	60	0	5	65 ± 0
	Char (Arctic)	14	26	32	0	46	428	65	883	17	490	274	15	2290 ± 0
	Char (Arctic Land-locked)	0	0	0	0	8	82	0	0	0	6	0	0	96 ± 0
	Cisco (unspec.)	0	0	0	0	0	0	60	68	0	0	0	0	128 ± 0
	Pike (Northern)	0	0	0	0	0	0	0	8	10	0	0	0	18 ± 0
	Trout (Lake)	0	0	52	68	70	45	0	15	34	55	80	0	419 ± 0
	Whitefish (Broad)	0	1	0	0	0	132	30	165	54	782	195	0	1359 ± 0
	Whitefish (Lake)	0	0	0	0	0	0	0	40	110	60	55	0	265 ± 0
<i>Big Game</i>	Bear (Grizzly)	0	0	0	2	0	0	0	0	0	0	0	0	2 ± 0
	Bear (Polar)	0	1	0	0	0	0	0	0	0	0	0	0	1 ± 0
	Caribou	53	31	18	30	56	26	3	25	89	109	9	6	455 ± 0
	Muskox	0	0	8	7	0	0	0	0	0	0	0	1	16 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	3	1	0	0	0	0	0	0	0	0	3	0	7 ± 0
	Fox (Coloured)	1	0	2	0	0	0	0	0	0	0	2	0	5 ± 0
	Hare (unspec.)	0	0	2	0	1	0	0	0	0	0	0	0	3 ± 0
	Wolf	4	6	9	7	9	0	0	0	0	0	0	0	35 ± 0
	Wolverine	7	5	8	0	0	0	0	0	0	0	1	3	24 ± 0
<i>Birds</i>	Brant	0	0	0	0	0	1	0	0	0	0	0	0	1 ± 0
	Goose (Canada)	0	0	0	1	424	0	0	0	0	0	0	0	425 ± 0
	Goose (Greater White-fronted)	0	0	0	0	385	0	0	0	0	0	0	0	385 ± 0
	Goose (Snow)	0	0	0	0	1177	4	0	7	0	0	0	0	1188 ± 0
	Oldsquaw	0	0	0	0	0	5	0	0	6	0	0	0	11 ± 0
	Ptarmigan (unspec.)	5	0	57	16	0	0	0	0	24	14	25	0	141 ± 0
	Swan (unspec.)	0	0	0	0	30	0	0	0	0	0	0	0	30 ± 0

Other harvested species reported, monthly, Paulatuk, 1994

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fur Bearers/Small Mammals</i>	Squirrel (Arctic Ground)	0	0	0	0	0	0	0	0	11	0	0	0	11
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	4	0	0	0	0	0	0	0	4

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 80 Hunter response, and number of hunters harvesting selected species, monthly, Paulatuk, 1994

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1994
Hunter list		81	79	79	79	79	79	79	79	79	78	77	78	81
Survey population		77	77	77	77	77	77	77	77	75	75	75	75	77
Hunters interviewed		77	77	77	77	77	77	77	77	75	75	75	75	77
Harvested		11	10	12	14	55	22	10	19	19	24	10	6	62
Response Rate (%)		100	100	100	100	100	100	100	100	100	100	100	100	100 ^A
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	1	0	0	0	0	1	0	2	0	0	0	4
	Seal (Ringed)	0	1	0	0	0	2	0	2	5	0	0	0	7
	Whale (Beluga)	0	0	0	0	0	0	5	4	0	0	0	0	7
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	0	2	0	1	3
	Char (Arctic)	1	1	2	0	5	17	2	13	2	13	6	1	36
	Cisco (unspec.)	0	0	0	0	0	0	1	1	0	0	0	0	2
	Pike (Northern)	0	0	0	0	0	0	0	1	1	0	0	0	2
	Trout (Lake)	0	0	5	4	9	4	0	1	3	3	2	0	21
	Whitefish (Broad)	0	1	0	0	0	8	1	10	3	12	5	0	25
<i>Big Game</i>	Whitefish (Lake)	0	0	0	0	0	0	0	1	2	2	1	0	6
	Bear (Grizzly)	0	0	0	1	0	0	0	0	0	0	0	0	1
	Bear (Polar)	0	1	0	0	0	0	0	0	0	0	0	0	1
	Caribou	10	7	3	5	19	10	3	6	14	15	4	2	48
<i>Fur Bearers/Small Mammals</i>	Muskox	0	0	1	7	0	0	0	0	0	0	0	1	8
	Fox (Arctic)	1	1	0	0	0	0	0	0	0	0	1	0	3
	Fox (Coloured)	1	0	1	0	0	0	0	0	0	0	1	0	3
	Hare (unspec.)	0	0	1	0	1	0	0	0	0	0	0	0	2
	Wolf	2	3	3	3	1	0	0	0	0	0	0	0	9
<i>Birds</i>	Wolverine	5	3	3	0	0	0	0	0	0	0	1	2	9
	Brant	0	0	0	0	0	1	0	0	0	0	0	0	1
	Goose (Canada)	0	0	0	1	42	0	0	0	0	0	0	0	42
	Goose (Greater White-fronted)	0	0	0	0	40	0	0	0	0	0	0	0	40
	Goose (Snow)	0	0	0	0	48	2	0	1	0	0	0	0	48
	Oldsquaw	0	0	0	0	0	1	0	0	1	0	0	0	1
	Ptarmigan (unspec.)	1	0	4	2	0	0	0	0	2	3	2	0	8
	Swan (unspec.)	0	0	0	0	16	0	0	0	0	0	0	0	16

^A Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 81 Total estimated harvest, selected species, monthly, Paulatuk, 1995

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	1	2	0	0	0	0	1	0	0	0	4 ± 1
	Seal (Ringed)	36	8	15	14	0	7	3	18	45	0	0	0	147 ± 6
	Whale (Beluga)	0	0	0	0	0	0	11	0	0	0	0	0	11 ± 0
<i>Fish</i>	Burbot	0	0	0	0	1	0	1	0	0	1	6	0	9 ± 0
	Char (Arctic)	0	0	0	0	113	730	59	2173	0	446	297	33	3851 ± 23
	Char (Arctic Land-locked)	0	0	0	6	9	53	0	0	0	0	0	0	68 ± 2
	Flounder	0	0	0	0	0	500	0	0	0	0	0	0	500 ± 0
	Grayling (Arctic)	0	0	0	0	0	0	0	0	0	43	15	0	58 ± 0
	Herring (Pacific)	0	0	0	0	41	330	15	30	0	0	0	0	416 ± 9
	Trout (Lake)	0	0	0	58	232	47	11	6	24	25	11	2	416 ± 18
	Whitefish (Broad)	0	0	0	0	61	455	31	194	25	574	184	0	1524 ± 14
	Whitefish (Lake)	0	0	0	0	0	0	0	0	135	0	82	0	217 ± 0
<i>Big Game</i>	Bear (Grizzly)	0	0	0	1	1	0	0	0	0	0	0	0	2 ± 0
	Bear (Polar)	1	2	3	4	0	0	0	0	0	0	0	0	10 ± 1
	Caribou	9	0	22	20	36	17	19	17	81	44	7	6	279 ± 4
	Muskox	0	1	10	2	0	0	0	0	0	0	3	2	18 ± 1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	15	0	0	0	0	0	0	0	0	0	1	1	17 ± 3
	Fox (Coloured)	0	0	0	0	0	0	0	0	0	0	16	5	21 ± 0
	Wolf	0	1	4	2	0	0	0	0	0	0	0	0	7 ± 1
	Wolverine	0	2	1	2	0	0	0	0	0	0	4	2	11 ± 1
<i>Birds</i>	Brant	0	0	0	0	0	18	0	0	0	0	0	0	18 ± 0
	Eider (unspec.)	0	0	0	0	0	15	0	0	0	0	0	0	15 ± 0
	Goose (Canada)	0	0	0	0	264	0	0	0	0	0	0	0	264 ± 10
	Goose (Greater White-fronted)	0	0	0	0	297	0	0	0	0	0	0	0	297 ± 12
	Goose (Snow)	0	0	0	0	1369	0	0	108	0	0	0	0	1477 ± 45
	Oldsquaw	0	0	0	0	12	14	0	0	0	0	0	0	26 ± 3
	Ptarmigan (unspec.)	0	5	0	0	0	0	0	0	20	16	6	2	49 ± 1
	Scoter (unspec.)	0	0	0	0	0	0	0	0	24	0	0	0	24 ± 0
	Swan (unspec.)	0	0	0	0	24	0	0	0	3	0	0	0	27 ± 2

Other harvested species reported, monthly, Paulatuk, 1995

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Sucker (unspec.)	0	0	0	0	0	0	0	0	0	2	0	0	2
<i>Fur Bearers/Small Mammals</i>	Squirrel (Arctic Ground)	0	0	0	0	12	0	0	0	5	0	0	0	17
<i>Birds</i>	Goose (Ross)	0	0	0	0	6	0	0	0	0	0	0	0	6
	Merganser (unspec.)	0	0	0	0	0	0	10	0	0	0	0	0	10

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 82 Hunter response, and number of hunters harvesting selected species, monthly, Paulatuk, 1995

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1995
Hunter list		84	82	83	84	84	84	84	84	83	83	83	83	85
Survey population		79	79	80	78	78	78	79	76	74	74	74	74	81
Hunters interviewed		78	78	79	77	77	78	79	76	74	74	74	74	81
Harvested		6	5	12	20	48	18	24	27	15	17	17	6	64
Response Rate (%)		99	99	99	99	99	100	100	100	100	100	100	100	99 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	1	1	0	0	0	0	1	0	0	0	3
	Seal (Ringed)	4	1	2	2	0	2	2	5	5	0	0	0	11
	Whale (Beluga)	0	0	0	0	0	0	12	0	0	0	0	0	12
<i>Fish</i>	Burbot	0	0	0	0	1	0	1	0	0	1	1	0	4
	Char (Arctic)	0	0	0	1	4	14	3	18	0	12	9	1	35
	Flounder	0	0	0	0	0	1	0	0	0	0	0	0	1
	Grayling (Arctic)	0	0	0	0	0	0	0	0	0	3	2	0	5
	Herring (Pacific)	0	0	0	0	1	3	1	1	0	0	0	0	5
	Trout (Lake)	0	0	0	6	15	3	4	2	3	3	2	1	26
	Whitefish (Broad)	0	0	0	0	1	10	2	7	1	7	4	0	20
<i>Big Game</i>	Whitefish (Lake)	0	0	0	0	0	0	0	0	1	0	2	0	3
	Bear (Grizzly)	0	0	0	1	1	0	0	0	0	0	0	0	2
	Bear (Polar)	1	2	3	3	0	0	0	0	0	0	0	0	6
	Caribou	2	0	5	5	12	5	11	9	9	4	2	1	33
<i>Fur Bearers/Small Mammals</i>	Muskox	0	1	5	2	0	0	0	0	0	0	2	2	6
	Fox (Arctic)	2	0	0	0	0	0	0	0	0	0	1	1	3
	Fox (Coloured)	0	0	0	0	0	0	0	0	0	0	6	1	6
	Wolf	0	1	2	2	0	0	0	0	0	0	0	0	4
<i>Birds</i>	Wolverine	0	1	1	2	0	0	0	0	0	0	4	2	7
	Brant	0	0	0	0	0	1	0	0	0	0	0	0	1
	Eider (unspec.)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Goose (Canada)	0	0	0	0	37	0	0	0	0	0	0	0	37
	Goose (Greater White-fronted)	0	0	0	0	31	0	0	0	0	0	0	0	31
	Goose (Snow)	0	0	0	0	43	0	0	5	0	0	0	0	43
	Oldsquaw	0	0	0	0	1	1	0	0	0	0	0	0	2
	Ptarmigan (unspec.)	0	1	0	0	0	0	0	0	1	2	1	1	5
	Scoter (unspec.)	0	0	0	0	0	0	0	0	1	0	0	0	1
	Swan (unspec.)	0	0	0	0	9	0	0	0	1	0	0	0	9

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 83 Total estimated harvest, selected species, monthly, Paulatuk, 1996

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Ringed)	7	4	12	34	0	0	0	0	34	0	0	0	91 ± 13
	Seal (Bearded)	1	1	1	3	0	0	0	0	0	0	0	0	6 ± 1
	Whale (Beluga)	0	0	0	0	0	0	24	0	0	0	0	0	24 ± 3
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	0	0	4	0	4 ± 3
	Char (Arctic)	0	0	0	9	0	182	76	1197	171	222	191	107	2156 ± 248
	Char (Arctic Land-locked)	0	0	0	1	3	4	0	0	0	0	0	0	8 ± 3
	Herring (Pacific)	0	0	0	0	0	2	0	13	0	0	0	0	15 ± 6
	Trout (Lake)	0	0	47	38	46	6	0	0	0	0	32	0	170 ± 23
	Whitefish (Broad)	0	0	0	0	0	59	190	264	89	18	378	78	1076 ± 197
<i>Big Game</i>	Bear (Grizzly)	0	0	0	3	0	0	0	0	0	0	0	0	3 ± 1
	Bear (Polar)	1	0	1	2	0	0	0	0	0	0	0	0	4 ± 0
	Caribou	0	2	0	0	67	13	25	53	42	37	8	13	260 ± 23
	Muskox	1	1	0	7	0	0	0	0	0	0	2	3	14 ± 2
	Moose	0	0	0	0	0	0	0	0	0	0	0	1	1 ± 1
<i>Fur Bearers/Small Mammals</i>	Fox (Coloured)	0	0	0	5	0	0	0	0	0	1	7	0	13 ± 3
	Muskrat	0	0	0	0	0	1	0	0	0	0	0	0	1 ± 1
	Wolf	0	0	0	2	0	0	0	0	0	0	0	0	2 ± 0
	Wolverine	0	2	3	0	0	0	0	0	0	0	2	5	12 ± 3
<i>Birds</i>	Brant	0	0	0	0	2	0	0	0	0	0	0	0	2 ± 1
	Goose (Canada)	0	0	0	0	243	0	0	0	0	0	0	0	243 ± 27
	Goose (Greater White-fronted)	0	0	0	0	290	1	0	0	0	0	0	0	291 ± 30
	Goose (Snow)	0	0	0	0	1482	0	0	77	42	0	0	0	1601 ± 172
	Ptarmigan (unspec.)	10	0	0	99	0	0	0	0	89	0	30	0	229 ± 41
	Swan (unspec.)	0	0	0	0	22	1	0	0	0	0	0	0	23 ± 4

Other harvested species reported, monthly, Paulatuk, 1996

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fur Bearers/Small Mammals</i>	Squirrel (Arctic Ground)	0	0	0	0	2	0	0	4	0	0	0	0	6
<i>Birds</i>	Goose (Ross)	0	0	0	0	3	0	0	0	0	0	0	0	3

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 84 Hunter response, and number of hunters harvesting selected species, monthly, Paulatuk, 1996

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1996
Hunter list		87	86	86	86	86	86	86	86	86	86	86	86	87
Survey population		79	79	79	79	80	80	75	75	76	76	76	73	80
Hunters interviewed		79	78	78	78	75	75	71	71	68	68	68	58	80
Harvested		3	4	5	19	37	12	23	23	11	7	15	7	52
Response Rate (%)		100	99	99	99	94	94	95	95	89	89	89	79	93 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	1	1	1	1	0	0	0	0	0	0	0	0	2
	Seal (Ringed)	1	1	2	5	0	0	0	0	3	0	0	0	6
	Whale (Beluga)	0	0	0	0	0	0	15	0	0	0	0	0	15
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	0	0	1	0	1
	Char (Arctic)	0	0	0	3	1	9	5	16	3	3	8	2	29
	Herring (Pacific)	0	0	0	0	0	1	0	1	0	0	0	0	2
	Trout (Lake)	0	0	2	7	4	2	0	0	0	0	3	0	12
	Whitefish (Broad)	0	0	0	0	0	3	4	7	1	2	6	2	17
<i>Big Game</i>	Bear (Grizzly)	0	0	0	2	0	0	0	0	0	0	0	0	2
	Bear (Polar)	1	0	1	2	0	0	0	0	0	0	0	0	4
	Caribou	0	1	0	0	14	3	10	11	7	3	1	1	32
	Moose	0	0	0	0	0	0	0	0	0	0	0	1	1
	Muskox	1	1	0	5	0	0	0	0	0	0	2	1	9
<i>Fur Bearers/Small Mammals</i>	Fox (Coloured)	0	0	0	1	0	0	0	0	0	1	2	0	4
	Muskrat	0	0	0	0	0	1	0	0	0	0	0	0	1
	Wolf	0	0	0	1	0	0	0	0	0	0	0	0	1
	Wolverine	0	1	1	0	0	0	0	0	0	0	2	3	6
<i>Birds</i>	Brant	0	0	0	0	1	0	0	0	0	0	0	0	1
	Goose (Canada)	0	0	0	0	26	0	0	0	0	0	0	0	26
	Goose (Greater White-fronted)	0	0	0	0	25	1	0	0	0	0	0	0	25
	Goose (Snow)	0	0	0	0	32	0	0	6	2	0	0	0	34
	Ptarmigan (unspec.)	1	0	0	6	0	0	0	0	3	0	3	0	12
	Swan (unspec.)	0	0	0	0	11	1	0	0	0	0	0	0	11

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 85 Total estimated harvest, selected species, monthly, Paulatuk, 1997

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	4	2	0	1	0	2	1	0	0	0	10 ± 0
	Seal (Ringed)	0	15	0	0	0	8	5	5	4	0	0	0	37 ± 0
	Whale (Beluga)	0	0	0	0	0	0	3	4	0	0	0	0	7 ± 0
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	0	0	0	3	3 ± 0
	Char (Arctic)	30	0	0	0	0	122	149	990	15	230	19	0	1555 ± 0
	Char (Arctic Land-locked)	0	0	0	0	0	60	0	0	0	0	0	0	60 ± 0
	Cod (Saffron)	0	0	0	0	0	0	60	36	0	0	0	0	96 ± 0
	Grayling (Arctic)	0	0	0	0	0	0	0	6	0	0	0	0	6 ± 0
	Herring (Pacific)	0	0	0	0	0	0	0	0	0	4	0	0	4 ± 0
	Trout (Lake)	0	16	0	32	0	20	2	12	101	48	96	28	355 ± 0
	Whitefish (Broad)	1	0	0	0	0	143	329	287	95	756	0	0	1611 ± 0
	Whitefish (Lake)	0	0	0	0	0	0	0	0	0	0	181	215	396 ± 0
<i>Big Game</i>	Bear (Grizzly)	0	0	0	2	0	0	0	1	0	0	0	0	3 ± 0
	Bear (Polar)	0	2	2	1	0	0	0	0	0	0	0	0	5 ± 0
	Caribou	0	0	0	2	57	18	20	34	57	76	36	2	302 ± 0
	Moose	0	0	0	0	0	0	0	0	0	0	0	1	1 ± 0
	Muskox	4	5	12	2	0	0	0	0	0	0	0	1	24 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	0	0	0	0	0	0	0	0	0	1	18	19 ± 0
	Fox (Coloured)	0	2	0	0	0	0	0	0	0	1	9	3	15 ± 0
	Wolf	0	7	14	2	0	0	0	0	0	0	0	1	24 ± 0
	Wolverine	4	6	3	1	0	0	0	0	0	1	5	18	38 ± 0
<i>Birds</i>	Brant	0	0	0	0	0	8	0	0	0	0	0	0	8 ± 0
	Eider (unspec.)	0	0	0	0	0	4	0	0	0	0	0	0	4 ± 0
	Goose (Canada)	0	0	0	0	432	4	0	0	0	0	0	0	436 ± 0
	Goose (Greater White-fronted)	0	0	0	0	511	2	0	0	0	0	0	0	513 ± 0
	Goose (Snow)	0	0	0	0	1483	33	0	1	0	0	0	0	1517 ± 0
	Oldsquaw	0	0	0	0	0	14	14	0	0	0	0	0	28 ± 0
	Ptarmigan (unspec.)	20	0	20	30	0	0	0	0	33	88	58	18	267 ± 0
	Swan (unspec.)	0	0	0	0	39	0	0	0	0	0	0	0	39 ± 0

Other harvested species reported, monthly, Paulatuk, 1997

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Goose (Ross)	0	0	0	0	8	0	0	0	0	0	0	0	8
	Loon (unspec.)	0	0	0	0	0	0	3	0	0	0	0	0	3

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 86 Hunter response, and number of hunters harvesting selected species, monthly, Paulatuk, 1997

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1997
Hunter list		86	85	85	85	85	78	79	79	79	79	79	66	86
Survey population		66	66	66	66	66	67	65	66	66	65	64	65	69
Hunters interviewed		66	66	66	66	66	67	65	66	66	65	64	65	69
Harvested		7	12	10	12	41	17	19	26	19	20	14	14	49
Response Rate (%)		100	100	100	100	100	100	100	100	100	100	100	100	100 ^A
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	1	1	0	1	0	2	1	0	0	0	5
	Seal (Ringed)	0	1	0	0	0	2	1	2	1	0	0	0	6
	Whale (Beluga)	0	0	0	0	0	0	4	4	0	0	0	0	7
<i>Fish</i>	Burbot	0	0	0	0	0	0	0	0	0	0	0	1	1
	Char (Arctic)	1	0	0	0	0	8	5	14	1	8	1	0	27
	Cod (Saffron)	0	0	0	0	0	0	1	1	0	0	0	0	2
	Grayling (Arctic)	0	0	0	0	0	0	0	1	0	0	0	0	1
	Herring (Pacific)	0	0	0	0	0	0	0	0	0	1	0	0	1
	Trout (Lake)	0	2	0	3	0	3	1	2	2	5	4	2	17
	Whitefish (Broad)	1	0	0	0	0	4	4	13	1	12	0	0	23
<i>Big Game</i>	Whitefish (Lake)	0	0	0	0	0	0	0	0	0	0	4	2	6
	Bear (Grizzly)	0	0	0	2	0	0	0	1	0	0	0	0	3
	Bear (Polar)	0	2	1	1	0	0	0	0	0	0	0	0	3
	Caribou	0	0	0	2	16	10	8	10	16	13	8	2	33
	Moose	0	0	0	0	0	0	0	0	0	0	0	1	1
<i>Fur Bearers/Small Mammals</i>	Muskox	2	4	4	1	0	0	0	0	0	0	0	1	8
	Fox (Arctic)	0	0	0	0	0	0	0	0	0	0	1	2	3
	Fox (Coloured)	0	1	0	0	0	0	0	0	0	1	2	2	5
	Wolf	0	1	3	1	0	0	0	0	0	0	0	1	5
<i>Birds</i>	Wolverine	3	3	3	1	0	0	0	0	0	1	4	10	12
	Brant	0	0	0	0	0	1	0	0	0	0	0	0	1
	Eider (unspec.)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Goose (Canada)	0	0	0	0	36	2	0	0	0	0	0	0	37
	Goose (Greater White-fronted)	0	0	0	0	36	1	0	0	0	0	0	0	37
	Goose (Snow)	0	0	0	0	38	3	0	1	0	0	0	0	39
	Oldsquaw	0	0	0	0	0	1	1	0	0	0	0	0	1
	Ptarmigan (unspec.)	1	0	1	1	0	0	0	0	1	4	2	2	8
	Swan (unspec.)	0	0	0	0	14	0	0	0	0	0	0	0	14

^A Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 87 Total estimated harvest, selected species, annual and ten-year mean, Paulatuk, 1988 - 1997

Category	Species	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean
<i>Marine Mammals</i>	Seal (Bearded)	5	4	5	0	5	2	5	4	6	10	5
	Seal (Ringed)	55	101	95	52	63	102	89	147	91	37	83
	Whale (Beluga)	0	6	0	16	19	4	8	11	24	7	10
<i>Fish</i>	Burbot	4	2	1	41	18	6	65	9	4	3	15
	Char (Arctic)	2278	3158	2369	2562	2408	1829	2290	3851	2156	1555	2446
	Char (Arctic Land-locked)	162	108	367	234	183	10	96	68	8	60	130
	Char (unspec.)	551	0	0	0	0	0	0	0	0	0	55
	Cisco (unspec.)	253	25	90	10	0	10	128	0	0	0	52
	Cod (Arctic)	0	0	0	6	0	0	0	0	0	0	1
	Cod (Saffron)	0	60	10	513	0	0	0	0	0	96	68
	Flounder	0	0	0	0	0	0	0	500	0	0	50
	Grayling (Arctic)	10	20	0	21	30	0	0	58	0	6	15
	Herring (Pacific)	38	104	125	149	150	0	0	416	15	4	100
	Inconnu	1	0	0	0	0	0	0	0	0	0	0
	Pike (Northern)	2	0	0	0	0	0	18	0	0	0	2
	Trout (Lake)	440	227	215	390	527	272	419	416	170	355	343
	Whitefish (Broad)	1722	2277	876	849	1174	467	1359	1524	1076	1611	1294
	Whitefish (Lake)	412	696	30	123	66	25	265	217	0	396	223
	Whitefish (unspec.)	44	0	0	0	0	0	0	0	0	0	4
<i>Big Game</i>	Bear (Grizzly)	0	4	0	3	2	1	2	2	3	3	2
	Bear (Polar)	7	11	11	7	11	3	1	10	4	5	7
	Caribou	665	405	659	543	546	441	455	279	260	302	456
	Moose	1	1	1	0	0	2	0	0	1	1	1
	Muskox	5	14	5	9	5	37	16	18	14	24	15
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	184	6	75	41	11	45	7	17	0	19	41
	Fox (Coloured)	81	34	33	15	12	17	5	21	13	15	25
	Hare (unspec.)	5	0	2	0	4	0	3	0	0	0	1
	Lynx	0	0	0	0	1	0	0	0	0	0	0
	Marten (American)	77	92	5	1	0	0	0	0	0	0	18
	Mink (American)	4	0	1	0	0	0	0	0	0	0	1
	Muskrat	1	0	0	0	0	3	0	0	1	0	1
	Wolf	43	32	13	43	24	17	35	7	2	24	24
	Wolverine	19	19	14	25	18	13	24	11	12	38	19
<i>Birds</i>	Brant	23	17	18	0	24	0	1	18	2	8	11
	Eider (unspec.)	35	21	14	6	19	4	0	15	0	4	12
	Goose (Canada)	334	203	310	239	265	237	425	264	243	436	296
	Goose (Greater White-fronted)	377	322	431	302	402	234	385	297	291	513	355
	Goose (Snow)	1510	867	932	1311	2245	775	1188	1477	1601	1517	1342
	Oldsquaw	187	45	8	22	7	12	11	26	0	28	35
	Pintail (Northern)	12	2	0	0	1	0	0	0	0	0	2
	Ptarmigan (unspec.)	971	366	341	229	308	137	141	49	229	267	304
	Scoter (unspec.)	1	0	0	0	0	0	0	24	0	0	3
	Swan (unspec.)	27	35	39	48	49	38	30	27	23	39	36

Other harvested species reported, annual and ten-year mean, Paulatuk, 1988 - 1997

Category	Species	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean
<i>Marine Mammals</i>	Seal (unspec.)	4	0	0	0	0	0	0	0	0	0	0
<i>Fish</i>	Herring (Lake)	0	40	0	0	0	0	0	0	0	0	4
	Sucker (unspec.)	0	0	0	0	0	0	0	2	0	0	0
<i>Fur Bearers/Small Mammals</i>	Ermine	16	0	0	0	0	0	0	0	0	0	2
	Squirrel (Arctic Ground)	31	10	0	0	9	0	11	17	6	0	8
<i>Birds</i>	Crane (Sandhill)	0	6	10	10	7	5	4	0	0	1	4
	Eider (Common)	0	0	0	0	0	2	0	0	0	0	0
	Goose (Ross)	0	2	2	1	0	18	0	6	3	8	4
	Loon (Common)	6	8	4	0	0	0	0	0	0	0	2
	Loon (unspec.)	0	0	0	0	0	0	0	0	0	3	0
	Loon (Yellow-billed)	2	0	0	1	0	0	0	0	0	0	0
	Merganser (unspec.)	12	1	0	2	20	12	0	10	0	0	6
	Scaup (unspec.)	12	0	0	0	0	0	0	0	0	0	1

Table 88 Hunter response, and number of hunters harvesting selected species, annual and ten-year mean, Paulatuk, 1988 - 1997

HUNTER RESPONSE		1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean
Hunter list		63	64	67	81	80	79	81	85	87	86	77
Survey population		63	64	66	80	79	78	77	81	80	69	74
Hunters interviewed		63	64	66	78	79	78	77	81	80	69	74
Harvested		59	57	59	60	60	55	62	64	52	49	58
Response Rate (%)		100	100	100	98	100	100	100	99	93	100	99
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES												
Category	Species	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	4	3	4	0	2	2	4	3	2	5	3
	Seal (Ringed)	10	11	13	7	5	10	7	11	6	6	9
	Whale (Beluga)	0	2	0	10	13	4	7	12	15	7	7
<i>Fish</i>	Burbot	3	1	1	5	5	1	3	4	1	1	3
	Char (Arctic)	40	36	30	36	34	28	36	35	29	27	33
	Cisco (unspec.)	8	1	1	1	0	1	2	0	0	0	1
	Cod (Arctic)	0	0	0	1	0	0	0	0	0	0	0
	Cod (Saffron)	0	1	1	4	0	0	0	0	0	2	1
	Flounder	0	0	0	0	0	0	0	1	0	0	0
	Grayling (Arctic)	1	1	0	3	4	0	0	5	0	1	2
	Herring (Pacific)	3	3	2	3	1	0	0	5	2	1	2
	Inconnu	1	0	0	0	0	0	0	0	0	0	0
	Pike (Northern)	1	0	0	0	0	0	2	0	0	0	0
	Trout (Lake)	29	22	18	26	30	15	21	26	12	17	22
	Whitefish (Broad)	20	25	20	16	18	11	25	20	17	23	20
	Whitefish (Lake)	5	6	1	4	2	2	6	3	0	6	4
	Whitefish (unspec.)	2	0	0	0	0	0	0	0	0	0	0
<i>Big Game</i>	Bear (Grizzly)	0	4	0	3	2	1	1	2	2	3	2
	Bear (Polar)	5	8	10	7	8	3	1	6	4	3	6
	Caribou	48	48	47	46	43	41	48	33	32	33	42
	Moose	1	1	1	0	0	1	0	0	1	1	1
	Muskox	5	11	3	7	3	12	8	6	9	8	7
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	13	4	6	6	2	4	3	3	0	3	4
	Fox (Coloured)	15	12	8	8	4	3	3	6	4	5	7
	Hare (unspec.)	2	0	1	0	2	0	2	0	0	0	1
	Lynx	0	0	0	0	1	0	0	0	0	0	0
	Marten (American)	9	12	3	1	0	0	0	0	0	0	3
	Mink (American)	4	0	1	0	0	0	0	0	0	0	1
	Muskrat	1	0	0	0	0	1	0	0	1	0	0
	Wolf	14	11	7	8	7	8	9	4	1	5	7
	Wolverine	10	8	9	12	10	6	9	7	6	12	9
<i>Birds</i>	Brant	3	4	4	0	2	0	1	1	1	1	2
	Eider (unspec.)	6	4	3	1	3	2	0	1	0	1	2
	Goose (Canada)	47	44	39	39	39	34	42	37	26	37	38
	Goose (Greater White-fronted)	46	44	42	46	45	31	40	31	25	37	39
	Goose (Snow)	50	48	46	51	50	40	48	43	34	39	45
	Oldsquaw	13	7	1	2	3	1	1	2	0	1	3
	Pintail (Northern)	5	1	0	0	1	0	0	0	0	0	1
	Ptarmigan (unspec.)	28	18	14	11	14	5	8	5	12	8	12
	Scoter (unspec.)	1	0	0	0	0	0	0	1	0	0	0
	Swan (unspec.)	13	17	19	17	20	13	16	9	11	14	15

Some hunters may have hunted in more than one year but are only counted once in the total.

Sachs Harbour

Tables

Table 89 Total estimated harvest, selected species, monthly, Sachs Harbour, 1988

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	2	0	2	0	0	3	1	6	0	0	0	0	14 ± 2
	Seal (Ringed)	6	0	0	4	9	31	28	70	0	4	3	0	154 ± 7
<i>Fish</i>	Char (Arctic)	0	0	0	36	381	48	39	0	0	11	0	0	514 ± 100
	Char (unspec.)	0	0	3	0	46	0	0	0	1	0	0	0	51 ± 27
	Cod (Saffron)	0	0	0	0	0	0	8	0	0	0	0	0	8 ± 2
	Trout (Lake)	0	0	4	14	121	34	0	1	0	18	0	0	192 ± 23
<i>Big Game</i>	Bear (Polar)	0	0	2	4	1	0	0	0	0	0	0	0	8 ± 2
	Caribou	23	13	3	5	0	0	1	17	2	101	55	12	233 ± 10
	Muskox	9	20	32	25	34	11	3	13	7	29	23	22	228 ± 14
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	0	42	16	0	0	0	0	0	0	51	60	169 ± 55
	Hare (unspec.)	2	16	4	39	0	0	0	3	0	0	0	7	72 ± 15
<i>Birds</i>	Brant	0	0	0	0	0	77	0	0	0	0	0	0	77 ± 17
	Eider (unspec.)	0	0	0	0	7	18	0	0	0	0	0	0	25 ± 5
	Goose (Canada)	0	0	0	0	1	0	0	0	0	0	0	0	1 ± 1
	Goose (Greater White-fronted)	0	0	0	0	1	0	0	0	0	0	0	0	1 ± 1
	Pintail (Northern)	0	0	0	0	0	1	0	0	0	0	0	0	1 ± 0
	Ptarmigan (unspec.)	0	17	0	8	13	0	0	0	4	53	20	0	115 ± 13
	Swan (unspec.)	0	0	0	0	1127	383	0	0	0	0	0	0	1511 ± 155

Other harvested species reported, monthly, Sachs Harbour, 1988

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Marine Mammals</i>	Seal (unspec.)	0	0	0	5	0	0	0	0	0	0	0	0	5
	Walrus	0	0	0	0	0	0	2	0	0	0	0	0	2
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	8	0	0	0	0	0	0	0	8
	Goose (Snow)	0	0	0	0	1019	376	0	0	0	0	0	0	1395
	Scaup (unspec.)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Teal (Green-winged)	0	0	0	0	2	0	0	0	0	0	0	0	2

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 90 Hunter response, and number of hunters harvesting selected species, monthly, Sachs Harbour, 1988

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1988
Hunter list		55	54	54	54	54	55	54	54	54	54	54	54	56
Survey population		54	53	53	52	52	52	51	50	50	49	49	49	55
Hunters interviewed		49	50	50	48	47	51	50	50	50	48	48	41	55
Harvested		11	10	13	24	30	18	8	16	4	25	15	6	42
Response Rate (%)		91	94	94	92	90	98	98	100	100	98	98	84	95 ^A
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	1	0	1	0	0	2	1	2	0	0	0	0	6
	Seal (Ringed)	2	0	0	2	1	6	3	10	0	2	2	0	16
<i>Fish</i>	Char (Arctic)	0	0	1	8	15	3	2	0	1	2	0	0	25
	Cod (Saffron)	0	0	0	0	0	0	1	0	0	0	0	0	1
	Trout (Lake)	0	0	1	6	14	2	0	1	0	2	0	0	21
<i>Big Game</i>	Bear (Polar)	0	0	2	4	1	0	0	0	0	0	0	0	5
	Caribou	8	3	1	2	0	0	1	7	1	18	12	3	27
	Muskox	4	5	12	10	10	3	2	5	3	12	7	4	30
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	0	1	1	0	0	0	0	0	0	1	1	2
	Hare (unspec.)	1	3	3	5	0	0	0	1	0	0	0	1	11
<i>Birds</i>	Brant	0	0	0	0	0	3	0	0	0	0	0	0	3
	Eider (unspec.)	0	0	0	0	1	4	0	0	0	0	0	0	5
	Goose (Canada)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Goose (Greater White-fronted)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Goose (Snow)	0	0	0	0	24	9	0	0	0	0	0	0	27
	Pintail (Northern)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Ptarmigan (unspec.)	0	2	0	2	3	0	0	0	1	4	1	0	8

^A Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 91 Total estimated harvest, selected species, monthly, Sachs Harbour, 1989

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total‡
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	4	3	3	0	0	0	10 ± 2
	Seal (Ringed)	0	0	6	2	6	23	235	193	9	3	0	5	483 ± 44
<i>Fish</i>	Char (Arctic)	0	0	0	0	63	215	10	172	0	6	0	0	467 ± 56
	Trout (Lake)	0	0	0	0	109	2	31	28	0	4	0	0	175 ± 18
<i>Big Game</i>	Bear (Polar)	1	0	3	5	0	0	0	0	0	0	0	0	9 ± 1
	Caribou	18	11	11	0	1	2	2	9	20	170	78	7	330 ± 13
	Muskox	18	25	26	25	17	6	7	6	22	34	58	7	254 ± 12
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	155	65	13	11	0	0	0	0	0	0	119	6	369 ± 40
	Hare (unspec.)	0	4	12	0	0	0	0	0	0	2	0	0	18 ± 3
	Wolf	0	0	0	0	2	0	0	0	0	4	0	0	6 ± 1
<i>Birds</i>	Brant	0	0	0	0	8	15	0	0	0	0	0	0	23 ± 5
	Eider (unspec.)	0	0	0	0	0	45	0	7	0	1	0	0	53 ± 16
	Goose (Canada)	0	0	0	0	1	0	0	0	0	0	0	0	1 ± 0
	Goose (Greater White-fronted)	0	0	0	0	0	1	0	0	0	0	0	0	1 ± 1
	Goose (Snow)	0	0	0	0	769	897	0	0	0	0	0	0	1666 ± 121
	Ptarmigan (unspec.)	0	0	1	0	0	0	0	0	0	15	0	0	16 ± 5

Other harvested species reported, monthly, Sachs Harbour, 1989

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	1	0	0	0	0	0	0	0	1

‡Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 92 Hunter response, and number of hunters harvesting selected species, monthly, Sachs Harbour, 1989

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1989
Hunter list		58	56	56	56	55	55	54	52	52	52	52	52	58
Survey population		51	51	54	52	52	51	48	48	48	48	48	48	55
Hunters interviewed		51	51	53	49	51	48	46	46	46	45	46	46	54
Harvested		11	9	17	12	23	21	14	15	12	20	15	7	38
Response Rate (%)		100	100	98	94	98	94	96	96	96	94	96	96	96 ^A
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	2	2	2	0	0	0	3
	Seal (Ringed)	0	0	2	1	2	2	12	9	2	1	0	2	19
<i>Fish</i>	Char (Arctic)	0	0	0	0	7	7	1	4	0	1	0	0	16
	Trout (Lake)	0	0	0	0	6	1	2	2	0	1	0	0	11
<i>Big Game</i>	Bear (Polar)	1	0	3	5	0	0	0	0	0	0	0	0	9
	Caribou	6	5	5	0	1	1	2	4	6	19	9	2	30
	Muskox	4	6	10	7	5	2	3	4	10	11	8	2	23
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	2	2	2	2	0	0	0	0	0	0	2	1	4
	Hare (unspec.)	0	1	2	0	0	0	0	0	0	1	0	0	2
	Wolf	0	0	0	0	1	0	0	0	0	2	0	0	3
<i>Birds</i>	Brant	0	0	0	0	1	3	0	0	0	0	0	0	4
	Eider (unspec.)	0	0	0	0	0	3	0	2	0	1	0	0	4
	Goose (Canada)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Goose (Greater White-fronted)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Goose (Snow)	0	0	0	0	19	18	0	0	0	0	0	0	25
	Ptarmigan (unspec.)	0	0	1	0	0	0	0	0	0	2	0	0	3

^A Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 93 Total estimated harvest, selected species, monthly, Sachs Harbour, 1990

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	1	2	0	0	2	1	0	0	0	0	6 ± 1
	Seal (Ringed)	0	0	0	5	1	11	47	13	8	0	0	0	86 ± 8
<i>Fish</i>	Char (Arctic)	0	0	0	0	126	32	36	9	0	0	0	0	202 ± 16
	Char (Land-locked Arctic)	0	0	0	43	0	0	0	0	0	0	0	0	43 ± 8
	Trout (Lake)	0	0	0	6	110	1	66	46	0	0	0	0	230 ± 20
<i>Big Game</i>	Bear (Polar)	0	0	7	17	0	0	0	0	0	0	0	0	24 ± 1
	Caribou	3	5	8	0	0	0	0	1	54	22	10	0	104 ± 4
	Muskox	9	18	16	35	58	47	5	22	6	10	18	2	248 ± 14
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	46	48	0	0	0	0	0	1	0	28	26	149 ± 18
	Hare (unspec.)	0	0	3	0	0	0	0	0	4	0	4	0	11 ± 2
	Wolf	1	0	0	4	0	0	0	0	1	0	1	0	7 ± 1
<i>Birds</i>	Brant	0	0	0	0	0	60	0	3	0	0	0	0	63 ± 15
	Eider (unspec.)	0	0	0	0	0	2	0	0	3	0	0	0	5 ± 1
	Goose (Canada)	0	0	0	0	1	0	0	0	0	0	0	0	1 ± 0
	Goose (Snow)	0	0	0	0	879	630	0	0	0	0	0	0	1509 ± 72
	Oldsquaw	0	0	0	0	0	0	0	0	7	0	0	0	7 ± 2
	Ptarmigan (unspec.)	0	1	0	0	0	0	0	0	4	0	0	0	5 ± 1
	Swan (unspec.)	0	0	0	0	3	0	0	2	0	0	0	0	5 ± 1

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 94 Hunter response, and number of hunters harvesting selected species, monthly, Sachs Harbour, 1990

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1990
Hunter list		55	56	55	55	56	55	55	53	52	52	52	52	57
Survey population		49	50	50	50	47	49	48	46	46	46	46	47	52
Hunters interviewed		48	49	50	49	46	48	47	45	45	45	45	45	52
Harvested		5	7	15	18	31	16	12	12	11	7	10	2	37
Response Rate (%)		98	98	100	98	98	98	98	98	98	98	98	96	98 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	1	2	0	0	2	1	0	0	0	0	5
	Seal (Ringed)	0	0	0	1	1	3	8	2	2	0	0	0	10
<i>Fish</i>	Char (Arctic)	0	0	0	3	10	3	4	3	0	0	0	0	18
	Trout (Lake)	0	0	0	3	10	1	4	5	0	0	0	0	16
<i>Big Game</i>	Bear (Polar)	0	0	6	12	0	0	0	0	0	0	0	0	17
	Caribou	2	2	3	0	0	0	0	1	11	6	4	0	19
	Muskox	3	4	7	9	6	1	2	6	3	2	4	1	17
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	1	2	0	0	0	0	0	1	0	2	1	5
	Hare (unspec.)	0	0	1	0	0	0	0	0	1	0	1	0	2
	Wolf	1	0	0	2	0	0	0	0	1	0	1	0	4
<i>Birds</i>	Brant	0	0	0	0	0	4	0	1	0	0	0	0	4
	Eider (unspec.)	0	0	0	0	0	1	0	0	1	0	0	0	1
	Goose (Canada)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Goose (Snow)	0	0	0	0	27	14	0	0	0	0	0	0	30
	Oldsquaw	0	0	0	0	0	0	0	0	1	0	0	0	1
	Ptarmigan (unspec.)	0	1	0	0	0	0	0	0	1	0	0	0	2
	Swan (unspec.)	0	0	0	0	1	0	0	1	0	0	0	0	2

Δ Mean monthly response rate.

Some hunters may have hunted in more than one month but are only counted once in the total.

Table 95 Total estimated harvest, selected species, monthly, Sachs Harbour, 1991

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	1	1	1	0	0	3	7	2	0	0	0	15 ± 4
	Seal (Ringed)	0	2	8	2	9	8	90	107	0	0	0	0	225 ± 48
<i>Fish</i>	Char (Arctic)	0	0	0	12	125	828	109	163	17	54	0	0	1309 ± 257
	Cod (Saffron)	0	0	0	0	0	0	0	9	0	0	0	0	9 ± 5
	Trout (Lake)	0	0	0	1	23	19	176	48	8	45	0	0	320 ± 45
	Whitefish (Lake)	0	0	0	0	0	0	29	0	0	0	0	0	29 ± 15
<i>Big Game</i>	Bear (Polar)	0	0	2	7	1	0	0	0	0	0	1	0	11 ± 2
	Caribou	6	3	7	0	1	7	4	1	0	0	0	0	30 ± 5
	Muskox	6	10	4	9	0	9	11	22	2	11	8	0	93 ± 9
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	27	30	0	2	0	0	0	0	0	0	52	67	177 ± 49
	Hare (unspec.)	0	0	0	0	1	0	0	0	0	0	0	2	3 ± 1
	Wolf	2	0	0	2	1	0	0	0	0	1	0	0	7 ± 2
<i>Birds</i>	Brant	0	0	0	0	6	37	0	0	0	0	0	0	43 ± 13
	Eider (unspec.)	0	0	0	0	3	17	0	0	0	0	0	0	20 ± 7
	Goose (Canada)	0	0	0	0	1	0	0	0	0	0	0	0	1 ± 1
	Goose (Greater White-fronted)	0	0	0	0	9	0	0	0	0	0	0	0	9 ± 4
	Goose (Snow)	0	0	0	0	1954	1136	0	4	0	0	0	0	3094 ± 268
	Ptarmigan (unspec.)	0	0	0	0	0	0	0	0	0	0	16	0	16 ± 10
	Swan (unspec.)	0	0	0	0	9	3	0	0	0	0	0	0	12 ± 4

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 96 Hunter response, and number of hunters harvesting selected species, monthly, Sachs Harbour, 1991

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1991
Hunter list		71	69	69	69	67	66	62	62	61	62	61	61	74
Survey population		56	58	57	56	55	55	55	55	55	55	56	60	65
Hunters interviewed		52	53	52	51	50	50	50	50	48	49	50	55	63
Harvested		8	6	9	12	30	23	17	15	5	8	6	2	39
Response Rate (%)		93	91	91	91	91	91	91	91	87	89	89	92	91 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	1	1	1	0	0	2	2	1	0	0	0	7
	Seal (Ringed)	0	1	2	2	3	2	9	8	0	0	0	0	15
<i>Fish</i>	Char (Arctic)	0	0	0	1	9	9	9	4	1	5	0	0	21
	Cod (Saffron)	0	0	0	0	0	0	0	1	0	0	0	0	1
	Trout (Lake)	0	0	0	1	5	2	13	5	2	6	0	0	20
	Whitefish (Lake)	0	0	0	0	0	0	2	0	0	0	0	0	2
<i>Big Game</i>	Bear (Polar)	0	0	2	4	1	0	0	0	0	0	1	0	8
	Caribou	4	1	2	0	1	2	2	1	0	0	0	0	10
	Muskox	2	3	3	5	0	2	4	8	2	3	2	0	21
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	1	2	0	1	0	0	0	0	0	0	3	2	7
	Hare (unspec.)	0	0	0	0	1	0	0	0	0	0	0	1	2
	Wolf	2	0	0	2	1	0	0	0	0	1	0	0	5
<i>Birds</i>	Brant	0	0	0	0	1	4	0	0	0	0	0	0	5
	Eider (unspec.)	0	0	0	0	2	3	0	0	0	0	0	0	5
	Goose (Canada)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Goose (Greater White-fronted)	0	0	0	0	3	0	0	0	0	0	0	0	3
	Goose (Snow)	0	0	0	0	28	18	0	1	0	0	0	0	30
	Ptarmigan (unspec.)	0	0	0	0	0	0	0	0	0	0	1	0	1
	Swan (unspec.)	0	0	0	0	3	1	0	0	0	0	0	0	3

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 97 Total estimated harvest, selected species, monthly, Sachs Harbour, 1992

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	8	4	0	0	0	0	12 ± 4
	Seal (Ringed)	0	0	3	0	3	5	31	23	0	0	0	0	65 ± 13
<i>Fish</i>	Char (Arctic)	0	0	0	49	515	285	121	129	9	93	0	0	1202 ± 164
	Trout (Lake)	0	0	3	82	131	6	110	61	38	155	0	0	586 ± 63
<i>Big Game</i>	Bear (Polar)	0	0	6	4	0	0	1	0	0	3	0	0	15 ± 2
	Caribou	3	2	0	2	0	1	1	2	4	2	3	0	22 ± 3
	Muskox	11	9	2	19	2	5	3	7	4	18	6	0	86 ± 9
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	162	13	8	22	0	0	0	0	0	0	0	68	273 ± 92
	Hare (unspec.)	0	0	0	5	0	0	0	0	1	15	0	0	22 ± 6
	Wolf	0	0	5	0	0	0	0	0	0	5	24	1	35 ± 8
<i>Birds</i>	Brant	0	0	0	0	0	15	0	0	0	0	0	0	15 ± 6
	Eider (unspec.)	0	0	0	0	0	25	0	0	0	0	0	0	25 ± 13
	Goose (Canada)	0	0	0	0	1	0	0	0	0	0	0	0	1 ± 1
	Goose (Snow)	0	0	0	0	559	1788	0	0	2	0	0	0	2349 ± 252
	Pintail (Northern)	0	0	0	0	0	1	0	0	0	0	0	0	1 ± 1
	Ptarmigan (unspec.)	0	0	0	0	0	2	0	0	150	41	40	0	233 ± 56
	Swan (unspec.)	0	0	0	0	0	3	0	0	0	0	0	0	3 ± 1

Other harvested species reported, monthly, Sachs Harbour, 1992

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	4	0	0	0	0	0	0	0	4

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 98 Hunter response, and number of hunters harvesting selected species, monthly, Sachs Harbour, 1992

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1992
Hunter list		72	70	70	70	69	68	67	65	64	63	63	63	72
Survey population		60	60	59	60	59	60	60	58	55	55	55	55	61
Hunters interviewed		56	55	56	55	53	53	53	52	51	51	51	51	58
Harvested		8	4	11	17	35	34	19	14	8	16	6	2	48
Response Rate (%)		93	92	95	92	90	88	88	90	93	93	93	93	92 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	3	4	0	0	0	0	7
	Seal (Ringed)	0	0	1	0	2	1	6	5	0	0	0	0	11
<i>Fish</i>	Char (Arctic)	0	0	0	7	20	11	4	8	1	5	0	0	32
	Trout (Lake)	0	0	1	9	17	1	8	9	1	5	0	0	28
<i>Big Game</i>	Bear (Polar)	0	0	6	4	0	0	1	0	0	3	0	0	12
	Caribou	2	1	0	2	0	1	1	2	3	2	3	0	13
	Muskox	4	3	1	4	2	2	3	3	3	3	1	0	16
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	2	2	2	1	0	0	0	0	0	0	0	1	6
	Hare (unspec.)	0	0	0	1	0	0	0	0	1	3	0	0	5
	Wolf	0	0	2	0	0	0	0	0	0	3	2	1	6
<i>Birds</i>	Brant	0	0	0	0	0	4	0	0	0	0	0	0	4
	Eider (unspec.)	0	0	0	0	0	3	0	0	0	0	0	0	3
	Goose (Canada)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Goose (Snow)	0	0	0	0	20	28	0	0	1	0	0	0	35
	Pintail (Northern)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Ptarmigan (unspec.)	0	0	0	0	0	1	0	0	4	3	2	0	7
	Swan (unspec.)	0	0	0	0	0	3	0	0	0	0	0	0	3

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 99 Total estimated harvest, selected species, monthly, Sachs Harbour, 1993

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	3	1	2	0	0	0	0	6 ± 1
	Seal (Ringed)	0	0	0	0	0	8	23	7	28	0	0	0	67 ± 10
<i>Fish</i>	Char (Arctic)	0	0	0	83	205	52	58	104	22	17	0	0	542 ± 64
	Cisco (unspec.)	0	0	0	0	0	0	32	0	0	0	0	0	32 ± 13
	Cod (Saffron)	0	0	0	0	0	0	0	31	4	0	0	0	35 ± 9
	Herring (Pacific)	0	0	0	0	0	0	0	8	0	0	0	0	8 ± 3
	Trout (Lake)	0	0	0	36	127	5	106	43	2	19	19	0	358 ± 36
	Whitefish (Lake)	0	0	0	0	0	1	0	0	0	0	0	0	1 ± 0
<i>Big Game</i>	Bear (Polar)	0	0	2	4	1	0	0	0	0	0	0	0	7 ± 1
	Caribou	7	1	0	0	1	0	5	3	0	14	0	0	31 ± 3
	Muskox	10	27	14	28	9	6	6	23	21	53	14	5	216 ± 9
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	0	0	0	0	0	0	0	0	0	141	66	207 ± 53
	Hare (unspec.)	3	10	5	0	0	0	0	4	1	3	36	37	100 ± 22
	Wolf	1	0	5	2	2	0	0	0	0	0	3	0	14 ± 2
<i>Birds</i>	Eider (unspec.)	0	0	0	0	1	7	0	0	0	0	0	0	8 ± 3
	Goose (Canada)	0	0	0	0	0	0	0	0	2	0	0	0	2 ± 1
	Goose (Snow)	0	0	0	0	700	200	0	0	0	0	0	0	900 ± 69
	Ptarmigan (unspec.)	0	2	2	8	0	0	0	9	17	378	32	0	449 ± 73
	Swan (unspec.)	0	0	0	0	2	1	0	0	2	0	0	0	5 ± 1

Other harvested species reported, monthly, Sachs Harbour, 1993

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	3	0	0	0	0	0	0	0	3
	Owl (Snowy)	0	0	0	0	0	0	0	0	2	2	0	0	4

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 100 Hunter response, and number of hunters harvesting selected species, monthly, Sachs Harbour, 1993

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1993
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
Hunter list		73	71	71	71	70	67	65	62	61	60	60	60	73
Survey population		54	53	52	52	49	48	48	48	48	48	47	47	55
Hunters interviewed		51	50	49	49	47	46	46	46	46	46	44	44	53
Harvested		7	10	7	24	29	13	12	10	10	16	10	3	38
Response Rate (%)		94	94	94	94	96	96	96	96	96	96	94	94	95 ^A
Category		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	2	1	2	0	0	0	0	3
	Seal (Ringed)	0	0	0	0	0	3	4	2	3	0	0	0	6
<i>Fish</i>	Char (Arctic)	0	0	0	8	12	1	4	4	4	4	0	0	17
	Cisco (unspec.)	0	0	0	0	0	0	1	0	0	0	0	0	1
	Cod (Saffron)	0	0	0	0	0	0	0	2	1	0	0	0	2
	Herring (Pacific)	0	0	0	0	0	0	0	1	0	0	0	0	1
	Trout (Lake)	0	0	0	9	9	1	5	3	1	3	1	0	17
	Whitefish (Lake)	0	0	0	0	0	1	0	0	0	0	0	0	1
<i>Big Game</i>	Caribou	4	1	0	0	1	0	4	2	0	9	0	0	14
	Muskox	3	10	4	15	6	3	4	7	5	12	6	1	27
	Bear (Polar)	0	0	2	4	1	0	0	0	0	0	0	0	6
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	0	0	0	0	0	0	0	0	0	4	3	4
	Hare (unspec.)	1	3	1	0	0	0	0	2	1	1	3	2	10
	Wolf	1	0	2	2	1	0	0	0	0	0	2	0	5
<i>Birds</i>	Eider (unspec.)	0	0	0	0	1	2	0	0	0	0	0	0	3
	Goose (Canada)	0	0	0	0	0	0	0	0	2	0	0	0	2
	Goose (Snow)	0	0	0	0	24	7	0	0	0	0	0	0	24
	Ptarmigan (unspec.)	0	1	1	1	0	0	0	1	3	10	1	0	14
	Swan (unspec.)	0	0	0	0	2	1	0	0	2	0	0	0	5

^A Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 101 Total estimated harvest, selected species, monthly, Sachs Harbour, 1994

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	2	2	0	0	0	0	4 ± 2
	Seal (Ringed)	0	0	0	1	0	7	41	28	8	0	0	0	86 ± 13
<i>Fish</i>	Char (Arctic)	0	0	0	25	161	44	112	24	8	11	0	0	386 ± 47
	Cod (Arctic)	0	0	0	0	0	0	91	0	0	0	0	0	91 ± 43
	Cod (Saffron)	0	0	0	0	0	2	0	0	0	0	0	0	2 ± 1
	Trout (Lake)	0	0	0	45	72	0	53	23	25	47	0	0	265 ± 39
<i>Big Game</i>	Bear (Polar)	0	0	4	0	0	0	0	0	0	1	1	0	7 ± 2
	Caribou	0	0	0	0	0	0	1	0	1	0	5	2	9 ± 3
	Muskox	4	10	18	51	13	4	12	16	31	30	21	15	224 ± 15
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	228	2	19	36	0	0	0	0	0	0	18	0	303 ± 107
	Hare (unspec.)	5	0	51	13	0	0	0	0	0	1	1	0	71 ± 26
	Wolf	0	0	0	0	0	0	0	0	0	0	14	0	14 ± 5
<i>Birds</i>	Eider (unspec.)	0	0	0	0	0	7	0	0	0	0	0	0	7 ± 2
	Goose (Canada)	0	0	0	0	1	0	0	0	0	0	0	0	1 ± 0
	Goose (Greater White-fronted)	0	0	0	0	0	2	0	0	0	0	0	0	2 ± 1
	Goose (Snow)	0	0	0	0	1219	368	11	5	0	0	0	0	1602 ± 105
	Ptarmigan (unspec.)	0	0	2	38	0	0	0	0	14	3	23	0	81 ± 23
	Swan (unspec.)	0	0	0	0	3	3	0	0	0	0	0	0	6 ± 2

Other harvested species reported, monthly, Sachs Harbour, 1994

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	3	0	0	0	0	0	0	0	3

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 102 Hunter response, and number of hunters harvesting selected species, monthly, Sachs Harbour, 1994

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1994
Hunter list		80	78	78	79	77	74	72	53	53	53	50	48	81
Survey population		55	54	54	55	54	54	54	52	52	50	49	47	56
Hunters interviewed		52	51	50	52	51	51	51	46	45	44	42	41	54
Harvested		5	4	11	13	30	15	19	12	15	10	12	4	37
Response Rate (%)		95	94	93	95	94	94	94	88	87	88	86	87	91 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	2	1	0	0	0	0	3
	Seal (Ringed)	0	0	0	1	0	1	7	5	2	0	0	0	13
<i>Fish</i>	Char (Arctic)	0	0	0	5	8	3	5	2	3	1	0	0	15
	Cod (Arctic)	0	0	0	0	0	0	1	0	0	0	0	0	1
	Cod (Saffron)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Trout (Lake)	0	0	0	5	7	0	7	1	3	2	0	0	16
<i>Big Game</i>	Bear (Polar)	0	0	3	0	0	0	0	0	0	1	1	0	5
	Caribou	0	0	0	0	0	0	1	0	1	0	3	1	6
	Muskox	2	3	7	6	5	3	9	9	13	8	9	3	24
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	3	1	1	3	0	0	0	0	0	0	3	0	8
	Hare (unspec.)	1	0	3	3	0	0	0	0	0	1	1	0	7
	Wolf	0	0	0	0	0	0	0	0	0	0	2	0	2
<i>Birds</i>	Eider (unspec.)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Goose (Canada)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Goose (Greater White-fronted)	0	0	0	0	0	2	0	0	0	0	0	0	2
	Goose (Snow)	0	0	0	0	26	11	1	1	0	0	0	0	29
	Ptarmigan (unspec.)	0	0	1	2	0	0	0	0	2	1	4	0	9
	Swan (unspec.)	0	0	0	0	1	3	0	0	0	0	0	0	4

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 103 Total estimated harvest, selected species, monthly, Sachs Harbour, 1995

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	3	0	1	0	0	0	4	0	1	0	0	0	9 ± 1
	Seal (Ringed)	4	0	2	5	0	19	35	0	16	0	0	0	82 ± 6
<i>Fish</i>	Char (Arctic)	0	0	0	10	152	107	38	149	0	2	4	0	463 ± 42
	Trout (Lake)	5	3	1	4	30	2	2	40	1	21	11	0	121 ± 10
<i>Big Game</i>	Bear (Polar)	0	0	0	4	0	0	0	0	0	0	0	0	4 ± 1
	Caribou	3	0	0	0	0	0	0	0	0	3	2	1	9 ± 1
	Muskox	29	19	18	16	25	8	7	18	13	35	49	9	247 ± 9
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	64	0	2	0	0	0	0	0	0	0	1	0	67 ± 9
	Wolf	1	1	1	5	0	0	0	1	0	5	0	0	14 ± 1
<i>Birds</i>	Brant	0	0	0	0	0	2	0	0	0	0	0	0	2 ± 1
	Eider (unspec.)	0	0	0	0	0	0	0	0	4	0	0	0	4 ± 1
	Goose (Canada)	0	0	0	0	1	2	0	0	0	0	0	0	3 ± 1
	Goose (Snow)	0	0	0	0	1570	325	20	0	0	0	0	0	1915 ± 92
	Ptarmigan (unspec.)	20	0	3	0	0	0	0	0	5	23	10	0	61 ± 7
	Swan (unspec.)	0	0	0	0	4	2	2	0	0	0	0	0	8 ± 1

Other harvested species reported, monthly, Sachs Harbour, 1995

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Marine Mammals</i>	Walrus	0	0	0	0	0	0	1	0	0	0	0	0	1
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	8	0	0	0	0	0	0	0	8

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 104 Hunter response, and number of hunters harvesting selected species, monthly, Sachs Harbour, 1995

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1995
Hunter list		56	56	56	56	55	55	52	51	51	51	51	51	56
Survey population		51	51	50	48	48	48	47	46	44	45	45	47	54
Hunters interviewed		50	50	49	47	47	47	46	45	43	44	44	46	54
Harvested		14	9	8	12	29	16	11	10	9	13	10	4	37
Response Rate (%)		98	98	98	98	98	98	98	98	98	98	98	98	98 ^a
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	1	0	1	0	0	0	2	0	1	0	0	0	4
	Seal (Ringed)	2	0	1	2	0	5	6	0	4	0	0	0	14
<i>Fish</i>	Char (Arctic)	0	0	0	2	9	2	2	3	0	1	2	0	13
	Trout (Lake)	1	1	1	2	5	1	1	3	1	2	2	0	12
<i>Big Game</i>	Bear (Polar)	0	0	0	4	0	0	0	0	0	0	0	0	4
	Caribou	1	0	0	0	0	0	0	0	0	3	2	1	7
	Muskox	10	8	6	6	2	3	6	7	6	10	8	4	21
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	4	0	1	0	0	0	0	0	0	0	1	0	5
	Wolf	1	1	1	1	0	0	0	1	0	3	0	0	8
<i>Birds</i>	Brant	0	0	0	0	0	1	0	0	0	0	0	0	1
	Eider (unspec.)	0	0	0	0	0	0	0	0	1	0	0	0	1
	Goose (Canada)	0	0	0	0	1	1	0	0	0	0	0	0	2
	Goose (Snow)	0	0	0	0	25	7	1	0	0	0	0	0	26
	Ptarmigan (unspec.)	3	0	1	0	0	0	0	0	2	2	1	0	6
	Swan (unspec.)	0	0	0	0	3	1	1	0	0	0	0	0	4

^a Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 105 Total estimated harvest, selected species, monthly, Sachs Harbour, 1996

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	4	7	4	0	0	0	15 ± 1
	Seal (Ringed)	1	0	1	1	1	7	51	56	27	0	0	0	146 ± 12
<i>Fish</i>	Char (Arctic)	0	0	0	11	55	167	125	172	23	68	0	0	621 ± 50
	Cod (Arctic)	0	0	0	0	0	22	101	0	0	0	0	0	123 ± 30
	Cod (Saffron)	0	0	0	0	0	101	0	0	0	0	0	0	101 ± 0
	Trout (Lake)	0	0	0	26	21	0	1	0	8	18	0	0	74 ± 0
<i>Big Game</i>	Bear (Polar)	0	0	1	1	1	0	0	0	0	0	0	0	3 ± 1
	Caribou	2	2	0	0	0	0	1	0	0	8	2	0	15 ± 1
	Muskox	10	8	23	20	28	12	2	14	10	52	38	3	221 ± 6
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	0	0	0	0	0	0	0	0	0	170	33	203 ± 0
	Hare (unspec.)	0	0	5	0	0	0	0	2	0	1	0	0	8 ± 3
	Wolf	0	0	1	2	6	0	0	0	0	1	0	0	10 ± 1
<i>Birds</i>	Brant	0	0	0	0	7	3	0	0	0	0	0	0	10 ± 0
	Eider (unspec.)	0	0	0	0	14	0	0	0	0	0	0	0	14 ± 0
	Goose (Canada)	0	0	0	0	1	4	0	0	0	0	0	0	5 ± 0
	Goose (Snow)	0	0	0	0	759	413	0	0	0	0	0	0	1172 ± 0
	Pintail (Northern)	0	0	0	0	1	0	0	0	0	0	0	0	1 ± 0
	Ptarmigan (unspec.)	0	15	19	7	0	0	0	2	42	481	76	25	667 ± 9
	Swan (unspec.)	0	0	0	0	1	0	0	0	0	0	0	0	1 ± 0

Other harvested species reported, monthly, Sachs Harbour, 1996

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	1	0	0	0	0	0	0	0	1

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 106 Hunter response, and number of hunters harvesting selected species, monthly, Sachs Harbour, 1996

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1996
Hunter list		54	51	51	51	50	50	50	49	49	49	49	49	54
Survey population		50	50	49	45	45	43	45	45	44	44	44	44	50
Hunters interviewed		48	48	43	45	45	43	44	44	44	44	44	44	49
Harvested		6	6	7	11	26	9	7	10	7	14	8	3	34
Response Rate (%)		96	96	88	100	100	100	98	98	100	100	100	100	98 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	3	3	2	0	0	0	5
	Seal (Ringed)	1	0	1	1	1	3	6	5	3	0	0	0	9
<i>Fish</i>	Char (Arctic)	0	0	0	3	6	2	2	3	1	1	0	0	12
	Cod (Arctic)	0	0	0	0	0	1	1	0	0	0	0	0	1
	Cod (Saffron)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Trout (Lake)	0	0	0	4	3	0	1	0	1	1	0	0	6
<i>Big Game</i>	Bear (Polar)	0	0	1	1	1	0	0	0	0	0	0	0	2
	Caribou	2	2	0	0	0	0	1	0	0	7	1	0	9
	Muskox	4	4	6	5	3	5	2	7	3	9	5	1	17
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	0	0	0	0	0	0	0	0	0	0	4	1	5
	Hare (unspec.)	0	0	2	0	0	0	0	1	0	1	0	0	3
	Wolf	0	0	1	1	1	0	0	0	0	1	0	0	3
<i>Birds</i>	Brant	0	0	0	0	5	1	0	0	0	0	0	0	6
	Eider (unspec.)	0	0	0	0	2	0	0	0	0	0	0	0	2
	Goose (Canada)	0	0	0	0	1	2	0	0	0	0	0	0	3
	Goose (Snow)	0	0	0	0	22	4	0	0	0	0	0	0	24
	Pintail (Northern)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Ptarmigan (unspec.)	0	2	3	2	0	0	0	1	2	12	3	1	16
	Swan (unspec.)	0	0	0	0	1	0	0	0	0	0	0	0	1

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 107 Total estimated harvest, selected species, monthly, Sachs Harbour, 1997

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	3	0	0	0	0	0	3 ± 1
	Seal (Ringed)	0	0	0	0	0	0	29	3	0	0	0	0	32 ± 5
<i>Fish</i>	Char (Arctic)	0	0	0	3	74	25	21	62	7	0	11	0	204 ± 28
	Trout (Lake)	0	0	0	9	48	0	21	14	20	6	22	0	141 ± 21
<i>Big Game</i>	Bear (Polar)	0	1	7	12	0	0	0	0	0	0	0	0	20 ± 1
	Caribou	1	0	1	0	1	0	0	0	3	3	1	0	11 ± 2
	Muskox	27	12	21	20	26	13	4	11	14	5	1	0	156 ± 7
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	128	3	11	1	0	0	0	0	0	0	35	55	233 ± 38
	Hare (unspec.)	0	0	0	0	0	0	0	0	0	0	2	0	2 ± 1
	Wolf	0	5	2	0	0	0	0	0	0	0	1	1	9 ± 1
<i>Birds</i>	Brant	0	0	0	0	3	0	0	0	0	0	0	0	3 ± 1
	Goose (Snow)	0	0	0	0	1892	563	0	0	0	0	0	0	2455 ± 169
	Ptarmigan (unspec.)	10	4	2	0	0	0	0	0	6	75	29	0	126 ± 27
	Swan (unspec.)	0	0	0	0	2	0	0	0	0	0	0	0	2 ± 1

Other harvested species reported, monthly, Sachs Harbour, 1997

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Birds</i>	Owl (Snowy)	0	0	0	0	0	0	0	0	1	0	0	0	1

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 108 Hunter response, and number of hunters harvesting selected species, monthly, Sachs Harbour, 1997

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1997
Hunter list		50	50	51	46	51	51	48	48	51	51	51	51	59
Survey population		44	44	44	43	48	47	47	46	49	49	49	48	53
Hunters interviewed		44	43	44	42	46	47	46	45	44	46	45	43	52
Harvested		8	9	13	12	30	14	7	7	6	7	6	1	40
Response Rate (%)		100	98	100	98	96	100	98	98	90	94	92	90	96 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	2	0	0	0	0	0	2
	Seal (Ringed)	0	0	0	0	0	0	4	1	0	0	0	0	5
<i>Fish</i>	Char (Arctic)	0	0	0	1	4	1	2	2	1	0	1	0	10
	Trout (Lake)	0	0	0	1	6	0	2	1	1	1	1	0	12
<i>Big Game</i>	Bear (Polar)	0	1	7	8	0	0	0	0	0	0	0	0	12
	Caribou	1	0	1	0	1	0	0	0	3	2	1	0	9
	Muskox	6	6	6	5	6	5	3	4	5	3	1	0	18
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	4	2	3	1	0	0	0	0	0	0	2	1	7
	Hare (unspec.)	0	0	0	0	0	0	0	0	0	0	1	0	1
	Wolf	0	3	2	0	0	0	0	0	0	0	1	1	6
<i>Birds</i>	Brant	0	0	0	0	1	0	0	0	0	0	0	0	1
	Goose (Snow)	0	0	0	0	27	11	0	0	0	0	0	0	29
	Owl (Snowy)	0	0	0	0	0	0	0	0	1	0	0	0	1
	Ptarmigan (unspec.)	2	1	1	0	0	0	0	0	1	3	2	0	7
	Swan (unspec.)	0	0	0	0	1	0	0	0	0	0	0	0	1

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 109 Total estimated harvest, selected species, annual and ten-year mean, Sachs Harbour, 1988 - 1997

Category	Species	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean
<i>Marine Mammals</i>	Seal (Bearded)	14	10	6	15	12	6	4	9	15	3	9
	Seal (Ringed)	154	483	86	225	65	67	86	82	146	32	143
<i>Fish</i>	Char (Arctic)	514	467	202	1309	1202	542	386	463	621	204	591
	Char (Land-locked Arctic)	0	0	43	0	0	0	0	0	0	0	4
	Char (unspec.)	51	0	0	0	0	0	0	0	0	0	5
	Cisco (unspec.)	0	0	0	0	0	32	0	0	0	0	3
	Cod (Arctic)	0	0	0	0	0	0	91	0	123	0	21
	Cod (Saffron)	8	0	0	9	0	35	2	0	101	0	16
	Herring (Pacific)	0	0	0	0	0	8	0	0	0	0	1
	Trout (Lake)	192	175	230	320	586	358	265	121	74	141	246
	Whitefish (Lake)	0	0	0	29	0	1	0	0	0	0	3
<i>Big Game</i>	Bear (Polar)	8	9	24	11	15	7	7	4	3	20	11
	Caribou	233	330	104	30	22	31	9	9	15	11	79
	Muskox	228	254	248	93	86	216	224	247	221	156	197
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	169	369	149	177	273	207	303	67	203	233	215
	Hare (unspec.)	72	18	11	3	22	100	71	0	8	2	31
	Wolf	0	6	7	7	35	14	14	14	10	9	12
<i>Birds</i>	Brant	77	23	63	43	15	0	0	2	10	3	24
	Eider (unspec.)	25	53	5	20	25	8	7	4	14	0	16
	Goose (Canada)	1	1	1	1	1	2	1	3	5	0	2
	Goose (Greater White-fronted)	1	1	0	9	0	0	2	0	0	0	1
	Goose (Snow)	1511	1666	1509	3094	2349	900	1602	1915	1172	2455	1817
	Oldsquaw	0	0	7	0	0	0	0	0	0	0	1
	Pintail (Northern)	1	0	0	0	1	0	0	0	1	0	0
	Ptarmigan (unspec.)	115	16	5	16	233	449	81	61	667	126	177
	Swan (unspec.)	0	0	5	12	3	5	6	8	1	2	4

Other harvested species, annual and ten-year mean, Sachs Harbour, 1988 - 1997

Category	Species	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean
<i>Marine Mammals</i>	Seal (unspec.)	5	0	0	0	0	0	0	0	0	0	1
	Walrus	2	0	0	0	0	0	0	1	0	0	0
<i>Birds</i>	Crane (Sandhill)	8	1	0	0	4	3	3	8	1	0	3
	Owl (Snowy)	0	0	0	0	0	4	0	0	0	1	1
	Scaup (unspec.)	1	0	0	0	0	0	0	0	0	0	0
	Teal (Green-winged)	2	0	0	0	0	0	0	0	0	0	0

Table 110 Hunter response, and number of hunters harvesting selected species, annual and ten-year mean, Sachs Harbour, 1988-1997

HUNTER RESPONSE		1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean
Hunter list		56	58	57	74	72	73	81	56	54	59	64
Survey population		55	55	52	65	61	55	56	54	50	53	56
Hunters interviewed		55	54	52	63	58	53	54	54	49	52	54
Harvested		42	38	37	39	48	38	37	37	34	40	39
Response Rate (%)		95	96	98	91	92	95	91	98	98	96	95
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES												
Category	Species	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	6	3	5	7	7	3	3	4	5	2	5
	Seal (Ringed)	16	19	10	15	11	6	13	14	9	5	12
<i>Fish</i>	Char (Arctic)	25	16	18	21	32	17	15	13	12	10	18
	Cisco (unspec.)	0	0	0	0	0	1	0	0	0	0	0
	Cod (Arctic)	0	0	0	0	0	0	1	0	1	0	0
	Cod (Saffron)	1	0	0	1	0	2	1	0	1	0	1
	Herring (Pacific)	0	0	0	0	0	1	0	0	0	0	0
	Trout (Lake)	21	11	16	20	28	17	16	12	6	12	16
	Whitefish (Lake)	0	0	0	2	0	1	0	0	0	0	0
<i>Big Game</i>	Bear (Polar)	5	9	17	8	12	6	5	4	2	12	8
	Caribou	27	30	19	10	13	14	6	7	9	9	14
	Muskox	30	23	17	21	16	27	24	21	17	18	21
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	2	4	5	7	6	4	8	5	5	7	5
	Hare (unspec.)	11	2	2	2	5	10	7	0	3	1	4
	Wolf	0	3	4	5	6	5	2	8	3	6	4
<i>Birds</i>	Brant	3	4	4	5	4	0	0	1	6	1	3
	Eider (unspec.)	5	4	1	5	3	3	1	1	2	0	3
	Goose (Canada)	1	1	1	1	1	2	1	2	3	0	1
	Goose (Greater White-fronted)	1	1	0	3	0	0	2	0	0	0	1
	Goose (Snow)	27	25	30	30	35	24	29	26	24	29	28
	Oldsquaw	0	0	1	0	0	0	0	0	0	0	0
	Pintail (Northern)	1	0	0	0	1	0	0	0	1	0	0
	Ptarmigan (unspec.)	8	3	2	1	7	14	9	6	16	7	7
	Swan (unspec.)	0	0	2	3	3	5	4	4	1	1	2

Some hunters may have hunted in more than one year but are only counted once in the total.

Tuktoyaktuk

Tables

TUKTOYAKTUK

Table 111 Total estimated harvest, selected species, monthly, Tuktoyaktuk, 1988

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total†
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	0	1	0	0	0	5	0	0	0	7 ± 3
	Whale (Beluga)	0	0	0	0	0	2	35	3	0	0	0	0	41 ± 8
<i>Fish</i>	Burbot	84	67	42	2	0	0	7	0	122	4	25	0	354 ± 85
	Char (Arctic)	0	0	0	0	0	0	0	0	13	0	0	0	13 ± 7
	Cisco (unspec.)	0	0	0	0	0	0	2753	872	38326	0	0	0	41951 ± 7129
	Cod (Saffron)	0	0	0	0	13	18	0	0	0	0	0	0	31 ± 20
	Flounder	1	4	2	1	0	0	0	0	0	0	0	0	9 ± 4
	Herring (Pacific)	0	0	0	0	69	0	0	0	4231	2215	583	501	7599 ± 1869
	Herring/Cisco (unspec.)	0	0	0	0	0	0	2019	0	485	0	0	0	2504 ± 1605
	Inconnu	128	18	14	7	0	0	435	0	1031	0	50	0	1682 ± 531
	Pike (Northern)	0	0	2	0	0	0	0	0	13	0	0	0	16 ± 10
	Trout (Lake)	0	0	99	42	214	23	8	5	8	0	0	0	400 ± 86
	Whitefish (Broad)	0	0	76	0	13	25	387	443	12927	0	0	0	13869 ± 3767
	Whitefish (Lake)	7	6	10	0	0	0	26	268	1668	0	0	0	1985 ± 801
	Whitefish (unspec.)	0	0	0	0	38	0	203	0	549	167	153	167	1277 ± 448
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	0	0	0	0	0	1	0	0	1 ± 1
	Bear (Polar)	1	6	4	1	0	0	0	0	0	0	0	0	12 ± 4
	Caribou	157	192	121	38	5	0	0	34	183	80	161	32	1003 ± 67
	Moose	2	1	1	0	0	0	0	0	0	0	1	0	6 ± 2
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	88	90	200	0	0	0	0	0	0	0	25	7	409 ± 117
	Fox (Coloured)	52	34	12	1	0	0	0	0	0	0	46	39	184 ± 30
	Hare (unspec.)	0	0	109	39	0	0	0	0	0	0	0	0	148 ± 65
	Lynx	5	0	0	0	0	0	0	0	0	0	0	0	5 ± 4
	Marten (American)	126	24	7	0	0	0	0	0	0	0	19	53	229 ± 71
	Mink (American)	18	5	0	0	0	0	0	0	0	0	0	0	23 ± 8
	Muskrat	0	0	0	0	15	0	0	0	0	0	0	0	15 ± 14
	Wolf	7	5	0	0	1	0	0	0	0	0	0	0	13 ± 4
	Wolverine	9	0	0	0	0	0	0	0	0	0	0	0	9 ± 5
<i>Birds</i>	Brant	0	0	0	0	469	427	9	9	0	0	0	0	914 ± 159
	Eider (unspec.)	0	0	0	0	0	5	0	0	1	0	0	0	6 ± 4
	Goose (Canada)	0	0	0	0	36	12	0	0	1	0	0	0	50 ± 22
	Goose (Greater White-fronted)	0	0	0	0	1438	266	4	7	58	0	0	0	1774 ± 228
	Goose (Snow)	0	0	1	0	1348	577	18	312	836	0	0	0	3092 ± 335
	Mallard	0	0	0	0	8	0	0	13	0	0	0	0	21 ± 15
	Pintail (Northern)	0	0	0	0	0	18	0	5	114	0	0	0	138 ± 45
	Ptarmigan (unspec.)	30	14	37	31	0	119	0	47	650	221	62	0	1213 ± 231
	Scoter (unspec.)	0	0	0	0	0	18	0	5	36	0	0	0	60 ± 24
	Swan (unspec.)	0	0	0	0	0	15	0	0	8	0	0	0	23 ± 9
	Wigeon (American)	0	0	0	0	0	0	0	16	44	0	0	0	60 ± 39

Other harvested species reported, monthly, Tuktoyaktuk, 1988

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Sculpin (Fourhorn)	0	1	0	0	0	0	0	0	0	0	0	0	1
<i>Birds</i>	Canvasback	0	0	0	0	0	0	0	0	23	0	0	0	23
	Goose (unspec.)	0	0	0	0	0	0	0	0	15	0	0	0	15
	Merganser (unspec.)	0	0	0	0	0	0	0	0	6	0	0	0	6
	Shoveler	0	0	0	0	0	0	0	6	8	0	0	0	14

† Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 112 Hunter response, and number of hunters harvesting selected species, monthly, Tuktoyaktuk, 1988

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1988
Hunter list		119	119	119	119	119	119	119	119	119	118	118	117	119
Survey population		119	119	119	119	119	117	118	118	114	112	112	109	119
Hunters interviewed		98	99	96	97	95	95	90	88	94	85	90	83	116
Harvested		36	38	31	17	59	32	26	21	66	21	28	6	112
Response Rate (%)		82	83	81	82	80	81	76	75	82	76	80	76	80 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	0	1	1	1	1	2	0	0	0	3
	Whale (Beluga)	0	0	0	0	0	1	19	2	0	0	0	0	21
<i>Fish</i>	Burbot	4	2	3	1	0	0	1	0	15	1	1	0	21
	Char (Arctic)	0	0	0	0	0	0	0	0	3	0	0	0	3
	Cisco (unspec.)	0	0	0	0	0	0	4	3	39	0	0	0	43
	Cod (Saffron)	0	0	0	0	1	1	0	0	0	0	0	0	2
	Flounder	1	1	1	1	0	0	0	0	0	0	0	0	1
	Herring (Pacific)	0	0	0	0	2	0	0	0	9	4	2	1	12
	Herring/Cisco (unspec.)	0	0	0	0	0	0	5	0	1	0	0	0	6
	Inconnu	2	1	2	1	0	0	4	0	25	0	1	0	32
	Pike (Northern)	0	0	1	0	0	0	0	0	2	0	0	0	3
	Trout (Lake)	0	0	6	7	19	4	1	1	2	0	0	0	31
	Whitefish (Broad)	0	0	2	0	1	1	5	3	32	0	0	0	37
<i>Big Game</i>	Whitefish (Lake)	1	1	2	0	0	0	1	1	15	0	0	0	8
	Whitefish (unspec.)	0	0	0	0	1	0	3	0	3	1	1	1	7
	Bear (Grizzly)	0	0	0	0	0	0	0	0	0	1	0	0	1
	Bear (Polar)	1	4	3	1	0	0	0	0	0	0	0	0	7
<i>Fur Bearers/Small Mammals</i>	Caribou	23	27	18	9	2	0	0	7	22	17	22	5	75
	Moose	1	1	1	0	0	0	0	0	0	0	1	0	3
	Fox (Arctic)	15	8	11	0	0	0	0	0	0	0	6	1	29
	Fox (Coloured)	10	8	7	1	0	0	0	0	0	0	8	2	30
<i>Birds</i>	Hare (unspec.)	0	0	5	2	0	0	0	0	0	0	0	0	5
	Lynx	1	0	0	0	0	0	0	0	0	0	0	0	1
	Marten (American)	7	4	2	0	0	0	0	0	0	0	1	1	12
	Mink (American)	4	2	0	0	0	0	0	0	0	0	0	0	5
	Muskrat	0	0	0	0	1	0	0	0	0	0	0	0	1
	Wolf	6	3	0	0	1	0	0	0	0	0	0	0	8
	Wolverine	3	0	0	0	0	0	0	0	0	0	0	0	3
	Brant	0	0	0	0	20	21	1	1	0	0	0	0	38
	Eider (unspec.)	0	0	0	0	0	1	0	0	1	0	0	0	2
	Goose (Canada)	0	0	0	0	6	1	0	0	1	0	0	0	8
	Goose (Greater White-fronted)	0	0	0	0	49	16	1	2	8	0	0	0	63
	Goose (Snow)	0	0	1	0	49	19	1	12	24	0	0	0	77
	Mallard	0	0	0	0	1	0	0	1	0	0	0	0	2
	Pintail (Northern)	0	0	0	0	0	2	0	1	8	0	0	0	11
	Ptarmigan (unspec.)	1	1	3	2	0	5	0	2	24	3	1	0	36
	Scoter (unspec.)	0	0	0	0	0	3	0	1	3	0	0	0	7
	Swan (unspec.)	0	0	0	0	0	4	0	0	4	0	0	0	8
	Wigeon (American)	0	0	0	0	0	0	0	1	2	0	0	0	3

Δ Mean monthly response rate.

Some hunters may have hunted in more than one month but are only counted once in the total.

Table 113 Total estimated harvest, selected species, monthly, Tuktoyaktuk, 1989

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	0	0	0	0	0	0	5	0	0	5 ± 0
	Whale (Beluga)	0	0	0	0	0	1	21	5	0	0	0	0	27 ± 2
<i>Fish</i>	Cod (Saffron)	0	0	0	0	30	51	0	0	0	0	0	0	80 ± 15
	Herring (Pacific)	0	0	0	0	3	0	102	2425	4167	0	0	0	6697 ± 826
	Herring/Cisco (unspec.)	0	0	0	0	0	31	1250	782	6778	0	0	0	8840 ± 1213
	Inconnu	0	0	0	0	1	81	0	20	1546	0	0	0	1649 ± 398
	Trout (Lake)	0	1	8	42	329	13	0	0	0	0	0	2	395 ± 25
	Whitefish (unspec.)	0	0	0	0	0	0	1261	799	4430	0	0	0	6490 ± 872
<i>Big Game</i>	Bear (Polar)	2	4	1	1	0	0	0	0	0	0	0	3	11 ± 1
	Caribou	41	101	90	25	11	0	11	31	53	41	123	58	586 ± 11
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	5	9	4	1	0	0	0	0	0	0	6	0	25 ± 3
	Fox (Coloured)	16	14	1	0	0	0	0	0	0	0	22	16	70 ± 3
	Hare (unspec.)	0	0	0	4	0	0	0	0	0	0	0	0	4 ± 1
	Marten (American)	19	33	0	0	0	0	0	0	0	10	31	0	93 ± 9
	Muskrat	0	0	0	0	72	0	0	0	0	0	0	0	72 ± 19
	Wolf	0	4	5	1	0	0	0	0	0	0	20	14	44 ± 1
	Wolverine	1	1	2	0	0	0	0	0	0	0	0	0	4 ± 1
<i>Birds</i>	Brant	0	0	0	0	100	63	0	0	0	0	0	0	163 ± 16
	Eider (unspec.)	0	0	0	0	11	0	0	0	0	0	0	0	11 ± 3
	Goose (Greater White-fronted)	0	0	0	0	520	11	0	0	8	0	0	0	539 ± 36
	Goose (Snow)	0	0	0	15	652	56	0	72	142	0	0	0	938 ± 52
	Mallard	0	0	0	0	0	0	0	0	31	0	0	0	31 ± 8
	Oldsquaw	0	0	0	0	20	0	0	0	0	0	0	0	20 ± 5
	Pintail (Northern)	0	0	0	0	5	0	0	0	0	0	0	0	5 ± 1
	Ptarmigan (unspec.)	0	17	41	150	81	22	0	0	150	0	0	0	462 ± 34
	Scoter (unspec.)	0	0	0	0	15	0	0	0	0	0	0	0	15 ± 3
	Swan (unspec.)	0	0	0	0	2	0	0	0	0	0	0	0	2 ± 1
	Wigeon (American)	0	0	0	0	5	0	0	0	0	0	0	0	5 ± 1

Other harvested species reported, monthly, Tuktoyaktuk, 1989

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Marine Mammals</i>	Seal (unspec.)	0	0	0	0	0	0	0	2	6	0	0	0	8
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	5	0	0	0	0	0	0	0	5
	Loon (unspec.)	0	0	0	0	5	0	0	0	0	0	0	0	5

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 114 Hunter response, and number of hunters harvesting selected species, monthly, Tuktoyaktuk, 1989

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1989
Hunter list		129	128	128	127	119	119	119	119	119	107	107	108	129
Survey population		124	123	125	125	118	118	118	118	118	106	106	107	127
Hunters interviewed		121	120	123	123	116	116	116	116	116	106	106	107	125
Harvested		12	25	22	16	36	10	18	18	26	10	26	23	80
Response Rate (%)		98	98	98	98	98	98	98	98	98	100	100	100	99 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	0	0	0	0	0	0	1	0	0	1
	Whale (Beluga)	0	0	0	0	0	1	13	3	0	0	0	0	15
<i>Fish</i>	Cod (Saffron)	0	0	0	0	1	1	0	0	0	0	0	0	2
	Herring (Pacific)	0	0	0	0	1	0	1	4	7	0	0	0	11
	Herring/Cisco (unspec.)	0	0	0	0	0	1	5	3	4	0	0	0	7
	Inconnu	0	0	0	0	1	2	0	1	2	0	0	0	6
	Trout (Lake)	0	1	2	6	18	1	0	0	0	0	0	1	24
	Whitefish (unspec.)	0	0	0	0	0	0	7	5	7	0	0	0	12
<i>Big Game</i>	Bear (Polar)	2	3	1	1	0	0	0	0	0	0	0	2	6
	Caribou	8	19	17	6	4	0	2	7	9	8	23	17	65
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	1	1	1	1	0	0	0	0	0	0	1	0	4
	Fox (Coloured)	3	3	1	0	0	0	0	0	0	0	5	2	9
	Hare (unspec.)	0	0	0	1	0	0	0	0	0	0	0	0	1
	Marten (American)	2	2	0	0	0	0	0	0	0	1	3	0	6
	Muskrat	0	0	0	0	2	0	0	0	0	0	0	0	2
	Wolf	0	3	2	1	0	0	0	0	0	0	5	4	11
	Wolverine	1	1	2	0	0	0	0	0	0	0	0	0	2
<i>Birds</i>	Brant	0	0	0	0	7	3	0	0	0	0	0	0	10
	Eider (unspec.)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Goose (Greater White-fronted)	0	0	0	0	22	2	0	0	2	0	0	0	26
	Goose (Snow)	0	0	0	1	26	2	0	3	7	0	0	0	32
	Mallard	0	0	0	0	0	0	0	0	1	0	0	0	1
	Oldsquaw	0	0	0	0	1	0	0	0	0	0	0	0	1
	Pintail (Northern)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Ptarmigan (unspec.)	0	2	2	5	2	1	0	0	5	0	0	0	14
	Scoter (unspec.)	0	0	0	0	2	0	0	0	0	0	0	0	2
	Swan (unspec.)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Wigeon (American)	0	0	0	0	1	0	0	0	0	0	0	0	1

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 115 Total estimated harvest, selected species, monthly, Tuktoyaktuk, 1990

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Whale (Beluga)	0	0	0	0	0	1	21	0	0	0	0	0	22 ± 4
<i>Fish</i>	Burbot	0	0	0	1	0	0	12	12	3	58	25	0	112 ± 48
	Cod (Saffron)	0	0	0	0	0	0	0	0	12	0	0	0	12 ± 9
	Herring (Pacific)	0	0	0	0	0	0	23	1922	932	350	0	0	3227 ± 1189
	Herring/Cisco (unspec.)	0	0	0	0	0	0	1880	2633	7864	3508	3346	0	19231 ± 4219
	Inconnu	0	0	0	0	0	0	47	383	425	435	361	0	1651 ± 435
	Pike (Northern)	0	11	0	2	0	0	12	2	2	0	0	0	30 ± 12
	Trout (Lake)	0	17	40	65	465	0	0	0	0	35	70	0	692 ± 94
	Whitefish (Lake)	0	0	0	0	0	0	176	175	175	524	577	0	1627 ± 480
	Whitefish (unspec.)	0	335	0	0	0	0	1081	2202	1660	930	402	384	6994 ± 1508
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	1	0	0	0	0	1	0	0	2 ± 1
	Bear (Polar)	4	2	1	0	0	0	0	0	0	0	0	0	8 ± 2
	Caribou	49	48	53	31	56	0	2	17	35	68	223	150	732 ± 67
	Moose	0	0	2	1	0	0	0	0	1	0	0	0	5 ± 2
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	1	0	0	0	0	0	0	0	0	0	25	2	28 ± 10
	Fox (Coloured)	2	0	0	0	0	0	0	0	0	0	7	23	32 ± 17
	Hare (unspec.)	0	0	0	0	11	0	0	0	0	0	0	0	11 ± 7
	Marten (American)	0	0	0	0	0	0	0	0	0	0	1	0	1 ± 1
	Muskrat	0	0	0	0	27	0	0	0	0	0	0	0	27 ± 16
	Wolf	15	2	1	0	0	0	0	0	0	0	6	2	26 ± 4
	Wolverine	0	0	1	0	0	0	0	0	0	0	0	6	7 ± 8
<i>Birds</i>	Brant	0	0	0	0	60	57	0	0	0	0	0	0	117 ± 33
	Goose (Canada)	0	0	0	0	2	0	0	0	0	0	0	0	2 ± 1
	Goose (Greater White-fronted)	0	0	0	11	881	31	0	0	0	0	0	0	923 ± 95
	Goose (Snow)	0	0	0	51	1989	98	0	134	270	0	0	0	2543 ± 267
	Mallard	0	0	0	0	0	0	0	0	15	0	0	0	15 ± 9
	Pintail (Northern)	0	0	0	0	0	0	0	0	6	0	0	0	6 ± 4
	Ptarmigan (unspec.)	0	0	0	0	0	13	0	52	0	47	0	0	112 ± 47
	Scoter (unspec.)	0	0	0	0	1	0	12	0	0	0	0	0	13 ± 9
	Swan (unspec.)	0	0	0	0	10	0	0	0	0	0	0	0	10 ± 4

Other harvested species reported, monthly, Tuktoyaktuk, 1990

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Marine Mammals</i>	Seal (unspec.)	0	0	0	0	0	0	0	6	16	25	0	0	47
	Walrus	0	0	0	0	0	0	0	1	0	0	0	0	1
<i>Birds</i>	Loon (unspec.)	0	0	0	0	0	0	2	0	0	0	0	0	2

#Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 116 Hunter response, and number of hunters harvesting selected species, monthly, Tuktoyaktuk, 1990

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1990
Hunter list		134	133	133	133	133	133	132	131	131	131	131	136	138
Survey population		128	123	123	123	123	123	121	120	120	120	120	123	131
Hunters interviewed		122	110	110	111	112	110	103	103	103	103	104	64	125
Harvested		19	9	13	15	48	9	19	16	23	20	39	14	76
Response Rate (%)		95	89	89	90	91	89	85	86	86	86	87	52	86 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Whale (Beluga)	0	0	0	0	0	1	15	0	0	0	0	0	16
<i>Fish</i>	Burbot	0	0	0	1	0	0	1	1	1	1	2	0	4
	Cod (Saffron)	0	0	0	0	0	0	0	0	1	0	0	0	1
	Herring (Pacific)	0	0	0	0	0	0	1	4	4	1	0	0	6
	Herring/Cisco (unspec.)	0	0	0	0	0	0	2	4	7	4	2	0	9
	Inconnu	0	0	0	0	0	0	2	7	7	4	3	0	11
	Pike (Northern)	0	1	0	1	0	0	1	1	1	0	0	0	4
	Trout (Lake)	0	1	3	6	24	0	0	0	0	1	2	0	26
	Whitefish (Lake)	0	0	0	0	0	0	1	1	1	2	2	0	3
	Whitefish (unspec.)	0	1	0	0	0	0	6	9	11	6	4	1	15
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	1	0	0	0	0	1	0	0	2
	Bear (Polar)	4	2	1	0	0	0	0	0	0	0	0	0	4
	Caribou	13	8	9	7	12	0	2	6	9	11	36	11	56
	Moose	0	0	1	1	0	0	0	0	1	0	0	0	3
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	1	0	0	0	0	0	0	0	0	0	5	1	6
	Fox (Coloured)	1	0	0	0	0	0	0	0	0	0	5	3	7
	Hare (unspec.)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Marten (American)	0	0	0	0	0	0	0	0	0	0	1	0	1
	Muskrat	0	0	0	0	1	0	0	0	0	0	0	0	1
	Wolf	5	1	1	0	0	0	0	0	0	0	3	1	8
	Wolverine	0	0	1	0	0	0	0	0	0	0	0	1	2
<i>Birds</i>	Brant	0	0	0	0	7	3	0	0	0	0	0	0	10
	Goose (Canada)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Goose (Greater White-fronted)	0	0	0	1	41	4	0	0	0	0	0	0	44
	Goose (Snow)	0	0	0	2	43	6	0	3	7	0	0	0	51
	Mallard	0	0	0	0	0	0	0	0	2	0	0	0	2
	Pintail (Northern)	0	0	0	0	0	0	0	0	1	0	0	0	1
	Ptarmigan (unspec.)	0	0	0	0	0	1	0	1	0	2	0	0	4
	Scoter (unspec.)	0	0	0	0	1	0	1	0	0	0	0	0	2
	Swan (unspec.)	0	0	0	0	2	0	0	0	0	0	0	0	2

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 117 Total estimated harvest, selected species, monthly, Tuktoyaktuk, 1991

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	2	0	0	2	12	39	12	0	0	67 ± 9
	Whale (Beluga)	0	0	0	0	0	0	54	5	0	2	0	0	62 ± 4
<i>Fish</i>	Burbot	0	0	0	0	0	21	45	0	5	0	589	2	663 ± 312
	Cisco (unspec.)	0	0	0	0	0	15888	3427	3686	4721	3680	0	0	31402 ± 7382
	Cod (Saffron)	0	0	0	0	0	0	63	0	0	0	0	0	63 ± 26
	Flounder	0	0	0	0	0	211	52	0	0	0	0	0	263 ± 98
	Herring (Pacific)	0	0	0	0	85	200	732	527	4757	161	0	0	6463 ± 1238
	Inconnu	0	106	0	0	53	680	869	406	2106	921	984	0	6126 ± 969
	Pike (Northern)	0	0	0	0	0	32	63	0	0	0	0	3	98 ± 30
	Trout (Lake)	4	5	55	43	88	4	10	13	44	64	2	27	361 ± 43
	Whitefish (Broad)	107	0	0	0	0	258	4733	4325	3190	423	125	49	13211 ± 1216
	Whitefish (Lake)	0	0	0	0	0	105	680	148	21	300	0	0	1254 ± 259
<i>Big Game</i>	Bear (Grizzly)	0	0	0	3	1	0	0	0	0	0	0	0	4 ± 1
	Bear (Polar)	0	3	5	0	0	0	0	0	0	0	0	0	9 ± 2
	Caribou	143	145	192	76	19	1	38	101	100	158	241	113	1325 ± 51
	Moose	0	0	0	1	0	0	0	0	2	0	0	0	3 ± 1
	Muskox	0	0	0	2	0	0	0	0	0	0	0	0	2 ± 1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	1	13	15	0	0	0	0	0	0	0	35	43	106 ± 15
	Fox (Coloured)	18	16	19	1	0	0	0	0	0	0	61	37	153 ± 14
	Hare (unspec.)	0	0	0	14	0	0	0	0	0	0	0	0	14 ± 6
	Lynx	0	0	0	0	0	0	0	0	0	0	3	0	3 ± 1
	Marten (American)	0	0	0	0	0	0	0	0	0	0	27	26	54 ± 17
	Mink (American)	0	0	0	0	0	0	0	0	0	0	4	4	9 ± 3
	Muskrat	0	0	48	53	9	0	0	0	0	0	0	0	109 ± 25
	Wolf	4	6	40	12	0	0	0	0	0	3	9	15	90 ± 9
	Wolverine	4	1	1	3	0	0	0	0	0	0	5	2	17 ± 2
<i>Birds</i>	Brant	0	0	0	0	156	712	0	0	0	0	0	0	868 ± 109
	Eider (unspec.)	0	0	0	0	19	5	0	0	0	0	0	0	24 ± 10
	Goose (Canada)	0	0	0	0	2	0	0	0	2	0	0	0	4 ± 1
	Goose (Greater White-fronted)	0	0	0	21	797	63	0	5	0	0	0	0	887 ± 72
	Goose (Snow)	0	0	0	0	829	135	0	339	16	0	0	0	1319 ± 88
	Mallard	0	0	0	0	2	0	0	0	0	0	0	0	2 ± 1
	Oldsquaw	0	0	0	0	0	2	0	0	13	0	0	0	15 ± 6
	Pintail (Northern)	0	0	0	0	0	4	0	0	0	0	0	0	4 ± 2
	Ptarmigan (unspec.)	0	0	32	36	69	7	0	0	54	29	11	0	238 ± 36
	Scoter (unspec.)	0	0	0	0	1	14	0	0	0	0	0	0	15 ± 5
	Swan (unspec.)	0	0	0	0	1	3	0	0	2	0	0	0	6 ± 2

Other harvested species reported, monthly, Tuktoyaktuk, 1991

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Cod (unspec.)	0	0	0	0	0	20	0	0	0	0	0	0	20
	Sculpin (Fourhorn)	0	0	0	0	0	10	100	0	0	0	0	0	110
<i>Birds</i>	Canvasback	0	0	0	0	0	6	0	0	0	0	0	0	6
	Goldeneye (unspec.)	0	0	0	0	0	7	0	0	0	0	0	0	7
	Scaup (unspec.)	0	0	0	0	0	6	0	0	0	0	0	0	6

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 118 Hunter response, and number of hunters harvesting selected species, monthly, Tuktoyaktuk, 1991

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1991
Hunter list		143	142	142	142	142	142	142	139	139	139	139	139	143
Survey population		134	133	133	132	132	136	136	135	135	135	135	135	139
Hunters interviewed		125	125	125	125	124	129	130	128	127	126	124	123	132
Harvested		33	25	38	32	66	29	60	56	38	50	52	31	105
Response Rate (%)		93	94	94	95	94	95	96	95	94	93	92	91	94 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	1	0	0	2	6	12	2	0	0	17
	Whale (Beluga)	0	0	0	0	0	0	38	5	0	2	0	0	40
<i>Fish</i>	Burbot	0	0	0	0	0	1	2	0	1	0	4	1	7
	Cisco (unspec.)	0	0	0	0	0	3	13	14	14	10	0	0	31
	Cod (Saffron)	0	0	0	0	0	0	1	0	0	0	0	0	1
	Flounder	0	0	0	0	0	1	1	0	0	0	0	0	1
	Herring (Pacific)	0	0	0	0	1	2	2	2	7	1	0	0	12
	Inconnu	0	1	0	0	1	4	12	5	6	5	4	0	26
	Pike (Northern)	0	0	0	0	0	1	1	0	0	0	0	1	2
	Trout (Lake)	1	1	6	7	8	1	1	1	3	2	1	1	26
	Whitefish (Broad)	1	0	0	0	0	6	20	22	10	9	1	1	34
	Whitefish (Lake)	0	0	0	0	0	1	5	4	1	3	0	0	9
<i>Big Game</i>	Bear (Grizzly)	0	0	0	1	1	0	0	0	0	0	0	0	2
	Bear (Polar)	0	3	4	0	0	0	0	0	0	0	0	0	7
	Caribou	29	23	25	15	8	1	18	18	14	35	45	22	90
	Moose	0	0	0	1	0	0	0	0	2	0	0	0	3
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	1	2	3	0	0	0	0	0	0	0	11	6	16
	Fox (Coloured)	3	1	2	1	0	0	0	0	0	0	12	6	19
	Hare (unspec.)	0	0	0	1	0	0	0	0	0	0	0	0	1
	Lynx	0	0	0	0	0	0	0	0	0	0	2	0	2
	Marten (American)	0	0	0	0	0	0	0	0	0	0	1	1	1
	Mink (American)	0	0	0	0	0	0	0	0	0	0	1	1	1
	Muskrat	0	0	1	3	1	0	0	0	0	0	0	0	5
	Wolf	2	3	9	4	0	0	0	0	0	1	4	6	17
	Wolverine	3	1	1	2	0	0	0	0	0	0	3	2	10
<i>Birds</i>	Brant	0	0	0	0	6	16	0	0	0	0	0	0	19
	Eider (unspec.)	0	0	0	0	1	1	0	0	0	0	0	0	1
	Goose (Canada)	0	0	0	0	1	0	0	0	1	0	0	0	2
	Goose (Greater White-fronted)	0	0	0	1	49	6	0	1	0	0	0	0	52
	Goose (Snow)	0	0	0	0	47	8	0	23	2	0	0	0	58
	Mallard	0	0	0	0	1	0	0	0	0	0	0	0	1
	Oldsquaw	0	0	0	0	0	1	0	0	1	0	0	0	2
	Pintail (Northern)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Ptarmigan (unspec.)	0	0	1	3	3	1	0	0	3	1	1	0	13
	Scoter (unspec.)	0	0	0	0	1	2	0	0	0	0	0	0	3
	Swan (unspec.)	0	0	0	0	1	1	0	0	1	0	0	0	2

Δ Mean monthly response rate.

Some hunters may have hunted in more than one month but are only counted once in the total.

Table 119 Total estimated harvest, selected species, monthly, Tuktoyaktuk, 1992

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	1	1	0	2	1	2	0	0	0	7 ± 1
	Whale (Beluga)	0	0	0	0	0	1	56	5	0	0	0	0	62 ± 3
<i>Fish</i>	Burbot	0	1	0	0	4	0	10	0	14	0	19	6	55 ± 10
	Cisco (unspec.)	0	0	0	0	0	258	2113	1812	1404	116	0	0	5704 ± 488
	Flounder	0	0	0	0	0	0	52	0	0	0	0	0	52 ± 20
	Grayling (Arctic)	0	0	0	0	0	0	0	5	1	0	0	0	6 ± 2
	Herring (Pacific)	0	0	0	0	0	26	0	0	636	32	0	0	693 ± 292
	Inconnu	0	0	0	0	0	217	376	477	1294	306	32	23	2724 ± 411
	Pike (Northern)	0	0	0	0	0	0	0	21	0	0	4	3	28 ± 8
	Trout (Lake)	8	28	59	281	581	0	31	17	32	30	0	0	1066 ± 62
	Whitefish (Broad)	0	62	0	0	416	611	5522	4285	1109	364	53	16	12437 ± 1022
	Whitefish (Lake)	0	0	0	0	0	103	21	236	0	961	148	0	1468 ± 271
<i>Big Game</i>	Bear (Grizzly)	0	0	0	2	0	0	0	0	0	1	0	0	3 ± 1
	Bear (Polar)	1	9	0	5	0	0	0	0	0	0	0	5	21 ± 2
	Caribou	124	121	149	78	77	3	6	50	91	371	178	110	1358 ± 37
	Moose	0	1	0	0	0	0	0	0	0	1	1	3	6 ± 1
	Muskox	0	0	0	1	0	0	0	0	0	0	0	0	1 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	6	1	4	0	0	0	0	0	0	0	27	39	78 ± 15
	Fox (Coloured)	23	12	2	0	0	0	0	0	0	0	38	23	99 ± 9
	Lynx	0	0	0	0	0	0	0	0	0	0	1	14	15 ± 4
	Marten (American)	0	0	0	0	0	0	0	0	0	0	37	37	74 ± 13
	Muskrat	0	0	0	21	3	0	0	0	0	0	0	0	24 ± 8
	Wolf	14	24	18	0	0	0	0	0	0	29	21	5	111 ± 7
	Wolverine	2	4	5	0	0	0	0	0	0	0	1	1	14 ± 2
<i>Birds</i>	Brant	0	0	0	0	136	209	0	15	3	0	0	0	363 ± 28
	Goose (Canada)	0	0	0	0	18	0	0	1	0	0	0	0	19 ± 4
	Goose (Greater White-fronted)	0	0	0	0	1207	83	0	2	13	0	0	0	1305 ± 72
	Goose (Snow)	0	0	0	18	2123	194	0	401	710	0	0	0	3445 ± 171
	Mallard	0	0	0	0	2	0	0	0	0	0	0	0	2 ± 1
	Ptarmigan (unspec.)	0	0	20	38	0	0	0	0	12	51	0	0	120 ± 22
	Scoter (unspec.)	0	0	0	0	5	5	11	0	0	0	0	0	22 ± 5
	Swan (unspec.)	0	0	0	0	22	0	0	0	1	0	0	0	23 ± 3

Other harvested species reported, monthly, Tuktoyaktuk, 1992

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Sculpin (Fourhorn)	0	0	0	0	0	0	0	0	3	0	0	0	3

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 120 Hunter response, and number of hunters harvesting selected species, monthly, Tuktoyaktuk, 1992

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1992
Hunter list		141	141	140	140	139	139	139	138	138	138	138	138	141
Survey population		136	136	136	133	133	132	132	132	132	133	133	133	136
Hunters interviewed		132	131	131	128	128	128	127	126	125	126	126	125	132
Harvested		31	43	32	42	85	29	52	46	51	58	43	34	108
Response Rate (%)		97	96	96	96	96	97	96	95	95	95	95	94	96 ^a
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	1	1	0	1	1	2	0	0	0	5
	Whale (Beluga)	0	0	0	0	0	1	36	4	0	0	0	0	39
<i>Fish</i>	Burbot	0	1	0	0	2	0	1	0	2	0	2	1	7
	Cisco (unspec.)	0	0	0	0	0	1	12	11	12	2	0	0	24
	Flounder	0	0	0	0	0	0	1	0	0	0	0	0	1
	Grayling (Arctic)	0	0	0	0	0	0	0	2	1	0	0	0	2
	Herring (Pacific)	0	0	0	0	0	1	0	0	2	1	0	0	4
	Inconnu	0	0	0	0	0	4	7	9	7	4	1	1	17
	Pike (Northern)	0	0	0	0	0	0	0	2	0	0	1	1	3
	Trout (Lake)	2	3	7	23	45	0	2	2	1	2	0	0	56
	Whitefish (Broad)	0	1	0	0	1	5	23	24	8	4	1	1	37
	Whitefish (Lake)	0	0	0	0	0	1	1	3	0	5	2	0	11
<i>Big Game</i>	Bear (Grizzly)	0	0	0	1	0	0	0	0	0	1	0	0	2
	Bear (Polar)	1	9	0	4	0	0	0	0	0	0	0	4	12
	Caribou	27	30	26	19	24	1	6	13	27	52	38	30	89
	Moose	0	1	0	0	0	0	0	0	0	1	1	2	5
	Muskox	0	0	0	1	0	0	0	0	0	0	0	0	1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	2	1	2	0	0	0	0	0	0	0	4	4	8
	Fox (Coloured)	5	4	2	0	0	0	0	0	0	0	6	6	15
	Lynx	0	0	0	0	0	0	0	0	0	0	1	2	3
	Marten (American)	0	0	0	0	0	0	0	0	0	0	2	2	2
	Muskrat	0	0	0	1	1	0	0	0	0	0	0	0	2
	Wolf	6	8	8	0	0	0	0	0	0	6	7	3	19
	Wolverine	2	3	1	0	0	0	0	0	0	0	1	1	6
<i>Birds</i>	Brant	0	0	0	0	15	15	0	1	1	0	0	0	26
	Goose (Canada)	0	0	0	0	6	0	0	1	0	0	0	0	7
	Goose (Greater White-fronted)	0	0	0	0	55	10	0	1	2	0	0	0	60
	Goose (Snow)	0	0	0	1	71	15	0	11	20	0	0	0	80
	Mallard	0	0	0	0	1	0	0	0	0	0	0	0	1
	Ptarmigan (unspec.)	0	0	3	4	0	0	0	0	1	2	0	0	8
	Scoter (unspec.)	0	0	0	0	1	1	1	0	0	0	0	0	3
	Swan (unspec.)	0	0	0	0	12	0	0	0	1	0	0	0	12

^a Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 121 Total estimated harvest, selected species, monthly, Tuktoyaktuk, 1993

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	4	0	0	9	0	0	13 ± 3
	Seal (Ringed)	0	0	0	0	8	0	0	2	0	20	0	0	30 ± 7
	Whale (Beluga)	0	0	0	0	0	8	41	2	0	1	0	0	52 ± 4
<i>Fish</i>	Burbot	0	50	0	0	0	0	0	0	0	43	34	0	127 ± 27
	Char (Arctic)	0	0	0	0	0	0	0	0	0	1	0	0	1 ± 1
	Cisco (unspec.)	0	0	0	0	0	11	1518	725	4377	2783	275	0	9689 ± 1806
	Cod (Saffron)	0	0	0	0	0	22	0	2	1	0	0	0	25 ± 12
	Flounder	0	0	0	0	0	0	76	0	0	0	0	0	76 ± 24
	Herring (Pacific)	0	0	0	0	0	0	0	32	1050	3	77	0	1163 ± 485
	Inconnu	19	3	0	0	0	24	573	217	336	613	319	55	2158 ± 313
	Pike (Northern)	0	0	0	0	0	0	0	0	0	11	0	0	11 ± 7
	Trout (Lake)	0	5	21	74	602	0	12	0	0	0	0	0	714 ± 62
	Whitefish (Broad)	0	0	0	0	0	185	5761	6009	1056	167	132	0	13310 ± 1319
	Whitefish (Lake)	0	0	0	0	0	22	0	65	0	222	69	0	378 ± 141
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	1	0	0	0	0	0	0	0	1 ± 1
	Bear (Polar)	0	0	4	2	2	0	0	0	0	0	0	3	12 ± 2
	Caribou	54	123	189	98	32	1	15	39	51	92	156	39	890 ± 37
	Moose	3	0	0	0	0	0	0	0	0	0	3	3	10 ± 2
	Muskox	0	0	0	2	0	0	0	0	0	0	0	0	2 ± 1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	11	0	0	0	0	0	0	0	0	68	76	0	155 ± 27
	Fox (Coloured)	1	7	1	0	0	0	0	0	0	0	22	21	52 ± 8
	Marten (American)	32	0	0	0	0	0	0	0	0	0	101	51	183 ± 45
	Muskrat	0	0	0	0	2	0	0	0	0	0	0	0	2 ± 1
	Wolf	1	6	5	0	1	0	0	0	0	0	14	0	28 ± 5
	Wolverine	3	11	0	1	0	0	0	0	0	0	4	3	23 ± 4
<i>Birds</i>	Brant	0	0	0	0	53	157	8	2	0	0	0	0	220 ± 36
	Goose (Canada)	0	0	0	0	13	0	0	0	0	0	0	0	13 ± 4
	Goose (Greater White-fronted)	0	0	0	0	761	57	2	2	0	0	0	0	823 ± 70
	Goose (Snow)	0	0	0	0	1455	121	0	549	232	0	0	0	2357 ± 162
	Pintail (Northern)	0	0	0	0	6	5	0	0	0	0	0	0	12 ± 5
	Ptarmigan (unspec.)	0	4	28	14	5	0	0	0	16	61	11	0	140 ± 25
	Scoter (unspec.)	0	0	0	0	0	16	2	0	0	0	0	0	18 ± 9
	Swan (unspec.)	0	0	0	0	49	1	0	1	1	0	0	0	52 ± 10

Other harvested species reported, monthly, Tuktoyaktuk, 1993

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Sculpin (Fourhorn)	0	0	0	0	10	0	10	0	0	0	0	0	20
	Sucker (unspec.)	0	0	0	0	0	0	0	0	0	30	0	0	30
<i>Birds</i>	Goldeneye (unspec.)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Merganser (unspec.)	0	0	0	0	0	6	0	0	0	0	0	0	6
	Shoveler	0	0	0	0	2	0	0	0	0	0	0	0	2

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 122 Hunter response, and number of hunters harvesting selected species, monthly, Tuktoyaktuk, 1993

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1993
Hunter list		141	141	141	141	141	140	139	137	137	137	137	137	141
Survey population		134	133	133	133	133	132	132	131	131	132	132	132	135
Hunters interviewed		127	125	123	123	123	122	122	121	121	120	120	120	129
Harvested		19	34	35	34	78	27	48	42	40	32	39	16	103
Response Rate (%)		95	94	92	92	92	92	92	92	92	91	91	91	92 ^a
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	0	3	0	0	4	0	0	6
	Seal (Ringed)	0	0	0	0	1	0	0	1	0	5	0	0	7
	Whale (Beluga)	0	0	0	0	0	7	28	2	0	2	0	0	31
<i>Fish</i>	Burbot	0	3	0	0	0	0	0	0	0	5	4	0	10
	Char (Arctic)	0	0	0	0	0	0	0	0	0	1	0	0	1
	Cisco (unspec.)	0	0	0	0	0	0	1	14	11	13	8	2	31
	Cod (Saffron)	0	0	0	0	0	1	0	1	1	0	0	0	3
	Flounder	0	0	0	0	0	0	3	0	0	0	0	0	3
	Herring (Pacific)	0	0	0	0	0	0	0	1	3	1	2	0	7
	Inconnu	1	1	0	0	0	1	13	6	4	8	5	1	23
	Trout (Lake)	0	2	3	12	43	0	1	0	0	0	0	0	48
	Pike (Northern)	0	0	0	0	0	0	0	0	0	1	0	0	1
	Whitefish (Broad)	0	0	0	0	0	4	27	19	9	4	2	0	37
	Whitefish (Lake)	0	0	0	0	0	1	0	1	0	2	2	0	5
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Bear (Polar)	0	0	4	1	1	0	0	0	0	0	0	0	6
	Caribou	14	27	32	24	10	1	7	14	16	22	30	9	83
	Moose	2	0	0	0	0	0	0	0	0	0	2	1	3
	Muskox	0	0	0	2	0	0	0	0	0	0	0	0	2
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	1	0	0	0	0	0	0	0	0	0	6	7	9
	Fox (Coloured)	1	2	1	0	0	0	0	0	0	0	3	4	7
	Marten (American)	1	0	0	0	0	0	0	0	0	0	2	2	2
	Muskrat	0	0	0	0	1	0	0	0	0	0	0	0	1
	Wolf	1	4	1	0	1	0	0	0	0	0	4	0	11
	Wolverine	3	4	0	1	0	0	0	0	0	0	3	1	8
<i>Birds</i>	Brant	0	0	0	0	7	13	1	1	0	0	0	0	21
	Goose (Canada)	0	0	0	0	4	0	0	0	0	0	0	0	4
	Goose (Greater White-fronted)	0	0	0	0	51	7	1	1	0	0	0	0	53
	Goose (Snow)	0	0	0	0	63	10	0	18	11	0	0	0	70
	Pintail (Northern)	0	0	0	0	1	1	0	0	0	0	0	0	2
	Ptarmigan (unspec.)	0	2	2	3	1	0	0	0	1	4	1	0	11
	Scoter (unspec.)	0	0	0	0	0	1	1	0	0	0	0	0	1
	Swan (unspec.)	0	0	0	0	18	1	0	1	1	0	0	0	19

^a Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 123 Total estimated harvest, selected species, monthly, Tuktoyaktuk, 1994

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total†
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	1	0	0	0	0	0	0	0	1 ± 1
	Seal (Ringed)	0	0	0	0	0	0	1	8	18	2	0	0	29 ± 7
	Whale (Beluga)	0	0	0	0	0	0	56	3	0	0	0	0	60 ± 6
<i>Fish</i>	Burbot	50	44	6	1	0	0	3	12	10	34	77	0	238 ± 56
	Char (Arctic)	0	0	0	0	0	0	0	13	0	0	0	0	13 ± 7
	Cisco (unspec.)	0	0	0	0	0	0	0	823	8299	584	0	0	9705 ± 1309
	Cod (Saffron)	0	0	0	0	0	0	0	9	0	0	0	0	9 ± 6
	Flounder	0	0	0	0	0	0	33	267	0	0	0	0	300 ± 102
	Grayling (Arctic)	0	0	0	0	0	0	0	0	11	0	0	0	11 ± 7
	Herring (Pacific)	0	0	0	0	0	0	110	623	0	4234	0	0	4967 ± 880
	Inconnu	17	22	0	4	1	10	346	744	447	387	92	0	2070 ± 292
	Pike (Northern)	0	0	0	0	0	0	0	1	22	79	115	29	246 ± 102
	Trout (Lake)	0	42	39	35	689	0	0	1	0	56	3	0	867 ± 90
	Whitefish (Broad)	0	0	0	3	0	199	8429	3519	801	13	288	0	13253 ± 1145
	Whitefish (Lake)	0	0	0	1	11	0	0	67	225	0	6	0	309 ± 155
<i>Big Game</i>	Bear (Polar)	2	0	2	1	0	0	0	0	0	0	0	0	6 ± 2
	Caribou	162	129	76	45	3	0	2	8	45	133	213	140	955 ± 45
	Moose	0	0	0	0	0	0	0	0	4	0	0	0	4 ± 2
	Muskox	0	0	0	1	0	0	0	0	0	0	0	0	1 ± 1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	51	19	60	76	0	0	0	0	0	0	0	2	209 ± 56
	Fox (Coloured)	12	13	20	1	0	0	0	0	0	0	0	7	59 ± 10
	Marten (American)	0	0	0	0	0	0	0	0	0	0	108	104	212 ± 55
	Mink (American)	0	0	1	0	0	0	0	0	0	0	0	0	1 ± 1
	Wolf	0	3	3	1	0	0	0	0	0	0	0	12	25 ± 7
	Wolverine	1	6	1	0	0	0	0	0	0	0	3	5	16 ± 4
<i>Birds</i>	Brant	0	0	0	0	233	223	0	0	0	0	0	0	456 ± 73
	Goose (Canada)	0	0	0	2	11	0	0	0	0	0	0	0	13 ± 3
	Goose (Greater White-fronted)	0	0	0	0	663	17	0	0	0	0	0	0	679 ± 74
	Goose (Snow)	0	0	0	1	1741	87	0	120	146	0	0	0	2096 ± 195
	Ptarmigan (unspec.)	6	0	31	31	22	0	0	0	0	11	28	0	129 ± 25
	Scoter (unspec.)	0	0	0	0	0	0	6	0	0	0	0	0	6 ± 3
	Swan (unspec.)	0	0	0	0	33	3	0	0	0	0	0	0	36 ± 5

Other harvested species reported, monthly, Tuktoyaktuk, 1994

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Sculpin (Fourhorn)	0	0	0	0	0	0	0	125	0	0	0	0	125
	Sucker (unspec.)	0	0	0	0	0	0	0	0	60	0	0	0	60
<i>Fur Bearers/Small Mammals</i>	Ermine	0	0	0	0	0	0	0	0	0	0	18	20	38
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Loon (Common)	0	0	0	0	0	0	0	0	1	0	0	0	1

† Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 124 Hunter response, and number of hunters harvesting selected species, monthly, Tuktoyaktuk, 1994

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1994
Hunter list		150	150	149	149	149	148	148	147	147	146	146	146	151
Survey population		141	140	139	137	137	138	138	139	137	137	136	135	143
Hunters interviewed		127	126	125	124	124	125	125	125	122	122	118	117	129
Harvested		36	38	24	25	68	26	57	45	35	38	52	35	102
Response Rate (%)		90	90	90	91	91	91	91	90	89	89	87	87	89 ^a
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Seal (Ringed)	0	0	0	0	0	0	1	6	4	1	0	0	10
	Whale (Beluga)	0	0	0	0	0	0	36	4	0	0	0	0	36
<i>Fish</i>	Burbot	2	1	1	1	0	0	1	3	2	2	4	0	13
	Char (Arctic)	0	0	0	0	0	0	0	2	0	0	0	0	2
	Cisco (unspec.)	0	0	0	0	0	0	0	5	21	2	0	0	24
	Cod (Saffron)	0	0	0	0	0	0	0	1	0	0	0	0	1
	Flounder	0	0	0	0	0	0	3	4	0	0	0	0	5
	Grayling (Arctic)	0	0	0	0	0	0	0	0	1	0	0	0	1
	Herring (Pacific)	0	0	0	0	0	0	1	5	0	14	0	0	18
	Inconnu	1	1	0	1	1	3	10	20	8	7	3	0	31
	Pike (Northern)	0	0	0	0	0	0	0	1	1	1	1	1	2
	Trout (Lake)	0	6	5	9	46	0	0	1	0	1	1	1	51
	Whitefish (Broad)	0	0	0	1	0	14	36	31	12	1	2	0	46
	Whitefish (Lake)	0	0	0	1	1	0	0	1	1	0	1	0	4
<i>Big Game</i>	Bear (Polar)	2	0	2	1	0	0	0	0	0	0	0	0	3
	Caribou	31	27	15	18	3	0	2	4	7	28	46	31	81
	Moose	0	0	0	0	0	0	0	0	2	0	0	0	2
	Muskox	0	0	0	1	0	0	0	0	0	0	0	0	1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	3	2	2	2	0	0	0	0	0	0	0	1	4
	Fox (Coloured)	2	3	4	1	0	0	0	0	0	0	3	2	7
	Marten (American)	0	0	0	0	0	0	0	0	0	0	3	3	3
	Mink (American)	0	0	1	0	0	0	0	0	0	0	0	0	1
	Wolf	0	3	1	1	0	0	0	0	0	0	2	3	9
	Wolverine	1	4	1	0	0	0	0	0	0	0	3	1	7
<i>Birds</i>	Brant	0	0	0	0	9	14	0	0	0	0	0	0	22
	Goose (Canada)	0	0	0	1	6	0	0	0	0	0	0	0	7
	Goose (Greater White-fronted)	0	0	0	0	38	2	0	0	0	0	0	0	38
	Goose (Snow)	0	0	0	1	52	4	0	7	5	0	0	0	55
	Ptarmigan (unspec.)	1	0	4	3	1	0	0	0	0	2	3	0	9
	Scoter (unspec.)	0	0	0	0	0	0	1	0	0	0	0	0	1
	Swan (unspec.)	0	0	0	0	17	3	0	0	0	0	0	0	20

^a Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 125 Total estimated harvest, selected species, monthly, Tuktoyaktuk, 1995

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total‡
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	0	2	1	2	5	0	0	0	0	11 ± 2
	Whale (Beluga)	0	0	0	0	0	0	42	3	0	0	0	0	45 ± 3
<i>Fish</i>	Burbot	32	8	3	0	4	0	11	3	46	227	0	0	334 ± 57
	Cisco (unspec.)	0	0	0	0	16	64	149	3907	1509	193	0	0	5839 ± 457
	Cod (Saffron)	0	0	0	0	0	0	0	5	20	0	0	0	26 ± 7
	Flounder	0	0	0	0	2	93	309	234	89	75	11	0	814 ± 84
	Herring (Pacific)	0	0	0	0	0	0	0	43	3746	451	1998	0	6237 ± 613
	Inconnu	27	4	2	0	21	264	779	852	422	180	259	0	2810 ± 191
	Pike (Northern)	0	0	0	0	0	0	1	2	0	0	0	0	3 ± 1
	Trout (Lake)	6	10	24	42	560	21	213	161	0	0	6	0	1043 ± 147
	Whitefish (Broad)	0	0	0	0	0	840	6336	2855	1073	886	65	0	12054 ± 750
	Whitefish (Lake)	42	0	0	0	0	100	544	596	161	0	259	0	1702 ± 201
<i>Big Game</i>	Bear (Polar)	0	0	1	0	0	0	0	0	0	0	0	0	1 ± 1
	Caribou	142	129	24	20	3	0	1	5	79	32	218	36	691 ± 36
	Muskox	0	0	0	1	0	0	0	0	0	0	0	0	1 ± 1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	22	16	29	6	0	0	0	0	0	0	9	0	82 ± 20
	Fox (Coloured)	37	0	17	1	0	0	0	0	0	0	1	0	56 ± 18
	Marten (American)	32	78	54	43	0	0	0	0	0	0	0	0	207 ± 49
	Wolf	5	8	5	1	0	0	0	0	0	0	10	3	33 ± 4
	Wolverine	1	12	2	0	0	0	0	0	0	0	2	2	19 ± 3
<i>Birds</i>	Brant	0	0	0	0	248	276	0	0	0	0	0	0	523 ± 63
	Eider (unspec.)	0	0	0	0	11	5	0	0	0	0	0	0	16 ± 4
	Goose (Canada)	0	0	0	0	2	0	0	0	0	0	0	0	2 ± 1
	Goose (Greater White-fronted)	0	0	0	0	645	48	0	11	21	0	0	0	726 ± 77
	Goose (Snow)	0	0	0	0	1913	113	0	84	16	0	0	0	2125 ± 203
	Ptarmigan (unspec.)	17	0	0	18	54	0	0	0	0	38	57	6	189 ± 32
	Swan (unspec.)	0	0	0	0	57	8	0	1	0	0	0	0	65 ± 6

Other harvested species reported, monthly, Tuktoyaktuk, 1995

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Sculpin (Fourhorn)	0	0	0	0	0	0	0	0	0	12	0	0	12
<i>Fur Bearers/Small Mammals</i>	Ermine	0	8	0	0	0	0	0	0	0	0	0	0	8

‡ Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 126 Hunter response, and number of hunters harvesting selected species, monthly, Tuktoyaktuk, 1995

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1995
Hunter list		228	227	225	224	225	224	224	223	223	223	223	223	228
Survey population		207	210	209	209	208	208	208	205	205	204	203	201	213
Hunters interviewed		195	198	195	195	194	194	195	191	191	190	188	182	201
Harvested		30	23	17	19	71	38	51	45	33	20	46	7	96
Response Rate (%)		94	94	93	93	93	93	94	93	93	93	93	91	93 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	0	2	1	3	5	0	0	0	0	8
	Whale (Beluga)	0	0	0	0	0	0	34	5	0	0	0	0	36
<i>Fish</i>	Burbot	1	1	1	0	1	0	4	2	11	7	0	0	20
	Cisco (unspec.)	0	0	0	0	1	2	3	32	23	3	0	0	40
	Cod (Saffron)	0	0	0	0	0	0	0	1	6	0	0	0	7
	Flounder	0	0	0	0	1	6	8	19	10	2	2	0	30
	Herring (Pacific)	0	0	0	0	0	0	0	1	26	5	8	0	31
	Inconnu	2	1	1	0	1	15	20	31	21	8	8	0	46
	Pike (Northern)	0	0	0	0	0	0	1	1	0	0	0	0	2
	Trout (Lake)	2	4	8	11	41	1	1	1	0	0	3	0	49
	Whitefish (Broad)	0	0	0	0	0	26	35	21	12	6	1	0	45
	Whitefish (Lake)	1	0	0	0	0	5	10	11	2	0	2	0	18
<i>Big Game</i>	Bear (Polar)	0	0	1	0	0	0	0	0	0	0	0	0	1
	Caribou	27	19	9	9	3	0	1	5	10	8	38	7	66
	Muskox	0	0	0	1	0	0	0	0	0	0	0	0	1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	1	1	2	1	0	0	0	0	0	0	1	0	2
	Fox (Coloured)	4	0	2	1	0	0	0	0	0	0	1	0	4
	Marten (American)	1	2	1	1	0	0	0	0	0	0	0	0	2
	Wolf	3	5	1	1	0	0	0	0	0	0	5	2	8
	Wolverine	1	5	2	0	0	0	0	0	0	0	2	2	8
<i>Birds</i>	Brant	0	0	0	0	15	11	0	0	0	0	0	0	22
	Eider (unspec.)	0	0	0	0	3	1	0	0	0	0	0	0	4
	Goose (Canada)	0	0	0	0	2	0	0	0	0	0	0	0	2
	Goose (Greater White-fronted)	0	0	0	0	40	5	0	3	2	0	0	0	44
	Goose (Snow)	0	0	0	0	50	5	0	7	2	0	0	0	56
	Ptarmigan (unspec.)	1	0	0	3	2	0	0	0	0	2	5	1	10
	Swan (unspec.)	0	0	0	0	27	6	0	2	0	0	0	0	32

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 127 Total estimated harvest, selected species, monthly, Tuktoyaktuk, 1996

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	0	5	0	0	8	3	0	0	0	15 ± 7
	Whale (Beluga)	0	0	0	0	0	0	35	0	0	0	0	0	35 ± 7
<i>Fish</i>	Burbot	0	48	0	0	0	0	0	0	40	259	139	0	486 ± 209
	Cisco (unspec.)	0	0	0	0	0	236	175	3889	2450	0	0	0	6751 ± 1413
	Herring (Pacific)	0	0	0	0	0	0	0	2069	1602	1712	0	0	5383 ± 1292
	Inconnu	0	66	0	31	0	0	1067	342	283	442	99	0	2329 ± 470
	Pike (Northern)	0	0	0	0	0	0	0	9	0	0	0	0	9 ± 6
	Trout (Lake)	2	29	42	34	190	0	0	62	0	7	0	0	366 ± 144
	Whitefish (Broad)	0	0	0	0	0	0	3332	1867	1575	0	0	0	6774 ± 1074
	Whitefish (Lake)	0	24	0	23	0	63	1622	700	741	0	0	0	3173 ± 546
<i>Big Game</i>	Bear (Polar)	2	2	4	0	0	0	0	0	0	0	0	0	9 ± 3
	Caribou	120	175	131	34	7	0	1	14	53	155	127	65	883 ± 106
	Moose	0	1	0	0	0	0	0	0	0	0	0	0	1 ± 1
<i>Fur Bearers/Small Mammals</i>	Fox (Coloured)	1	4	0	0	0	0	0	0	0	0	0	2	7 ± 3
	Wolf	8	7	4	0	0	0	0	0	0	0	0	0	19 ± 5
	Wolverine	2	1	0	0	0	0	0	0	0	0	0	0	3 ± 1
<i>Birds</i>	Brant	0	0	0	0	0	323	0	0	0	0	0	0	323 ± 132
	Goose (Canada)	0	0	0	0	10	0	0	0	0	0	0	0	10 ± 15
	Goose (Greater White-fronted)	0	0	0	0	669	151	0	8	0	0	0	0	828 ± 296
	Goose (Snow)	0	0	0	0	844	457	0	16	0	0	0	0	1316 ± 557
	Ptarmigan (unspec.)	0	50	14	15	0	0	0	0	0	0	0	0	79 ± 31
	Swan (unspec.)	0	0	0	0	49	30	0	0	0	0	0	0	79 ± 25

Other harvested species reported, monthly, Tuktoyaktuk, 1996

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Herring (Lake)	0	0	0	0	0	40	0	0	0	0	0	0	40
<i>Birds</i>	Loon (unspec.)	0	0	0	0	0	1	0	0	0	0	0	0	1

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 128 Hunter response, and number of hunters harvesting selected species, monthly, Tuktoyaktuk, 1996

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1996
Hunter list		229	228	227	227	226	225	226	225	225	222	225	218	229
Survey population		210	210	210	212	214	211	209	210	206	205	205	207	217
Hunters interviewed		186	176	154	137	88	134	143	135	153	91	108	108	200
Harvested		21	31	18	9	21	12	35	21	21	19	15	9	82
Response Rate (%)		89	84	73	65	41	64	68	64	74	44	53	52	64 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total^{##}
<i>Marine Mammals</i>	Seal (Ringed)	0	0	0	0	2	0	0	3	1	0	0	0	6
	Whale (Beluga)	0	0	0	0	0	0	27	0	0	0	0	0	27
<i>Fish</i>	Burbot	0	1	0	0	0	0	0	0	2	8	2	0	10
	Cisco (unspec.)	0	0	0	0	0	3	2	20	15	0	0	0	29
	Herring (Pacific)	0	0	0	0	0	0	0	18	15	7	0	0	28
	Inconnu	0	2	0	1	0	0	18	6	6	8	2	0	29
	Pike (Northern)	0	0	0	0	0	0	0	4	0	0	0	0	4
	Trout (Lake)	1	5	9	7	11	0	0	1	0	1	0	0	27
	Whitefish (Broad)	0	0	0	0	0	0	25	17	16	0	0	0	35
<i>Big Game</i>	Whitefish (Lake)	0	1	0	1	0	2	24	11	11	0	0	0	33
	Bear (Polar)	2	2	3	0	0	0	0	0	0	0	0	0	6
	Caribou	20	26	16	5	1	0	1	4	7	15	14	9	53
<i>Fur Bearers/Small Mammals</i>	Moose	0	1	0	0	0	0	0	0	0	0	0	0	1
	Fox (Coloured)	1	2	0	0	0	0	0	0	0	0	0	1	4
	Wolf	5	3	2	0	0	0	0	0	0	0	0	0	8
<i>Birds</i>	Wolverine	2	1	0	0	0	0	0	0	0	0	0	0	3
	Brant	0	0	0	0	0	9	0	0	0	0	0	0	9
	Goose (Canada)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Goose (Greater White-fronted)	0	0	0	0	15	4	0	1	0	0	0	0	20
	Goose (Snow)	0	0	0	0	10	9	0	1	0	0	0	0	20
	Ptarmigan (unspec.)	0	4	2	1	0	0	0	0	0	0	0	0	6
	Swan (unspec.)	0	0	0	0	12	11	0	0	0	0	0	0	22

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 129 Total estimated harvest, selected species, monthly, Tuktoyaktuk, 1997

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Ringed)	0	0	3	1	4	1	4	3	6	0	0	0	23 ± 3
	Whale (Beluga)	0	0	0	0	0	0	60	3	0	0	0	0	63 ± 4
<i>Fish</i>	Burbot	7	0	0	0	0	0	2	6	0	332	125	0	472 ± 52
	Cisco (unspec.)	0	0	0	0	0	41	2920	3392	4666	1411	0	0	12430 ± 602
	Flounder	0	0	0	0	31	0	109	41	0	0	0	0	182 ± 31
	Herring (Pacific)	0	0	0	0	0	0	0	1429	865	1732	880	210	5117 ± 437
	Inconnu	22	0	22	0	1	72	1631	707	216	472	124	0	3267 ± 255
	Pike (Northern)	0	0	0	0	0	0	6	0	0	0	0	84	90 ± 36
	Trout (Lake)	17	11	10	132	799	0	228	0	11	1	3	0	1212 ± 101
	Whitefish (Broad)	0	0	0	0	0	209	3364	2693	2328	622	0	105	9321 ± 449
	Whitefish (Lake)	11	0	11	0	42	108	815	311	144	0	0	0	1442 ± 123
	Whitefish (unspec.)	0	0	0	0	0	0	0	404	0	0	0	0	404 ± 113
<i>Big Game</i>	Bear (Grizzly)	0	0	0	1	2	0	0	0	0	0	0	0	3 ± 1
	Bear (Polar)	0	0	10	2	0	0	0	0	0	0	0	1	13 ± 2
	Caribou	151	88	120	49	16	0	4	7	5	91	113	86	730 ± 26
	Moose	0	0	0	0	0	0	0	0	1	0	0	0	1 ± 0
	Muskox	0	0	0	2	0	0	0	0	0	0	0	0	2 ± 1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	20	27	30	32	0	0	0	0	0	0	21	66	195 ± 28
	Fox (Coloured)	14	15	12	20	0	0	0	0	0	0	8	8	78 ± 9
	Muskrat	0	0	0	52	31	0	0	0	0	0	0	0	84 ± 26
	Wolf	15	10	5	4	0	0	0	0	0	1	2	7	45 ± 5
	Wolverine	2	2	1	11	0	0	0	0	0	0	0	0	16 ± 5
<i>Birds</i>	Brant	0	0	0	0	106	378	0	0	0	0	0	0	484 ± 42
	Eider (unspec.)	0	0	0	0	0	21	0	0	0	0	0	0	21 ± 5
	Goose (Canada)	0	0	0	0	28	0	0	0	0	0	0	0	28 ± 8
	Goose (Greater White-fronted)	0	0	0	0	1591	202	0	0	0	0	0	0	1794 ± 101
	Goose (Snow)	0	0	0	0	2160	565	0	0	0	0	0	0	2725 ± 174
	Ptarmigan (unspec.)	21	11	22	32	8	0	0	0	0	0	37	0	131 ± 22
	Swan (unspec.)	0	0	0	0	77	18	0	0	0	0	0	0	94 ± 7

Other harvested species reported, monthly, Tuktoyaktuk, 1997

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Herring (Lake)	0	0	0	0	120	135	0	0	0	0	0	0	255
<i>Birds</i>	Loon (Common)	0	0	0	0	0	3	0	0	0	0	0	0	3

Total estimated harvest for the period plus or minus the 95% confidence interval.

Table 130 Hunter response, and number of hunters harvesting selected species, monthly, Tuktoyaktuk, 1997

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1997
Hunter list		228	227	226	226	222	219	217	215	215	213	214	215	228
Survey population		202	198	195	192	190	188	187	174	171	167	175	176	213
Hunters interviewed		186	184	181	180	181	182	179	168	166	161	169	168	199
Harvested		35	23	31	32	77	26	53	33	24	28	26	19	108
Response Rate (%)		92	93	93	94	95	97	96	97	97	96	97	95	95 ^a
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Ringed)	0	0	2	1	5	1	2	2	1	0	0	0	12
	Whale (Beluga)	0	0	0	0	0	0	38	3	0	0	0	0	40
<i>Fish</i>	Burbot	1	0	0	0	0	0	1	2	0	9	5	0	14
	Cisco (unspec.)	0	0	0	0	0	1	27	29	19	7	0	0	40
	Flounder	0	0	0	0	2	0	4	1	0	0	0	0	5
	Herring (Pacific)	0	0	0	0	0	0	0	13	5	10	2	1	22
	Inconnu	2	0	2	0	1	2	26	22	6	10	3	0	36
	Pike (Northern)	0	0	0	0	0	0	2	0	0	0	0	1	2
	Trout (Lake)	1	1	3	10	49	0	4	0	1	1	1	0	51
	Whitefish (Broad)	0	0	0	0	0	3	31	29	21	3	0	1	41
	Whitefish (Lake)	2	0	2	0	2	3	14	6	2	0	0	0	20
	Whitefish (unspec.)	0	0	0	0	0	0	0	2	0	0	0	0	2
<i>Big Game</i>	Bear (Grizzly)	0	0	0	1	1	0	0	0	0	0	0	0	1
	Bear (Polar)	0	0	7	2	0	0	0	0	0	0	0	1	8
	Caribou	33	21	26	18	6	0	3	4	5	21	24	15	66
	Moose	0	0	0	0	0	0	0	0	1	0	0	0	1
	Muskox	0	0	0	1	0	0	0	0	0	0	0	0	1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	2	2	2	2	0	0	0	0	0	0	2	3	3
	Fox (Coloured)	4	2	2	3	0	0	0	0	0	0	3	2	7
	Muskrat	0	0	0	2	1	0	0	0	0	0	0	0	2
	Wolf	5	4	3	2	0	0	0	0	0	1	2	4	8
	Wolverine	2	2	1	1	0	0	0	0	0	0	0	0	4
<i>Birds</i>	Brant	0	0	0	0	10	14	0	0	0	0	0	0	24
	Eider (unspec.)	0	0	0	0	0	2	0	0	0	0	0	0	2
	Goose (Canada)	0	0	0	0	4	0	0	0	0	0	0	0	4
	Goose (Greater White-fronted)	0	0	0	0	65	10	0	0	0	0	0	0	68
	Goose (Snow)	0	0	0	0	57	15	0	0	0	0	0	0	63
	Ptarmigan (unspec.)	2	1	1	2	1	0	0	0	0	0	2	0	7
	Swan (unspec.)	0	0	0	0	32	10	0	0	0	0	0	0	36

^a Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 131 Total estimated harvest, selected species, annual and ten-year mean, Tuktoyaktuk 1988 - 1997

Category	Species	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	13	1	0	0	0	1
	Seal (Ringed)	7	5	0	67	7	30	29	11	15	23	19
	Whale (Beluga)	41	27	22	62	62	52	60	45	35	63	47
<i>Fish</i>	Burbot	354	0	112	663	55	127	238	334	486	472	284
	Char (Arctic)	13	0	0	0	0	1	13	0	0	0	3
	Cisco (unspec.)	41951	0	0	31402	5704	9689	9705	5839	6751	12430	**n/a
	Cod (Saffron)	31	80	12	63	0	25	9	26	0	0	25
	Flounder	9	0	0	263	52	76	300	814	0	182	170
	Grayling (Arctic)	0	0	0	0	6	0	11	0	0	0	2
	Herring (Pacific)	7599	6697	3227	6463	693	1163	4967	6237	5383	5117	**n/a
	Herring/Cisco (unspec.)	2504	8840	19231	0	0	0	0	0	0	0	**n/a
	Inconnu	1682	1649	1651	6126	2724	2158	2070	2810	2329	3267	2647
	Pike (Northern)	16	0	30	98	28	11	246	3	9	90	53
	Trout (Lake)	400	395	692	361	1066	714	867	1043	366	1212	712
	Whitefish (Broad)	13869	0	0	13211	12437	13310	13253	12054	6774	9321	*n/a
	Whitefish (Lake)	1985	0	1627	1254	1468	378	309	1702	3173	1442	*n/a
	Whitefish (unspec.)	1277	6490	6994	0	0	0	0	0	0	404	*n/a
<i>Big Game</i>	Bear (Grizzly)	1	0	2	4	3	1	0	0	0	3	1
	Bear (Polar)	12	11	8	9	21	12	6	1	9	13	10
	Caribou	1003	586	732	1325	1358	890	955	691	883	730	915
	Moose	6	0	5	3	6	10	4	0	1	1	4
	Muskox	0	0	0	2	1	2	1	1	0	2	1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	409	25	28	106	78	155	209	82	0	195	129
	Fox (Coloured)	184	70	32	153	99	52	59	56	7	78	79
	Hare (unspec.)	148	4	11	14	0	0	0	0	0	0	18
	Lynx	5	0	0	3	15	0	0	0	0	0	2
	Marten (American)	229	93	1	54	74	183	212	207	0	0	105
	Mink (American)	23	0	0	9	0	0	1	0	0	0	3
	Muskrat	15	72	27	109	24	2	0	0	0	84	33
	Wolf	13	44	26	90	111	28	25	33	19	45	43
	Wolverine	9	4	7	17	14	23	16	19	3	16	13
<i>Birds</i>	Brant	914	163	117	868	363	220	456	523	323	484	443
	Eider (unspec.)	6	11	0	24	0	0	0	16	0	21	8
	Goose (Canada)	50	0	2	4	19	13	13	2	10	28	14
	Goose (Greater White-fronted)	1774	539	923	887	1305	823	679	726	828	1794	1028
	Goose (Snow)	3092	938	2543	1319	3445	2357	2096	2125	1316	2725	2196
	Mallard	21	31	15	2	2	0	0	0	0	0	7
	Oldsquaw	0	20	0	15	0	0	0	0	0	0	4
	Pintail (Northern)	138	5	6	4	0	12	0	0	0	0	17
	Ptarmigan (unspec.)	1213	462	112	238	120	140	129	189	79	131	281
	Scoter (unspec.)	60	15	13	15	22	18	6	0	0	0	15
	Swan (unspec.)	23	2	10	6	23	52	36	65	79	94	39
	Wigeon (American)	60	5	0	0	0	0	0	0	0	0	7

* Whitefish was reported differently over the ten-year period.

** Herring/Cisco was reported differently over the ten-year period.

Other harvested species reported, annual and ten-year mean, Tuktoyaktuk, 1988 - 1997

Category	Species	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean
<i>Marine Mammals</i>	Seal (unspec.)	0	8	47	0	0	0	0	0	0	0	6
	Walrus	0	0	1	0	0	0	0	0	0	0	0
<i>Fish</i>	Cod (unspec.)	0	0	0	20	0	0	0	0	0	0	2
	Herring (Lake)	0	0	0	0	0	0	0	0	40	255	30
	Sculpin (Fourhorn)	1	0	0	110	3	20	125	12	0	0	27
	Sucker (unspec.)	0	0	0	0	0	30	60	0	0	0	9
<i>Fur Bearers/Small Mammals</i>	Ermine	0	0	0	0	0	0	38	8	0	0	5
<i>Birds</i>	Canvasback	23	0	0	6	0	0	0	0	0	0	3
	Crane (Sandhill)	0	5	0	0	0	0	1	0	0	0	1
	Goldeneye (unspec.)	0	0	0	7	0	1	0	0	0	0	1
	Goose (unspec.)	15	0	0	0	0	0	0	0	0	0	2
	Loon (Common)	0	0	0	0	0	0	1	0	0	3	0
	Loon (unspec.)	0	5	2	0	0	0	0	0	1	0	1
	Merganser (unspec.)	6	0	0	0	0	6	0	0	0	0	1
	Scaup (unspec.)	0	0	0	6	0	0	0	0	0	0	1
	Shoveler	14	0	0	0	0	2	0	0	0	0	2

Table 132 Hunter response, and number of hunters harvesting selected species, annual and ten-year mean, Tuktoyaktuk 1988 - 1997

HUNTER RESPONSE		1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean
Hunter list		119	129	138	143	141	141	151	228	229	228	165
Survey population		119	127	131	139	136	135	143	213	217	213	157
Hunters interviewed		116	125	125	132	132	129	129	201	200	199	149
Harvested		112	80	76	105	108	103	102	96	82	108	97
Response Rate (%)		80	99	86	94	96	92	89	93	64	95	89
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES												
Category	Species	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean ##
<i>Marine Mammals</i>	Seal (Bearded)	0	0	0	0	0	6	1	0	0	0	1
	Seal (Ringed)	3	1	0	17	5	7	10	8	6	12	7
	Whale (Beluga)	21	15	16	40	39	31	36	36	27	40	30
<i>Fish</i>	Burbot	21	0	4	7	7	10	13	20	10	14	11
	Char (Arctic)	3	0	0	0	0	1	2	0	0	0	1
	Cisco (unspec.)	43	0	0	31	24	31	24	40	29	40	26
	Cod (Saffron)	2	2	1	1	0	3	1	7	0	0	2
	Flounder	1	0	0	1	1	3	5	30	0	5	5
	Grayling (Arctic)	0	0	0	0	2	0	1	0	0	0	0
	Herring (Pacific)	12	11	6	12	4	7	18	31	28	22	15
	Herring/Cisco (unspec.)	6	7	9	0	0	0	0	0	0	0	2
	Inconnu	32	6	11	26	17	23	31	46	29	36	26
	Pike (Northern)	3	0	4	2	3	1	2	2	4	2	2
	Trout (Lake)	31	24	26	26	56	48	51	49	27	51	39
	Whitefish (Broad)	37	0	0	34	37	37	46	45	35	41	31
	Whitefish (Lake)	18	0	3	9	11	5	4	18	33	20	12
	Whitefish (unspec.)	7	12	15	0	0	0	0	0	0	2	4
<i>Big Game</i>	Bear (Grizzly)	1	0	2	2	2	1	0	0	0	1	1
	Bear (Polar)	7	6	4	7	12	6	3	1	6	8	6
	Caribou	75	65	56	90	89	83	81	66	53	66	72
	Moose	3	0	3	3	5	3	2	0	1	1	2
	Muskox	0	0	0	2	1	2	1	1	0	1	1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	29	4	6	16	8	9	4	2	0	3	8
	Fox (Coloured)	30	9	7	19	15	7	7	4	4	7	11
	Hare (unspec.)	5	1	1	1	0	0	0	0	0	0	1
	Lynx	1	0	0	2	3	0	0	0	0	0	1
	Marten (American)	12	6	1	1	2	2	3	2	0	0	3
	Mink (American)	5	0	0	1	0	0	1	0	0	0	1
	Muskrat	1	2	1	5	2	1	0	0	0	2	1
	Wolf	8	11	8	17	19	11	9	8	8	8	11
	Wolverine	3	2	2	10	6	8	7	8	3	4	5
<i>Birds</i>	Brant	38	10	10	19	26	21	22	22	9	24	20
	Eider (unspec.)	2	1	0	1	0	0	0	4	0	2	1
	Goose (Canada)	8	0	1	2	7	4	7	2	1	4	4
	Goose (Greater White-fronted)	63	26	44	52	60	53	38	44	20	68	47
	Goose (Snow)	77	32	51	58	80	70	55	56	20	63	56
	Mallard	2	1	2	1	1	0	0	0	0	0	1
	Oldsquaw	0	1	0	2	0	0	0	0	0	0	0
	Pintail (Northern)	11	1	1	1	0	2	0	0	0	0	2
	Ptarmigan (unspec.)	36	14	4	13	8	11	9	10	6	7	12
	Scoter (unspec.)	7	2	2	3	3	1	1	0	0	0	2
	Swan (unspec.)	8	1	2	2	12	19	20	32	22	36	15
	Wigeon (American)	3	1	0	0	0	0	0	0	0	0	0

Some hunters may have hunted in more than one year but are only counted once in the total.

INUVIALUIT SETTLEMENT REGION

Tables

Table 133 Total estimated harvest, selected species, monthly, Inuvialuit Settlement Region, 1988

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	2	1	2	1	1	4	10	9	1	0	0	0	32 ± 2
	Seal (Ringed)	17	49	27	19	46	215	410	431	50	6	41	26	1336 ± 61
	Whale (Beluga)	0	0	0	0	0	3	206	8	0	0	0	0	218 ± 55
<i>Fish</i>	Burbot	85	67	44	2	3	1	9	6	126	4716	6178	1036	12273 ± 3432
	Char (Arctic/Dolly Varden)	0	0	40	36	381	918	1911	3819	369	515	70	0	8058 ± 314
	Char (Arctic Land-locked)	0	0	0	0	71	100	12	4	1	0	0	0	188 ± 10
	Char (unspec.)	0	0	3	0	46	601	174	571	259	4587	0	0	6242 ± 730
	Cisco (unspec.)	0	0	0	0	0	252	5063	2349	38348	422	0	0	46433 ± 7339
	Cod (Saffron)	0	0	0	0	13	18	8	1	0	0	0	0	40 ± 20
	Flounder	1	4	2	1	0	0	0	0	0	0	0	0	9 ± 4
	Grayling (Arctic)	0	0	0	0	0	0	0	1	0	10	0	0	11 ± 0
	Herring (Pacific)	0	0	0	0	69	11	3	24	4231	2215	583	501	7637 ± 1869
	Herring/Cisco (unspec.)	0	0	0	0	0	0	2019	0	485	0	0	0	2504 ± 1605
	Inconnu	128	21	25	7	0	230	1059	1407	1541	971	697	45	6131 ± 1042
	Pike (Northern)	1	3	16	0	4	124	204	1456	769	2708	1613	153	7051 ± 2170
	Trout (Lake)	3	4	229	275	1409	698	292	44	98	104	1	249	3404 ± 427
	Whitefish (Broad)	0	0	85	0	47	1608	6168	6876	18139	8593	3789	80	45385 ± 9186
	Whitefish (Lake)	7	13	15	0	0	249	708	2885	8411	9843	1990	535	24657 ± 9683
	Whitefish (unspec.)	0	0	2	0	38	0	709	0	607	366	301	167	2189 ± 463
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	0	0	0	1	1	1	0	0	3 ± 1
	Bear (Polar)	5	10	7	27	3	0	0	0	0	0	0	0	53 ± 5
	Caribou	554	500	412	330	152	115	157	216	450	986	1057	466	5393 ± 265
	Moose	10	9	3	2	0	1	1	2	25	1	1	7	64 ± 20
	Muskox	15	32	48	33	56	11	11	20	13	37	25	22	324 ± 15
	Sheep (Dall)	1	0	0	0	0	0	0	0	0	0	0	0	1 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	485	345	327	121	0	0	0	0	0	0	102	82	1463 ± 136
	Fox (Coloured)	156	149	31	2	0	0	0	0	0	6	258	201	803 ± 77
	Hare (unspec.)	27	67	235	284	13	4	0	4	343	444	47	337	1804 ± 629
	Lynx	9	0	1	0	0	0	0	0	0	0	10	14	35 ± 25
	Marten (American)	177	172	7	0	0	0	0	0	0	3	265	399	1023 ± 528
	Mink (American)	114	82	0	1	0	0	0	0	0	1	189	203	590 ± 136
	Muskrat	0	0	8371	5991	27980	13579	0	0	0	0	0	0	55921 ± 9515
	Wolf	11	11	8	33	1	0	0	0	0	2	11	3	82 ± 13
	Wolverine	13	8	5	6	0	0	0	0	0	0	8	4	44 ± 11
<i>Birds</i>	Brant	0	0	0	0	477	520	9	11	0	0	0	0	1017 ± 160
	Eider (unspec.)	0	0	0	0	9	4712	0	5	287	1	0	0	5013 ± 224
	Goose (Canada)	0	0	0	0	437	45	10	5	281	52	0	0	829 ± 266
	Goose (Greater White-fronted)	0	0	0	0	1960	325	43	11	491	0	0	0	2831 ± 329
	Goose (Snow)	0	0	1	0	4339	1271	90	339	1037	0	0	0	7078 ± 571
	Mallard	0	0	0	0	131	129	15	29	263	3	0	0	570 ± 169
	Oldsquaw	0	0	0	0	168	118	15	11	60	8	0	0	381 ± 135
	Pintail (Northern)	0	0	0	0	69	59	0	5	135	0	0	0	268 ± 71
	Ptarmigan (unspec.)	67	135	254	266	47	136	3	57	1011	494	127	37	2634 ± 233
	Scoter (unspec.)	0	0	0	0	94	101	55	5	137	15	0	0	408 ± 135
	Swan (unspec.)	0	0	0	0	39	16	1	3	14	0	0	0	73 ± 12
	Wigeon (American)	0	0	0	0	165	92	10	123	391	26	0	0	806 ± 275

Total estimated harvest for the period plus or minus the 95% confidence interval.

Other harvested species reported, monthly, Inuvialuit Settlement Region, 1988

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Marine Mammals</i>	Seal (unspec.)	0	0	2	6	0	2	0	1	0	0	0	0	11
	Walrus	0	0	0	0	0	0	2	0	0	0	0	0	2
<i>Fish</i>	Cod (unspec.)	0	0	0	0	0	0	0	1	0	0	0	0	1
	Fish (unspec.)	0	0	0	0	0	0	0	0	0	177	172	0	350
	Sculpin (Fourhorn)	0	1	0	0	0	0	0	0	0	0	0	0	1
<i>Big Game</i>	Bear (American Black)	0	0	0	0	0	4	0	1	1	0	0	0	6
<i>Fur Bearers/Small Mammals</i>	Ermine	26	29	0	0	0	0	0	0	0	10	54	74	193
	Fox (unspec.)	5	5	0	0	0	0	0	0	0	0	27	10	47
	Squirrel (Arctic Ground)	0	0	0	0	1	0	0	0	30	0	13	11	55
<i>Birds</i>	Canvasback	0	0	0	0	2	8	0	0	23	0	0	0	33
	Crane (Sandhill)	0	0	0	0	12	0	0	0	0	0	0	0	12
	Duck (unspec.)	0	0	0	0	0	30	0	0	65	0	0	0	95
	Goldeneye (unspec.)	0	0	0	0	13	0	0	0	1	0	0	0	14
	Goose (unspec.)	0	0	0	0	1	0	0	2	20	0	0	0	23
	Grouse (unspec.)	0	0	0	0	0	0	0	0	0	0	0	3	3
	Loon (Arctic)	0	0	0	0	0	2	0	5	4	0	0	0	11
	Loon (Common)	0	0	0	0	1	1	2	0	2	0	0	0	6
	Loon (unspec.)	0	0	0	0	0	3	3	0	1	0	0	0	7
	Loon (Yellow-billed)	0	0	0	0	2	0	0	0	0	0	0	0	2
	Merganser (unspec.)	0	0	0	0	1	0	11	0	6	0	0	0	18
	Scaup (unspec.)	0	0	0	0	42	35	0	0	20	1	0	0	98
	Shoveler	0	0	0	0	0	2	0	6	8	0	0	0	16
	Teal (Green-winged)	0	0	0	0	4	2	0	0	0	0	0	0	6

Table 134 Hunter response, and number of hunters harvesting selected species, monthly, Inuvialuit Settlement Region, 1988

HUNTER RESPONSE	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1988
Hunter list	702	700	699	698	698	699	699	696	695	692	692	691	705
Survey population	697	695	694	693	693	691	691	689	682	679	679	675	701
Hunters interviewed	532	531	528	528	523	526	522	519	522	513	517	506	562
Harvested	134	132	150	162	246	221	161	154	203	203	176	84	486
Response Rate (%)	76	76	76	76	75	76	76	75	77	76	76	75	76 ^a
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<i>Marine Mammals</i>	Seal (Bearded)	1	1	1	1	1	3	7	4	1	0	0	0
	Seal (Ringed)	7	12	3	9	13	38	30	30	16	4	7	9
	Whale (Beluga)	0	0	0	0	0	2	53	4	0	0	0	57
<i>Fish</i>	Burbot	5	2	5	1	1	1	2	3	17	34	41	4
	Char (Arctic/Dolly Varden)	0	0	4	8	19	31	43	55	14	42	3	0
	Cisco (unspec.)	0	0	0	0	0	7	20	15	42	3	0	0
	Cod (Saffron)	0	0	0	0	1	1	1	1	0	0	0	0
	Flounder	1	1	1	1	0	0	0	0	0	0	0	0
	Grayling (Arctic)	0	0	0	0	0	0	1	1	0	1	0	0
	Herring (Pacific)	0	0	0	0	2	2	1	1	9	4	2	1
	Herring/Cisco (unspec.)	0	0	0	0	0	0	5	0	1	0	0	0
	Inconnu	2	2	4	1	0	14	28	25	40	17	21	4
	Pike (Northern)	1	1	3	0	1	12	11	18	17	32	29	5
	Trout (Lake)	1	3	25	33	64	33	17	5	15	9	1	1
	Whitefish (Broad)	0	0	4	0	3	23	34	31	56	31	15	2
	Whitefish (Lake)	1	3	3	0	0	8	14	22	33	23	13	2
	Whitefish (unspec.)	0	0	1	0	1	0	4	0	5	5	4	1
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	0	0	0	1	1	1	0	0
	Bear (Polar)	5	8	6	16	3	0	0	0	0	0	0	0
	Caribou	90	73	70	70	40	40	42	49	65	137	116	55
	Moose	2	3	3	2	0	1	1	2	10	1	1	2
	Muskox	8	14	16	16	17	3	9	10	7	20	8	4
	Sheep (Dall)	1	0	0	0	0	0	0	0	0	0	0	1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	40	30	20	11	0	0	0	0	0	0	13	5
	Fox (Coloured)	24	23	15	3	0	0	0	0	0	2	44	24
	Hare (unspec.)	4	6	17	18	2	1	0	2	20	14	5	5
	Lynx	3	0	1	0	0	0	0	0	0	0	1	2
	Marten (American)	11	9	2	0	0	0	0	0	0	2	13	8
	Mink (American)	14	12	0	1	0	0	0	0	0	1	24	21
	Muskrat	0	0	31	29	60	41	0	0	0	0	0	0
	Wolf	9	5	4	10	1	0	0	0	0	2	6	2
	Wolverine	6	3	3	3	0	0	0	0	0	0	6	3
<i>Birds</i>	Brant	0	0	0	0	22	25	1	2	0	0	0	45
	Eider (unspec.)	0	0	0	0	2	73	0	2	17	1	0	80
	Goose (Canada)	0	0	0	0	69	8	3	2	8	2	0	84
	Goose (Greater White-fronted)	0	0	0	0	108	25	2	3	39	0	0	157
	Goose (Snow)	0	0	1	0	141	35	3	13	38	0	0	191
	Mallard	0	0	0	0	21	20	2	5	13	1	0	52
	Oldsquaw	0	0	0	0	15	12	2	2	5	1	0	29
	Pintail (Northern)	0	0	0	0	8	12	0	1	10	0	0	30
	Ptarmigan (unspec.)	5	9	15	17	8	7	1	4	41	18	5	94
	Scoter (unspec.)	0	0	0	0	17	17	2	1	9	3	0	42
	Swan (unspec.)	0	0	0	0	19	6	1	1	7	0	0	32
	Wigeon (American)	0	0	0	0	14	16	2	5	16	2	0	46

^a Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 135 Total estimated harvest, selected species, monthly, Inuvialuit Settlement Region, 1989

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	3	1	0	1	1	4	3	4	0	0	0	17 ± 2
	Seal (Ringed)	7	52	11	8	22	145	425	357	117	15	6	5	1171 ± 49
	Whale (Beluga)	0	0	0	0	0	1	68	14	0	0	0	0	83 ± 7
<i>Fish</i>	Burbot	116	22	1	0	100	41	57	113	201	3788	1782	339	6558 ± 756
	Char (Arctic/Dolly Varden)	0	0	136	50	63	788	1795	3089	342	4124	449	0	10836 ± 352
	Char (Arctic Land-locked)	0	0	0	0	1	95	5	0	0	8	0	0	109 ± 0
	Cisco (unspec.)	0	0	0	0	0	146	262	568	0	6271	0	0	7247 ± 1207
	Cod (Saffron)	0	0	0	0	30	51	65	0	0	0	0	0	145 ± 15
	Flounder	0	0	0	0	0	0	0	1	0	0	0	0	1 ± 0
	Grayling (Arctic)	0	0	0	0	0	0	2	0	0	10	10	0	22 ± 2
	Herring (Pacific)	0	0	0	0	3	134	323	2577	4167	0	0	0	7204 ± 827
	Herring/Cisco (unspec.)	0	0	0	0	0	31	1250	782	6778	0	0	0	8840 ± 1213
	Inconnu	46	0	7	0	151	688	547	498	2679	1289	572	36	6513 ± 490
	Pike (Northern)	37	11	0	0	4	281	170	1170	1344	2229	403	125	5773 ± 512
	Trout (Lake)	11	46	50	219	1131	301	374	267	32	578	23	2	3033 ± 97
	Whitefish (Broad)	74	0	0	50	250	1972	2174	3156	3296	4077	1827	70	16946 ± 1135
	Whitefish (Lake)	85	0	0	0	0	744	916	1245	2755	4810	1433	100	12089 ± 1381
	Whitefish (unspec.)	0	0	0	0	128	0	1261	799	4771	10	5	0	6975 ± 875
<i>Big Game</i>	Bear (Grizzly)	0	0	0	1	7	0	0	0	4	0	0	0	12 ± 1
	Bear (Polar)	5	11	6	15	18	0	0	0	0	0	0	8	64 ± 3
	Caribou	310	329	295	172	196	85	162	166	220	406	614	209	3165 ± 49
	Moose	3	1	1	2	0	2	2	1	8	7	2	6	36 ± 4
	Muskox	19	44	43	45	37	6	20	9	38	44	69	10	385 ± 13
	Sheep (Dall)	0	0	0	1	0	0	0	0	0	0	0	0	1 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	178	85	19	16	0	0	0	0	0	0	188	12	498 ± 41
	Fox (Coloured)	84	63	12	0	0	0	0	0	0	1	211	87	458 ± 21
	Hare (unspec.)	145	432	301	163	15	7	0	0	245	220	217	58	1801 ± 191
	Lynx	6	9	1	0	0	0	0	0	0	0	0	4	20 ± 4
	Marten (American)	104	171	11	0	0	0	0	0	0	21	181	117	605 ± 91
	Mink (American)	74	70	2	0	0	0	0	0	0	0	140	89	374 ± 25
	Muskrat	0	0	1706	2441	3369	1244	0	0	0	0	0	0	8760 ± 657
	Wolf	1	6	6	35	2	0	0	0	0	5	20	14	90 ± 2
	Wolverine	8	6	3	7	0	0	0	0	0	0	10	5	39 ± 4
<i>Birds</i>	Brant	0	0	0	0	123	80	14	0	4	0	0	0	221 ± 19
	Eider (unspec.)	0	0	0	0	11	3483	20	15	230	1	0	0	3761 ± 90
	Goose (Canada)	0	0	0	0	227	47	0	9	49	0	0	0	332 ± 18
	Goose (Greater White-fronted)	0	0	0	0	933	82	0	8	64	0	0	0	1086 ± 52
	Goose (Snow)	0	0	0	15	2615	1010	0	77	203	0	0	0	3920 ± 155
	Mallard	0	0	0	0	57	44	0	2	161	0	0	0	265 ± 37
	Oldsquaw	0	0	0	0	46	17	6	19	30	0	0	0	118 ± 19
	Pintail (Northern)	0	0	0	0	29	9	0	0	60	0	0	0	97 ± 21
	Ptarmigan (unspec.)	42	138	153	273	187	22	0	9	197	135	76	12	1245 ± 53
	Scoter (unspec.)	0	0	0	0	117	50	0	0	45	0	0	0	212 ± 29
	Swan (unspec.)	0	0	0	0	46	14	0	0	5	0	0	0	65 ± 9
	Wigeon (American)	0	0	0	0	120	63	0	4	140	0	0	0	327 ± 39

#Total estimated harvest for the period plus or minus the 95% confidence interval.

Other harvested species reported, monthly, Inuvialuit Settlement Region, 1989

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Marine Mammals</i>	Seal (unspec.)	0	0	0	0	0	0	0	2	6	0	0	0	8
<i>Fish</i>	Herring (Lake)	0	0	0	0	0	0	0	0	40	0	0	0	40
	Sculpin (Fourhorn)	0	0	0	0	0	0	15	0	0	0	0	0	15
	Sucker (unspec.)	0	0	0	0	0	1	22	25	0	0	0	0	49
	Trout (unspec.)	0	0	0	0	0	0	0	20	16	0	0	0	36
<i>Big Game</i>	Bear (American Black)	0	0	0	0	0	1	2	0	0	0	0	0	3
<i>Fur Bearers/Small Mammals</i>	Ermine	8	20	0	0	0	0	0	0	0	0	0	4	32
	Squirrel (Arctic Ground)	0	0	0	0	10	0	0	0	0	0	0	0	10
<i>Birds</i>	Canvasback	0	0	0	0	29	5	0	0	0	0	0	0	34
	Crane (Sandhill)	0	0	0	0	12	0	0	0	0	0	0	0	12
	Duck (unspec.)	0	0	0	0	0	4	0	0	16	0	0	0	20
	Goose (Ross)	0	0	0	0	0	2	0	0	0	0	0	0	2
	Loon (Arctic)	0	0	0	0	0	0	0	0	15	0	0	0	15
	Loon (Common)	0	0	0	0	2	5	0	2	0	0	0	0	9
	Loon (unspec.)	0	0	0	0	5	0	0	0	0	0	0	0	5
	Loon (Yellow-billed)	0	0	0	0	0	0	0	0	3	0	0	0	3
	Merganser (unspec.)	0	0	0	0	0	1	0	0	2	0	0	0	3
	Scaup (unspec.)	0	0	0	0	28	6	0	0	30	0	0	0	64
	Shoveler	0	0	0	0	2	0	0	0	10	0	0	0	12
	Teal (Green-winged)	0	0	0	0	0	1	0	0	2	0	0	0	3

Table 136 Hunter response, and number of hunters harvesting selected species, monthly, Inuvialuit Settlement Region, 1989

HUNTER RESPONSE	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1989	
Hunter list	733	725	723	720	710	708	703	702	702	690	691	692	737	
Survey population	705	699	702	700	690	685	679	678	675	661	662	664	719	
Hunters interviewed	681	678	682	678	667	653	647	640	635	620	624	624	702	
Harvested	89	131	131	137	200	182	154	129	154	126	160	104	478	
Response Rate (%)	97	97	97	97	97	95	95	94	94	94	94	94	95 ^a	
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>		0	2	1	0	1	1	2	2	3	0	0	0	9
	Seal (Bearded)	2	10	3	3	7	25	30	26	18	4	2	2	71
	Seal (Ringed)	0	0	0	0	0	1	43	9	0	0	0	0	48
<i>Fish</i>		3	1	1	0	1	3	4	5	5	32	25	5	58
	Burbot	0	0	3	1	8	33	32	34	11	43	7	0	102
	Char (Arctic/Dolly Varden)	0	0	0	0	0	4	4	4	0	3	0	0	13
	Cisco (unspec.)	0	0	0	0	0	1	2	0	0	0	0	0	4
	Cod (Saffron)	0	0	0	0	0	1	1	0	0	0	0	0	1
	Flounder	0	0	0	0	0	0	0	1	0	0	0	0	2
	Grayling (Arctic)	0	0	0	0	0	0	1	0	0	1	1	0	2
	Herring (Pacific)	0	0	0	0	1	4	2	5	7	0	0	0	17
	Herring/Cisco (unspec.)	0	0	0	0	0	1	5	3	4	0	0	0	7
	Inconnu	3	0	1	0	2	25	22	17	21	20	15	3	76
	Pike (Northern)	3	1	0	0	2	18	11	20	16	27	15	5	63
	Trout (Lake)	1	5	9	21	52	26	9	10	5	19	2	1	113
	Whitefish (Broad)	3	0	0	1	1	37	36	23	21	25	13	2	87
	Whitefish (Lake)	3	0	0	0	0	14	18	18	20	15	9	2	53
	Whitefish (unspec.)	0	0	0	0	3	0	7	5	9	1	1	0	19
<i>Big Game</i>		0	0	0	1	5	0	0	0	3	0	0	0	8
	Bear (Grizzly)	5	10	6	14	2	0	0	0	0	0	0	7	36
	Bear (Polar)	52	71	65	52	48	31	44	46	55	63	93	52	322
	Caribou	2	1	1	2	0	2	2	1	6	4	2	3	25
	Moose	5	20	20	20	15	2	9	7	19	18	15	5	67
	Muskox	0	0	0	1	0	0	0	0	0	0	0	0	1
<i>Fur Bearers/Small Mammals</i>		7	5	4	5	0	0	0	0	0	0	13	2	23
	Fox (Arctic)	20	21	6	0	0	0	0	0	0	1	34	19	61
	Fox (Coloured)	6	22	21	15	2	1	0	0	10	9	10	6	57
	Hare (unspec.)	3	3	1	0	0	0	0	0	0	0	0	2	6
	Lynx	10	9	1	0	0	0	0	0	0	3	14	9	29
	Marten (American)	13	12	1	0	0	0	0	0	0	0	18	17	37
	Mink (American)	0	0	20	20	36	14	0	0	0	0	0	0	52
	Muskrat	1	5	3	13	1	0	0	0	0	0	3	5	31
	Wolf	4	4	3	3	0	0	0	0	0	0	5	5	17
<i>Birds</i>		0	0	0	0	11	7	1	0	1	0	0	0	20
	Brant	0	0	0	0	1	70	1	4	13	1	0	0	75
	Eider (unspec.)	0	0	0	0	50	8	0	2	9	0	0	0	67
	Goose (Canada)	0	0	0	0	81	11	0	2	8	0	0	0	98
	Goose (Greater White-fronted)	0	0	0	1	107	26	0	4	12	0	0	0	125
	Goose (Snow)	0	0	0	0	21	3	0	0	5	0	0	0	30
	Mallard	0	0	0	0	15	9	0	2	16	0	0	0	36
	Oldsquaw	0	0	0	0	9	3	1	1	2	0	0	0	15
	Pintail (Northern)	0	0	0	0	9	3	0	0	5	0	0	0	15
	Ptarmigan (unspec.)	5	11	15	14	10	1	0	1	8	12	4	2	64
	Scoter (unspec.)	0	0	0	0	21	9	0	0	5	0	0	0	30
	Swan (unspec.)	0	0	0	0	21	3	0	0	3	0	0	0	26
	Wigeon (American)	0	0	0	0	18	10	0	2	14	0	0	0	38

^a Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 137 Total estimated harvest, selected species, monthly, Inuvialuit Settlement Region, 1990

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	1	4	1	1	4	4	1	0	0	0	16 ± 1
	Seal (Ringed)	12	21	36	48	66	229	659	322	150	17	18	2	1581 ± 52
	Whale (Beluga)	0	0	0	0	0	6	85	5	0	0	0	0	97 ± 7
<i>Fish</i>	Burbot	21	0	0	2	12	438	251	293	568	4315	792	5	6697 ± 693
	Char (Arctic/Dolly Varden)	2	0	31	63	126	195	2434	3935	637	3431	78	21	10952 ± 300
	Char (Arctic Land-locked)	0	0	7	43	0	316	44	0	0	10	0	0	420 ± 8
	Cisco (unspec.)	0	0	0	0	0	0	841	354	0	7532	0	0	8728 ± 1823
	Cod (Saffron)	0	0	0	0	0	0	10	0	12	0	0	0	22 ± 9
	Flounder	0	0	0	0	0	0	76	0	0	0	0	0	76 ± 43
	Grayling (Arctic)	0	0	0	0	0	0	5	0	0	0	0	0	5 ± 3
	Herring (Pacific)	0	0	0	0	0	860	862	2232	932	764	0	0	5650 ± 1214
	Herring/Cisco (unspec.)	0	0	0	0	0	0	1880	2735	7864	3508	3346	0	19333 ± 4219
	Inconnu	27	53	0	0	131	1144	1844	1556	952	1809	549	0	8066 ± 788
	Pike (Northern)	29	13	1	7	79	483	444	475	438	1242	214	7	3433 ± 252
	Trout (Lake)	0	40	182	312	2090	661	314	190	48	968	74	0	4879 ± 144
	Whitefish (Broad)	51	0	7	0	214	1725	3617	3472	2435	7455	1027	61	20065 ± 2011
	Whitefish (Lake)	77	0	0	0	91	1024	1467	1688	1049	2266	1439	18	9119 ± 851
	Whitefish (unspec.)	0	335	0	0	71	0	1081	2202	1757	930	402	384	7162 ± 1509
<i>Big Game</i>	Bear (Grizzly)	0	0	0	0	3	2	0	0	0	2	0	0	7 ± 1
	Bear (Polar)	8	9	13	20	2	0	0	0	0	0	0	2	55 ± 2
	Caribou	225	237	308	170	293	71	59	312	261	495	825	319	3576 ± 80
	Moose	2	2	3	2	0	0	1	0	13	2	0	1	26 ± 2
	Muskox	9	30	28	40	59	47	8	29	12	16	24	8	311 ± 14
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	48	57	48	0	0	0	0	0	1	0	231	280	665 ± 50
	Fox (Coloured)	20	12	12	1	0	0	0	0	0	0	39	65	150 ± 20
	Hare (unspec.)	37	114	280	343	516	103	0	98	394	426	99	49	2458 ± 182
	Lynx	1	0	0	0	0	0	0	0	0	0	0	5	6 ± 2
	Marten (American)	135	81	0	0	0	0	0	0	0	0	5	20	241 ± 33
	Mink (American)	66	5	1	0	0	0	0	0	0	0	94	123	289 ± 33
	Muskrat	0	0	514	473	2973	825	17	0	0	0	0	0	4802 ± 435
	Wolf	16	7	6	9	2	0	0	0	1	0	10	5	56 ± 4
	Wolverine	3	3	3	3	0	0	0	0	0	0	3	12	27 ± 8
<i>Birds</i>	Brant	0	0	0	0	61	128	0	6	3	0	0	0	199 ± 36
	Eider (unspec.)	0	0	0	0	4	2257	0	0	134	0	0	0	2394 ± 64
	Goose (Canada)	0	0	0	0	436	68	4	5	39	11	0	0	564 ± 16
	Goose (Greater White-fronted)	0	0	0	17	1614	65	24	12	58	6	0	0	1796 ± 105
	Goose (Snow)	0	0	0	57	4247	760	49	181	345	0	0	0	5638 ± 289
	Mallard	0	0	0	0	60	20	2	14	89	6	0	0	191 ± 18
	Oldsquaw	0	0	0	0	29	8	0	7	9	0	0	0	53 ± 8
	Pintail (Northern)	0	0	0	0	8	11	0	2	27	0	0	0	49 ± 13
	Ptarmigan (unspec.)	0	41	47	167	81	13	0	72	178	47	22	0	669 ± 59
	Scoter (unspec.)	0	0	0	1	108	158	13	25	26	11	0	0	342 ± 50
	Swan (unspec.)	0	0	0	0	72	6	0	3	6	0	0	0	88 ± 6
	Wigeon (American)	0	0	0	0	76	47	2	34	120	22	0	0	301 ± 37

Total estimated harvest for the period plus or minus the 95% confidence interval.

Other harvested species reported, monthly, Inuvialuit Settlement Region, 1990

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Marine Mammals</i>	Seal (unspec.)	0	0	0	0	0	0	0	6	16	25	0	0	47
	Walrus	0	0	0	0	0	0	0	1	0	0	0	0	1
<i>Fish</i>	Sculpin (Fourhorn)	0	0	0	0	0	0	50	0	0	0	0	0	50
	Sucker (unspec.)	0	0	0	0	0	1	3	5	0	0	0	0	9
	Trout (unspec.)	0	0	0	0	0	10	17	17	17	0	0	0	61
<i>Big Game</i>	Bear (American Black)	0	0	0	1	0	1	0	1	2	0	0	0	5
<i>Fur Bearers/Small Mammals</i>	Ermine	1	0	0	0	0	0	0	0	0	0	0	13	14
	Fox (unspec.)	1	0	0	0	0	0	0	0	0	0	0	0	1
<i>Birds</i>	Canvasback	0	0	0	0	12	11	0	0	16	0	0	0	39
	Crane (Sandhill)	0	0	0	0	14	0	0	0	0	0	0	0	14
	Goose (Ross)	0	0	0	0	2	0	0	0	0	0	0	0	2
	Loon (Arctic)	0	0	0	0	0	0	4	0	16	0	0	0	20
	Loon (Common)	0	0	0	0	0	4	0	0	0	0	0	0	4
	Loon (unspec.)	0	0	0	0	0	0	2	0	0	0	0	0	2
	Loon (Yellow-billed)	0	0	0	0	0	0	0	0	4	0	0	0	4
	Scaup (unspec.)	0	0	0	0	7	0	0	2	0	0	0	0	9
	Shoveler	0	0	0	0	2	0	0	0	5	0	0	0	7
	Teal (Green-winged)	0	0	0	0	0	0	0	0	7	0	0	0	7

Table 138 Hunter response, and number of hunters harvesting selected species, monthly, Inuvialuit Settlement Region, 1990

HUNTER RESPONSE	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1990
Hunter list	737	744	734	731	738	737	735	734	729	731	728	734	754
Survey population	699	695	688	688	677	675	675	667	664	658	653	663	721
Hunters interviewed	685	675	668	668	653	642	635	628	628	615	596	561	711
Harvested	87	88	136	131	245	161	180	161	151	177	170	90	490
Response Rate (%)	98	97	97	97	96	95	94	94	95	93	91	85	94 ^a
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<i>Marine Mammals</i>		0	0	1	4	1	1	3	4	1	0	0	0
	Seal (Bearded)	0	0	1	4	1	1	3	4	1	0	0	0
	Seal (Ringed)	3	3	4	10	11	24	38	18	19	5	5	2
	Whale (Beluga)	0	0	0	0	0	5	61	4	0	0	0	68
<i>Fish</i>		2	0	0	2	2	6	6	8	9	42	11	1
	Burbot	2	0	0	2	2	6	6	8	9	42	11	1
	Char (Arctic/Dolly Varden)	1	0	2	7	10	19	48	45	10	37	3	1
	Cisco (unspec.)	0	0	0	0	0	0	5	4	0	4	0	0
	Cod (Saffron)	0	0	0	0	0	0	1	0	1	0	0	0
	Flounder	0	0	0	0	0	0	1	0	0	0	0	0
	Grayling (Arctic)	0	0	0	0	0	0	1	0	0	0	0	0
	Herring (Pacific)	0	0	0	0	0	5	9	6	4	2	0	0
	Herring/Cisco (unspec.)	0	0	0	0	0	0	2	5	7	4	2	0
	Inconnu	3	1	0	0	4	18	30	29	17	39	13	0
	Pike (Northern)	4	2	1	2	6	12	14	17	9	29	5	1
	Trout (Lake)	0	3	17	30	73	35	21	16	5	29	3	0
	Whitefish (Broad)	1	0	2	0	5	24	37	34	12	22	9	2
	Whitefish (Lake)	1	0	0	0	5	10	18	21	11	14	7	1
	Whitefish (unspec.)	0	1	0	0	3	0	6	9	12	6	4	1
<i>Big Game</i>		0	0	0	0	3	2	0	0	0	2	0	0
	Bear (Grizzly)	0	0	0	0	3	2	0	0	0	2	0	0
	Bear (Polar)	7	9	10	15	2	0	0	0	0	0	0	2
	Caribou	45	54	72	47	66	23	28	75	59	95	132	55
	Moose	2	2	2	2	0	0	1	0	10	2	0	1
	Muskox	3	10	16	12	7	1	4	10	9	8	9	5
<i>Fur Bearers/Small Mammals</i>		8	3	2	0	0	0	0	0	1	0	14	6
	Fox (Arctic)	8	3	2	0	0	0	0	0	1	0	14	6
	Fox (Coloured)	8	5	3	1	0	0	0	0	0	0	12	13
	Hare (unspec.)	5	8	13	21	11	4	0	8	25	16	6	4
	Lynx	1	0	0	0	0	0	0	0	0	0	0	4
	Marten (American)	7	6	0	0	0	0	0	0	0	0	3	4
	Mink (American)	14	5	1	0	0	0	0	0	0	0	12	18
	Muskrat	0	0	14	11	31	10	1	0	0	0	0	43
	Wolf	6	2	5	6	2	0	0	0	1	0	6	4
	Wolverine	1	3	3	3	0	0	0	0	0	0	2	5
<i>Birds</i>		0	0	0	0	8	8	0	2	1	0	0	0
	Brant	0	0	0	0	8	8	0	2	1	0	0	0
	Eider (unspec.)	0	0	0	0	2	58	0	0	8	0	0	60
	Goose (Canada)	0	0	0	0	61	13	1	2	11	1	0	0
	Goose (Greater White-fronted)	0	0	0	2	107	7	2	2	11	1	0	0
	Goose (Snow)	0	0	0	3	137	22	5	8	16	0	0	0
	Mallard	0	0	0	0	12	4	1	4	14	1	0	0
	Oldsquaw	0	0	0	0	3	1	0	2	2	0	0	0
	Pintail (Northern)	0	0	0	0	2	2	0	1	2	0	0	0
	Ptarmigan (unspec.)	0	2	5	10	2	1	0	2	10	2	2	0
	Scoter (unspec.)	0	0	0	1	14	7	2	4	3	1	0	0
	Swan (unspec.)	0	0	0	0	31	4	0	2	3	0	0	0
	Wigeon (American)	0	0	0	0	11	6	1	5	8	1	0	0

^a Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 139 Total estimated harvest, selected species, monthly, Inuvialuit Settlement Region, 1991

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	1	1	1	1	0	3	12	5	0	0	0	25 ± 4
	Seal (Ringed)	8	15	72	32	66	97	237	340	208	21	4	12	1113 ± 76
	Whale (Beluga)	0	0	0	0	0	0	100	30	0	2	0	0	133 ± 7
<i>Fish</i>	Burbot	0	0	0	0	13	29	45	1	43	718	2054	2	2906 ± 520
	Char (Arctic/Dolly Varden)	0	0	0	12	132	1173	1392	2590	156	2201	78	0	7734 ± 412
	Char (Arctic Land-locked)	0	37	5	0	64	117	6	0	0	5	0	0	234 ± 21
	Cisco (unspec.)	0	0	0	0	0	15888	3653	4425	5239	7418	511	0	37134 ± 7478
	Cod (Arctic)	0	0	0	0	0	0	6	0	0	0	0	0	6 ± 2
	Cod (Saffron)	0	0	0	0	0	0	473	111	0	0	0	0	585 ± 87
	Flounder	0	0	0	0	0	211	52	0	0	0	0	0	263 ± 98
	Grayling (Arctic)	0	0	0	0	0	0	0	0	0	21	0	0	21 ± 4
	Herring (Pacific)	0	0	0	0	85	328	984	800	4757	161	0	0	7116 ± 1241
	Herring/Cisco (unspec.)	0	0	0	0	0	0	524	514	0	0	0	0	1037 ± 514
	Inconnu	0	106	2	0	63	884	1506	753	2301	1371	1382	0	8369 ± 991
	Pike (Northern)	0	1	1	0	10	175	152	253	701	472	832	3	2601 ± 410
	Trout (Lake)	4	18	189	482	1821	1108	658	209	74	1266	4	27	5861 ± 233
	Whitefish (Broad)	107	0	0	104	502	1265	6870	6205	6653	2647	4001	49	28402 ± 2332
	Whitefish (Lake)	0	0	0	16	31	425	1148	725	2872	2241	2562	0	10020 ± 1703
<i>Big Game</i>	Bear (Grizzly)	0	0	0	5	6	1	0	0	1	0	0	0	13 ± 2
	Bear (Polar)	5	10	12	18	7	0	0	0	0	0	1	0	54 ± 4
	Caribou	335	404	446	320	115	85	86	461	237	511	449	208	3656 ± 68
	Moose	0	0	2	1	0	0	2	2	7	3	5	2	25 ± 3
	Muskox	10	23	15	20	25	11	16	29	3	20	13	1	187 ± 10
	Sheep (Dall)	0	0	0	0	0	0	0	0	0	1	0	0	1 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	146	146	20	2	0	0	0	0	0	0	139	162	616 ± 67
	Fox (Coloured)	18	17	20	1	0	0	0	0	0	0	116	62	235 ± 15
	Hare (unspec.)	32	109	270	172	77	21	1	4	186	124	64	13	1074 ± 89
	Lynx	7	2	5	0	0	0	0	0	0	0	33	67	114 ± 12
	Marten (American)	0	1	0	0	0	0	0	0	0	0	42	52	95 ± 23
	Mink (American)	11	8	7	0	0	0	0	0	0	0	400	320	745 ± 60
	Muskrat	0	0	606	353	2943	1998	0	0	0	0	0	0	5899 ± 834
	Wolf	7	13	59	56	5	0	0	0	0	4	14	20	178 ± 11
	Wolverine	4	2	10	18	0	0	0	0	0	0	18	7	59 ± 4
<i>Birds</i>	Brant	0	0	0	0	162	749	3	0	0	0	0	0	914 ± 110
	Eider (unspec.)	0	0	0	0	28	3605	0	36	242	0	0	0	3910 ± 201
	Goose (Canada)	0	0	0	1	495	65	0	16	9	0	0	0	586 ± 28
	Goose (Greater White-fronted)	0	0	0	21	1228	97	2	16	44	0	0	0	1408 ± 77
	Goose (Snow)	0	0	0	0	4154	1293	11	363	20	0	0	0	5841 ± 290
	Mallard	0	0	0	0	99	29	3	0	51	0	0	0	183 ± 33
	Oldsquaw	0	0	0	0	4	27	0	6	13	0	0	0	51 ± 9
	Pintail (Northern)	0	0	0	0	6	4	0	0	0	0	0	0	10 ± 4
	Ptarmigan (unspec.)	9	23	100	128	80	7	0	14	127	47	46	5	586 ± 45
	Scoter (unspec.)	0	0	0	0	41	75	6	13	4	0	0	0	138 ± 21
	Swan (unspec.)	0	0	0	0	55	19	0	2	2	0	0	0	79 ± 7
	Wigeon (American)	0	0	0	2	61	40	0	0	0	0	0	0	104 ± 20

Total estimated harvest for the period plus or minus the 95% confidence interval.

Other harvested species reported, monthly, Inuvialuit Settlement Region, 1991

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Cod (unspec.)	0	0	0	0	0	20	0	0	0	0	0	0	20
	Fish (unspec.)	0	0	0	0	0	0	0	0	1	1	0	0	2
	Sculpin (Fourhorn)	0	0	0	0	0	12	100	0	0	0	0	0	112
<i>Fur Bearers/Small Mammals</i>	Ermine	6	0	0	0	0	0	0	0	0	0	9	22	37
	Otter (River)	0	0	0	0	0	0	0	0	0	0	0	1	1
<i>Birds</i>	Canvasback	0	0	0	0	6	16	0	0	10	0	0	0	32
	Crane (Sandhill)	0	0	0	0	10	0	0	0	0	0	0	0	10
	Duck (Wood)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Goldeneye (unspec.)	0	0	0	0	0	7	0	0	0	0	0	0	7
	Goose (Ross)	0	0	0	0	1	0	0	0	0	0	0	0	1
	Goose (unspec.)	0	0	0	0	10	0	0	0	0	0	0	0	10
	Loon (Arctic)	0	0	0	0	0	0	0	0	16	0	0	0	16
	Loon (Yellow-billed)	0	0	0	0	0	3	0	0	3	0	0	0	6
	Merganser (unspec.)	0	0	0	0	0	0	2	0	0	0	0	0	2
	Scaup (unspec.)	0	0	0	0	0	6	0	0	0	0	0	0	6
	Shoveler	0	0	0	0	1	0	0	0	0	0	0	0	1

Table 140 Hunter response, and number of hunters harvesting selected species, monthly, Inuvialuit Settlement Region, 1991

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1991
Hunter list		858	846	845	843	842	842	839	836	832	831	829	828	863
Survey population		778	778	770	773	772	777	777	770	770	770	771	766	806
Hunters interviewed		732	728	725	723	725	724	726	716	715	717	715	707	771
Harvested		97	109	155	145	246	184	182	213	130	185	156	95	506
Response Rate (%)		94	94	94	94	94	93	93	93	93	93	93	92	93 ^a
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	1	1	1	1	0	2	5	4	0	0	0	14
	Seal (Ringed)	2	5	6	8	15	16	29	36	32	5	2	5	80
	Whale (Beluga)	0	0	0	0	0	0	70	21	0	2	0	0	87
<i>Fish</i>	Burbot	0	0	0	0	1	4	2	1	4	22	21	1	45
	Char (Arctic/Dolly Varden)	0	2	2	1	20	23	38	40	9	40	5	0	104
	Cisco (unspec.)	0	0	0	0	0	3	17	21	15	14	1	0	44
	Cod (Arctic)	0	0	0	0	0	0	1	0	0	0	0	0	1
	Cod (Saffron)	0	0	0	0	0	0	4	2	0	0	0	0	6
	Flounder	0	0	0	0	0	1	1	0	0	0	0	0	1
	Grayling (Arctic)	0	0	0	0	0	0	0	0	0	3	0	0	3
	Herring (Pacific)	0	0	0	0	1	4	6	6	7	1	0	0	20
	Herring/Cisco (unspec.)	0	0	0	0	0	0	1	1	0	0	0	0	1
	Inconnu	0	1	2	0	2	15	25	14	12	21	21	0	72
	Pike (Northern)	0	1	1	0	1	8	7	6	7	11	15	1	30
	Trout (Lake)	1	5	15	39	78	39	34	18	9	36	2	1	142
	Whitefish (Broad)	1	0	0	1	1	23	35	43	18	35	12	1	89
	Whitefish (Lake)	0	0	0	1	2	8	17	11	7	15	6	0	44
<i>Big Game</i>	Bear (Grizzly)	0	0	0	3	6	1	0	0	1	0	0	0	11
	Bear (Polar)	5	10	10	8	4	0	0	0	0	0	1	0	34
	Caribou	72	74	93	66	47	32	42	101	43	100	85	39	339
	Moose	0	0	2	1	0	0	2	2	6	3	3	2	19
	Muskox	5	15	10	16	9	3	7	14	3	7	7	1	60
	Sheep (Dall)	0	0	0	0	0	0	0	0	0	1	0	0	1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	9	10	4	1	0	0	0	0	0	0	20	14	38
	Fox (Coloured)	3	2	3	1	0	0	0	0	0	0	27	19	45
	Hare (unspec.)	3	5	14	13	3	2	1	3	13	6	4	2	45
	Lynx	1	1	1	0	0	0	0	0	0	0	12	15	22
	Marten (American)	0	1	0	0	0	0	0	0	0	0	3	3	6
	Mink (American)	4	2	2	0	0	0	0	0	0	0	27	29	39
	Muskrat	0	0	13	13	22	11	0	0	0	0	0	0	46
	Wolf	5	8	15	20	5	0	0	0	0	2	7	8	50
	Wolverine	3	2	6	8	0	0	0	0	0	0	10	6	28
<i>Birds</i>	Brant	0	0	0	0	7	20	1	0	0	0	0	0	25
	Eider (unspec.)	0	0	0	0	5	69	0	4	12	0	0	0	72
	Goose (Canada)	0	0	0	1	72	10	0	4	4	0	0	0	80
	Goose (Greater White-fronted)	0	0	0	1	115	13	2	2	12	0	0	0	133
	Goose (Snow)	0	0	0	0	138	31	1	27	4	0	0	0	155
	Mallard	0	0	0	0	13	8	1	0	2	0	0	0	23
	Oldsquaw	0	0	0	0	2	5	0	1	1	0	0	0	9
	Pintail (Northern)	0	0	0	0	1	1	0	0	0	0	0	0	2
	Ptarmigan (unspec.)	1	3	7	9	4	1	0	2	6	5	4	1	37
	Scoter (unspec.)	0	0	0	0	9	10	1	2	1	0	0	0	21
	Swan (unspec.)	0	0	0	0	22	6	0	1	1	0	0	0	27
	Wigeon (American)	0	0	0	1	11	5	0	0	0	0	0	0	17

^a Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 141 Total estimated harvest, selected species, monthly, Inuvialuit Settlement Region, 1992

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total‡
<i>Marine Mammals</i>	Seal (Bearded)	0	0	1	2	0	0	11	6	0	0	5	0	25 ± 4
	Seal (Ringed)	2	2	34	21	51	128	295	181	69	2	25	1	813 ± 55
	Whale (Beluga)	0	0	0	0	0	2	142	5	0	0	0	0	149 ± 4
<i>Fish</i>	Burbot	0	1	10	1	4	2	20	9	61	1939	547	12	2608 ± 209
	Char (Arctic/Dolly Varden)	0	0	0	49	516	579	2214	3557	2037	3383	467	161	12965 ± 428
	Char (Arctic Land-locked)	0	0	4	4	12	130	0	0	0	33	0	0	183 ± 0
	Cisco (unspec.)	0	0	0	0	0	258	2219	2084	1404	9823	0	0	15788 ± 2057
	Cod (Arctic)	0	0	0	0	0	0	0	0	2	0	0	0	2 ± 0
	Flounder	0	0	0	0	0	0	52	0	0	0	0	0	52 ± 20
	Grayling (Arctic)	0	0	0	0	0	0	17	5	5	14	0	0	41 ± 2
	Herring (Pacific)	0	0	0	0	0	26	982	630	786	3097	0	0	5520 ± 951
	Herring/Cisco (unspec.)	0	0	0	0	0	0	0	201	0	0	0	0	201 ± 34
	Inconnu	0	0	0	0	0	300	787	736	1782	1420	260	74	5360 ± 446
	Pike (Northern)	0	0	0	0	0	4	69	701	375	676	85	55	1964 ± 108
	Trout (Lake)	8	32	254	927	2149	793	695	443	130	767	69	0	6266 ± 211
	Whitefish (Broad)	0	62	0	0	416	1283	6828	6300	5200	4684	450	36	25260 ± 1248
	Whitefish (Lake)	0	0	0	0	0	155	446	1041	1764	3766	964	0	8137 ± 699
<i>Big Game</i>	Bear (Grizzly)	0	0	0	14	15	0	0	0	0	1	0	0	30 ± 2
	Bear (Polar)	10	13	6	19	1	0	1	0	0	3	0	5	59 ± 3
	Caribou	220	507	395	222	218	39	61	378	257	682	421	197	3597 ± 42
	Moose	4	2	1	0	1	1	0	2	2	3	2	5	23 ± 2
	Muskox	14	18	7	28	9	5	8	16	20	43	16	4	187 ± 9
	Sheep (Dall)	0	0	0	0	0	0	0	0	0	2	0	0	2 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	188	131	75	111	0	0	0	0	0	0	131	295	931 ± 105
	Fox (Coloured)	63	19	4	0	0	0	0	0	0	0	113	40	240 ± 11
	Hare (unspec.)	115	74	37	77	32	1	0	14	29	31	15	3	429 ± 12
	Lynx	85	22	8	1	0	0	0	0	0	0	39	60	215 ± 7
	Marten (American)	62	50	50	50	0	0	0	0	0	0	43	40	296 ± 19
	Mink (American)	92	18	21	0	0	0	0	0	0	0	46	24	201 ± 6
	Muskrat	0	25	231	557	1116	1015	0	0	0	0	0	0	2943 ± 114
	Wolf	19	44	56	21	0	0	0	0	0	36	48	9	234 ± 11
	Wolverine	11	9	11	5	0	0	0	0	0	1	13	4	55 ± 2
<i>Birds</i>	Brant	0	0	0	0	136	232	18	15	13	0	0	0	414 ± 29
	Eider (unspec.)	0	0	0	0	0	4401	0	0	115	0	0	0	4516 ± 129
	Goose (Canada)	0	0	0	0	472	73	1	5	47	0	0	0	599 ± 23
	Goose (Greater White-fronted)	0	0	0	0	1759	107	0	8	75	0	0	0	1949 ± 73
	Goose (Snow)	0	0	0	18	5381	2031	0	409	939	8	0	0	8785 ± 305
	Mallard	0	0	0	0	61	5	35	18	8	0	0	0	128 ± 5
	Oldsquaw	0	0	0	0	2	3	4	0	2	0	0	0	11 ± 0
	Pintail (Northern)	0	0	0	0	18	2	0	0	5	0	0	0	25 ± 1
	Ptarmigan (unspec.)	0	56	49	130	51	2	0	0	276	220	121	32	938 ± 63
	Scoter (unspec.)	0	0	0	0	22	22	11	25	0	0	0	0	81 ± 6
	Swan (unspec.)	0	0	0	0	125	4	1	0	7	0	0	0	138 ± 3
	Wigeon (American)	0	0	0	0	56	0	0	10	0	0	0	0	66 ± 3

‡ Total estimated harvest for the period plus or minus the 95% confidence interval.

Other harvested species reported, monthly, Inuvialuit Settlement Region, 1992

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Cod (unspec.)	0	0	0	0	0	0	0	1	0	0	0	0	1
	Sculpin (Fourhorn)	0	0	0	0	0	0	15	1	4	0	0	0	20
<i>Fur Bearers/Small Mammals</i>	Ermine	4	0	0	0	0	0	0	0	0	0	2	0	6
	Squirrel (Arctic Ground)	0	0	0	9	0	0	0	0	0	0	0	0	9
<i>Birds</i>	Canvasback	0	0	0	0	5	0	0	0	0	0	0	0	5
	Crane (Sandhill)	0	0	0	0	13	0	0	0	0	0	0	0	13
	Goose (unspec.)	0	0	0	0	5	0	0	0	0	0	0	0	5
	Loon (Yellow-billed)	0	0	0	0	0	12	2	4	5	0	0	0	23
	Merganser (unspec.)	0	0	0	0	0	1	19	0	0	0	0	0	20
	Owl (Snowy)	0	0	0	0	0	0	0	0	4	9	0	0	13
	Scaup (unspec.)	0	0	0	0	12	0	0	0	32	0	0	0	44
	Teal (Green-winged)	0	0	0	0	0	3	0	0	0	0	0	0	3

Table 142 Hunter response, and number of hunters harvesting selected species, monthly, Inuvialuit Settlement Region, 1992

HUNTER RESPONSE	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1992	
Hunter list	866	863	861	858	856	855	853	852	844	844	843	842	868	
Survey population	792	791	788	782	780	774	774	770	760	762	761	756	797	
Hunters interviewed	778	774	772	765	763	755	754	750	745	744	744	738	785	
Harvested	96	140	120	147	287	171	186	180	149	192	157	90	508	
Response Rate (%)	98	98	98	98	98	98	97	97	98	98	98	98	98 ^a	
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	1	1	0	0	5	5	0	0	3	0	14
	Seal (Ringed)	1	1	3	6	10	21	26	20	11	2	6	1	55
	Whale (Beluga)	0	0	0	0	0	2	81	4	0	0	0	0	84
<i>Fish</i>	Burbot	0	1	1	1	2	1	2	2	5	17	14	2	41
	Char (Arctic/Dolly Varden)	0	0	1	8	23	27	38	53	24	42	5	3	119
	Cisco (unspec.)	0	0	0	0	0	1	14	14	12	5	0	0	31
	Cod (Arctic)	0	0	0	0	0	0	0	0	1	0	0	0	1
	Flounder	0	0	0	0	0	0	1	0	0	0	0	0	1
	Grayling (Arctic)	0	0	0	0	0	0	2	2	2	2	0	0	7
	Herring (Pacific)	0	0	0	0	0	1	4	5	3	2	0	0	12
	Herring/Cisco (unspec.)	0	0	0	0	0	0	0	1	0	0	0	0	1
	Inconnu	0	0	0	0	0	7	15	22	11	16	9	2	50
	Pike (Northern)	0	0	0	0	0	1	4	11	6	14	7	3	32
	Trout (Lake)	2	4	17	61	107	24	29	21	9	34	4	0	174
	Whitefish (Broad)	0	1	0	0	1	13	39	44	19	21	6	2	85
	Whitefish (Lake)	0	0	0	0	0	3	7	14	5	15	6	0	30
<i>Big Game</i>	Bear (Grizzly)	0	0	0	7	8	0	0	0	0	1	0	0	14
	Bear (Polar)	10	13	6	14	1	0	1	0	0	3	0	4	44
	Caribou	50	100	76	58	63	17	41	85	59	112	83	53	337
	Moose	3	2	1	0	1	1	0	2	2	3	2	3	17
	Muskox	6	7	6	11	9	2	7	10	16	19	8	3	57
	Sheep (Dall)	0	0	0	0	0	0	0	0	0	2	0	0	2
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	8	8	9	3	0	0	0	0	0	0	19	14	38
	Fox (Coloured)	14	6	3	0	0	0	0	0	0	0	18	12	39
	Hare (unspec.)	2	5	9	7	6	1	0	5	6	11	6	1	47
	Lynx	14	9	3	1	0	0	0	0	0	0	11	12	33
	Marten (American)	3	1	1	1	0	0	0	0	0	0	3	3	8
	Mink (American)	16	5	2	0	0	0	0	0	0	0	13	9	29
	Muskrat	0	1	4	11	11	8	0	0	0	0	0	0	27
	Wolf	9	18	23	8	0	0	0	0	0	11	12	7	51
	Wolverine	4	7	5	4	0	0	0	0	0	1	8	3	24
<i>Birds</i>	Brant	0	0	0	0	15	21	1	1	3	0	0	0	35
	Eider (unspec.)	0	0	0	0	0	65	0	0	9	0	0	0	66
	Goose (Canada)	0	0	0	0	70	13	1	3	9	0	0	0	86
	Goose (Greater White-fronted)	0	0	0	0	123	16	0	3	10	0	0	0	138
	Goose (Snow)	0	0	0	1	181	50	0	12	33	1	0	0	217
	Mallard	0	0	0	0	15	2	3	3	1	0	0	0	21
	Oldsquaw	0	0	0	0	1	1	2	0	1	0	0	0	4
	Pintail (Northern)	0	0	0	0	5	2	0	0	1	0	0	0	8
	Ptarmigan (unspec.)	0	3	7	9	4	1	0	0	9	19	8	3	47
	Scoter (unspec.)	0	0	0	0	4	4	1	4	0	0	0	0	13
	Swan (unspec.)	0	0	0	0	53	4	1	0	3	0	0	0	58
	Wigeon (American)	0	0	0	0	10	0	0	1	0	0	0	0	11

^a Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 143 Total estimated harvest, selected species, monthly, Inuvialuit Settlement Region, 1993

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total‡
<i>Marine Mammals</i>	Seal (Bearded)	0	0	1	0	3	3	6	8	2	9	0	0	33 ± 3
	Seal (Ringed)	3	14	26	15	178	305	186	128	115	23	1	0	994 ± 81
	Whale (Beluga)	0	0	0	0	0	16	99	5	0	1	0	0	121 ± 6
<i>Fish</i>	Burbot	0	50	0	0	6	0	0	11	20	805	981	0	1873 ± 175
	Char (Arctic/Dolly Varden)	0	0	0	83	212	250	1976	5284	500	2690	980	0	11976 ± 626
	Char (Arctic Land-locked)	0	0	0	2	0	8	0	0	0	0	0	0	10 ± 0
	Char (unspec.)	0	0	0	0	0	0	0	1	0	0	0	0	1 ± 0
	Cisco (unspec.)	0	0	0	0	0	11	2181	725	5989	6335	275	0	15516 ± 2024
	Cod (Saffron)	0	0	0	0	0	32	0	36	5	0	0	0	73 ± 16
	Flounder	0	0	0	0	0	0	76	0	0	0	0	0	76 ± 24
	Grayling (Arctic)	0	0	0	0	0	0	0	0	0	0	104	0	104 ± 12
	Herring (Pacific)	0	0	0	0	0	0	536	41	1050	3	77	0	1707 ± 499
	Inconnu	128	3	0	0	2	166	769	415	556	1135	375	55	3604 ± 328
	Pike (Northern)	0	0	0	0	0	173	20	197	475	549	664	3	2082 ± 148
	Trout (Lake)	0	30	161	565	2560	1461	610	247	199	571	87	35	6526 ± 238
	Whitefish (Broad)	0	0	0	10	93	1045	6489	7276	2669	992	1034	73	19681 ± 1394
	Whitefish (Lake)	0	0	15	10	0	294	32	433	406	1473	385	53	3100 ± 297
	Whitefish (unspec.)	0	0	0	0	0	0	0	0	0	2	0	0	2 ± 1
<i>Big Game</i>	Bear (Grizzly)	0	0	0	1	2	1	0	0	0	0	0	0	4 ± 1
	Bear (Polar)	2	1	8	13	13	0	0	0	0	0	0	5	42 ± 4
	Caribou	208	267	276	166	124	123	182	392	238	278	265	143	2663 ± 46
	Moose	6	0	2	2	1	0	1	4	8	3	5	3	37 ± 3
	Muskox	20	56	35	54	17	12	15	30	30	71	33	6	379 ± 10
	Sheep (Dall)	0	0	0	0	0	0	0	0	1	0	0	0	1 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	345	364	245	151	0	0	0	0	0	8	1173	809	3094 ± 176
	Fox (Coloured)	2	8	1	0	0	0	0	0	0	0	78	40	129 ± 9
	Hare (unspec.)	67	28	51	126	0	0	0	24	27	33	41	52	447 ± 36
	Lynx	16	7	8	0	0	0	0	0	0	0	9	14	54 ± 7
	Marten (American)	35	0	0	0	0	0	0	0	0	0	105	54	194 ± 45
	Mink (American)	12	3	0	0	0	0	0	0	0	0	15	22	52 ± 4
	Muskrat	0	0	301	374	594	121	0	0	0	0	0	0	1390 ± 135
	Wolf	3	7	22	19	3	0	0	0	0	1	20	0	75 ± 5
	Wolverine	3	16	4	3	1	0	0	0	0	0	9	7	44 ± 4
<i>Birds</i>	Brant	0	0	0	0	53	157	8	6	1	0	0	0	225 ± 36
	Eider (unspec.)	0	0	0	0	3	1637	0	8	173	0	0	0	1822 ± 56
	Goose (Canada)	0	0	0	0	432	153	6	23	25	0	0	0	640 ± 31
	Goose (Greater White-fronted)	0	0	0	15	1225	57	7	11	78	0	0	0	1394 ± 75
	Goose (Snow)	0	0	0	0	3280	322	4	582	392	0	0	0	4580 ± 178
	Mallard	0	0	0	0	56	0	0	0	27	0	0	0	82 ± 7
	Oldsquaw	0	0	0	0	16	14	0	0	9	0	0	0	39 ± 4
	Pintail (Northern)	0	0	0	0	18	5	0	0	7	0	0	0	31 ± 5
	Ptarmigan (unspec.)	0	36	42	45	13	0	0	9	125	718	83	22	1093 ± 86
	Scoter (unspec.)	0	0	0	0	36	41	2	5	22	0	0	0	107 ± 16
	Swan (unspec.)	0	0	0	0	139	2	1	4	8	0	0	0	154 ± 11
	Wigeon (American)	0	0	0	0	99	0	0	0	81	0	0	0	180 ± 15

‡ Total estimated harvest for the period plus or minus the 95% confidence interval.

Other harvested species reported, monthly, Inuvialuit Settlement Region, 1993

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Cod (unspec.)	0	0	0	0	0	0	10	0	0	0	0	0	10
	Sculpin (Fourhorn)	0	0	0	0	10	0	10	0	0	0	0	0	20
	Sucker (unspec.)	0	0	0	0	0	0	0	0	0	30	0	0	30
<i>Big Game</i>	Bear (American Black)	0	0	0	0	0	0	1	0	0	0	0	0	1
<i>Fur Bearers/Small Mammals</i>	Ermine	3	0	0	2	0	0	0	0	0	0	3	0	8
	Otter (River)	0	0	0	0	0	0	0	0	0	0	1	0	1
<i>Birds</i>	Canvasback	0	0	0	0	4	0	0	0	0	0	0	0	4
	Crane (Sandhill)	0	0	0	0	15	0	0	0	0	0	0	0	15
	Goldeneye (unspec.)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Goose (Ross)	0	0	0	0	18	0	0	0	0	0	0	0	18
	Loon (Yellow-billed)	0	0	0	0	0	0	10	3	5	0	0	0	18
	Merganser (unspec.)	0	0	0	0	0	6	2	10	6	0	0	0	24
	Owl (Snowy)	0	0	0	0	0	0	0	0	28	5	0	0	33
	Scaup (unspec.)	0	0	0	0	13	0	0	0	0	0	0	0	13
	Shoveler	0	0	0	0	7	0	0	0	0	0	0	0	7

Table 144 Hunter response, and number of hunters harvesting selected species, monthly, Inuvialuit Settlement Region, 1993

HUNTER RESPONSE	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1993	
Hunter list	871	859	857	854	853	850	848	844	840	839	800	799	871	
Survey population	764	757	756	755	750	750	750	746	745	745	741	737	777	
Hunters interviewed	743	732	728	726	722	719	718	714	714	712	708	704	755	
Harvested	91	114	102	128	263	159	185	191	146	132	141	73	455	
Response Rate (%)	97	97	96	96	96	96	96	96	96	96	96	96	96 ^a	
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	0	1	0	2	2	5	8	2	4	0	0	20
	Seal (Ringed)	3	6	5	6	14	24	28	24	18	7	1	0	62
	Whale (Beluga)	0	0	0	0	0	13	64	5	0	2	0	0	73
<i>Fish</i>	Burbot	0	3	0	0	1	0	0	1	1	19	19	0	35
	Char (Arctic/Dolly Varden)	0	0	0	9	14	8	47	66	11	21	10	0	105
	Cisco (unspec.)	0	0	0	0	0	1	22	11	14	9	2	0	41
	Cod (Saffron)	0	0	0	0	0	2	0	4	2	0	0	0	7
	Flounder	0	0	0	0	0	0	3	0	0	0	0	0	3
	Grayling (Arctic)	0	0	0	0	0	0	0	0	0	0	3	0	3
	Herring (Pacific)	0	0	0	0	0	0	3	2	3	1	2	0	11
	Inconnu	2	1	0	0	1	6	19	10	9	21	11	1	53
	Pike (Northern)	0	0	0	0	0	4	2	2	4	11	9	1	23
	Trout (Lake)	0	5	12	54	108	37	28	14	13	26	3	3	157
	Whitefish (Broad)	0	0	0	1	2	14	39	29	18	13	7	2	73
	Whitefish (Lake)	0	0	1	1	0	4	2	3	3	12	6	1	24
	Whitefish (unspec.)	0	0	0	0	0	0	0	0	0	1	0	0	1
<i>Big Game</i>	Bear (Grizzly)	0	0	0	1	2	1	0	0	0	0	0	0	4
	Bear (Polar)	2	1	8	11	6	0	0	0	0	0	0	0	27
	Caribou	55	60	55	36	39	30	61	95	47	68	61	35	305
	Moose	3	0	1	1	1	0	1	3	8	2	3	1	20
	Muskox	10	25	17	33	12	8	11	14	10	19	18	2	80
	Sheep (Dall)	0	0	0	0	0	0	0	0	1	0	0	0	1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	15	17	8	7	0	0	0	0	0	1	41	29	55
	Fox (Coloured)	2	3	1	0	0	0	0	0	0	0	13	11	24
	Hare (unspec.)	5	6	5	7	0	0	0	5	5	3	6	4	33
	Lynx	5	2	1	0	0	0	0	0	0	0	3	4	10
	Marten (American)	2	0	0	0	0	0	0	0	0	0	4	3	4
	Mink (American)	5	2	0	0	0	0	0	0	0	0	7	5	12
	Muskrat	0	0	7	2	12	3	0	0	0	0	0	0	17
	Wolf	3	5	10	10	2	0	0	0	0	1	8	0	33
	Wolverine	3	7	2	3	1	0	0	0	0	0	6	4	20
<i>Birds</i>	Brant	0	0	0	0	7	13	1	2	1	0	0	0	23
	Eider (unspec.)	0	0	0	0	2	66	0	3	10	0	0	0	71
	Goose (Canada)	0	0	0	0	68	19	1	4	5	0	0	0	87
	Goose (Greater White-fronted)	0	0	0	1	115	7	2	3	12	0	0	0	127
	Goose (Snow)	0	0	0	0	166	17	1	24	29	0	0	0	190
	Mallard	0	0	0	0	14	0	0	0	7	0	0	0	19
	Oldsquaw	0	0	0	0	2	2	0	0	2	0	0	0	5
	Pintail (Northern)	0	0	0	0	6	1	0	0	3	0	0	0	10
	Ptarmigan (unspec.)	0	5	4	6	3	0	0	1	8	31	5	1	52
	Scoter (unspec.)	0	0	0	0	7	3	1	1	4	0	0	0	13
	Swan (unspec.)	0	0	0	0	50	2	1	3	7	0	0	0	59
	Wigeon (American)	0	0	0	0	15	0	0	0	6	0	0	0	19

^a Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 145 Total estimated harvest, selected species, monthly, Inuvialuit Settlement Region, 1994

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	1	0	1	1	1	6	7	3	0	0	0	20 ± 2
	Seal (Ringed)	17	19	26	18	86	161	371	173	112	4	2	28	1018 ± 15
	Whale (Beluga)	0	0	0	0	0	0	123	9	0	0	0	0	131 ± 8
<i>Fish</i>	Burbot	50	44	6	1	4	0	3	12	86	494	128	5	834 ± 103
	Char (Arctic/Dolly Varden)	14	26	32	25	323	495	2750	6252	1649	2123	1735	15	15441 ± 1213
	Char (Arctic Land-locked)	0	0	0	0	8	82	0	0	0	13	0	0	103 ± 0
	Cisco (unspec.)	0	0	0	0	0	15	735	1320	8299	584	0	0	10953 ± 1365
	Cod (Arctic)	0	0	0	0	0	0	154	0	0	0	0	0	154 ± 43
	Cod (Saffron)	0	0	0	0	0	2	0	9	0	0	0	0	11 ± 6
	Flounder	0	0	0	0	0	0	33	267	0	0	0	0	300 ± 102
	Grayling (Arctic)	0	0	0	0	28	3	9	0	13	0	0	0	54 ± 22
	Herring (Pacific)	0	0	0	0	0	0	289	742	0	4234	0	0	5265 ± 891
	Inconnu	18	22	0	4	1	218	640	873	936	624	110	1	3449 ± 432
	Pike (Northern)	1	0	0	0	4	145	47	85	330	257	198	59	1125 ± 145
	Trout (Lake)	0	54	145	458	2400	843	802	102	183	645	153	0	5786 ± 99
	Whitefish (Broad)	0	1	0	3	9	992	9686	4821	2160	4341	1025	0	23038 ± 2826
	Whitefish (Lake)	0	0	0	1	20	336	0	566	831	433	357	0	2544 ± 278
<i>Big Game</i>	Bear (Grizzly)	0	0	0	2	1	0	0	0	0	0	0	0	3 ± 1
	Bear (Polar)	2	3	7	4	1	0	0	0	0	1	1	0	19 ± 2
	Caribou	286	437	217	150	82	61	145	189	200	308	329	209	2613 ± 68
	Moose	3	1	1	0	0	0	0	3	10	0	1	0	20 ± 4
	Muskox	12	20	36	73	17	6	19	26	33	39	34	22	336 ± 15
	Sheep (Dall)	0	0	0	0	0	0	0	0	1	0	0	0	1 ± 1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	728	460	411	360	0	0	0	0	0	0	647	264	2871 ± 127
	Fox (Coloured)	24	16	29	2	0	0	0	0	0	0	34	41	146 ± 12
	Hare (unspec.)	26	35	88	81	1	2	0	1	79	1	1	20	336 ± 72
	Lynx	7	14	8	0	0	0	0	0	0	0	7	19	55 ± 12
	Marten (American)	2	4	0	0	0	0	0	0	0	0	117	132	255 ± 57
	Mink (American)	20	3	1	0	0	0	0	0	0	0	29	80	133 ± 61
	Muskrat	0	0	1452	867	1650	1190	0	0	0	0	0	0	5159 ± 499
	Wolf	4	11	16	8	10	0	1	0	0	0	28	7	85 ± 9
	Wolverine	9	12	13	6	0	0	0	0	0	0	4	8	52 ± 5
<i>Birds</i>	Brant	0	0	0	0	233	232	0	0	2	0	0	0	467 ± 73
	Eider (unspec.)	0	0	0	0	0	2681	0	0	46	0	0	0	2727 ± 2
	Goose (Canada)	0	0	0	3	784	30	35	6	21	0	0	0	879 ± 19
	Goose (Greater White-fronted)	0	0	0	0	1406	23	0	0	54	0	0	0	1483 ± 90
	Goose (Snow)	0	0	0	1	4467	489	11	134	296	0	0	0	5396 ± 226
	Mallard	0	0	0	0	44	16	0	0	32	0	0	0	92 ± 18
	Oldsquaw	0	0	0	0	0	26	0	0	9	0	0	0	35 ± 8
	Pintail (Northern)	0	0	0	0	3	5	0	2	2	0	0	0	13 ± 5
	Ptarmigan (unspec.)	11	8	93	194	44	0	0	2	50	42	96	0	540 ± 50
	Scoter (unspec.)	0	0	0	0	17	50	6	0	42	0	0	0	115 ± 20
	Swan (unspec.)	0	0	0	0	135	15	1	0	0	0	0	0	150 ± 10
	Wigeon (American)	0	0	0	0	27	12	0	0	28	0	0	0	67 ± 23

Total estimated harvest for the period plus or minus the 95% confidence interval.

Other harvested species reported, monthly, Inuvialuit Settlement Region, 1994

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Marine Mammals</i>	Seal (unspec.)	0	0	0	0	0	0	0	1	0	0	0	0	1
<i>Fish</i>	Cisco (unspec.)	0	0	0	0	0	13	644	1168	7390	520	0	0	9735
	Sculpin (Fourhorn)	0	0	0	0	0	0	0	125	0	0	0	0	125
	Sucker (unspec.)	0	0	0	0	0	0	0	0	60	0	0	0	60
<i>Big Game</i>	Bear (American Black)	0	0	0	0	0	0	0	0	1	0	0	0	1
<i>Fur Bearers/Small Mammals</i>	Ermine	3	0	0	1	0	0	0	5	0	0	18	20	47
	Squirrel (Arctic Ground)	0	0	0	0	0	0	0	0	11	0	0	0	11
<i>Birds</i>	Canvasback	0	0	0	0	1	0	0	0	0	0	0	0	1
	Crane (Sandhill)	0	0	0	0	21	0	0	0	0	0	0	0	21
	Duck (unspec.)	0	0	0	0	0	0	0	0	7	0	0	0	7
	Goldeneye (unspec.)	0	0	0	0	0	3	0	0	0	0	0	0	3
	Jay (Gray)	0	0	0	0	0	0	0	0	0	0	35	25	60
	Loon (Arctic)	0	0	0	0	0	0	0	0	34	0	0	0	34
	Loon (Common)	0	0	0	0	0	0	0	0	1	0	0	0	1
	Loon (Yellow-billed)	0	0	0	0	0	3	0	0	1	0	0	0	4
	Scaup (unspec.)	0	0	0	0	8	4	0	0	10	0	0	0	22
	Shoveler	0	0	0	0	1	0	0	4	0	0	0	0	5

Table 146 Hunter response, and number of hunters harvesting selected species, monthly, Inuvialuit Settlement Region, 1994

HUNTER RESPONSE		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1994
Hunter list		944	924	919	910	904	906	900	873	868	865	861	857	947
Survey population		857	856	857	851	849	850	846	838	828	824	817	812	875
Hunters interviewed		805	803	799	800	797	794	789	775	760	744	734	729	825
Harvested		109	123	119	126	281	167	215	164	137	135	133	89	474
Response Rate (%)		94	94	93	94	94	93	93	92	92	90	90	90	92 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES														
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	0	1	0	1	1	1	6	5	2	0	0	0	16
	Seal (Ringed)	6	7	8	7	10	38	38	38	19	3	1	8	86
	Whale (Beluga)	0	0	0	0	0	0	82	10	0	0	0	0	85
<i>Fish</i>	Burbot	2	1	1	1	3	0	1	3	4	12	6	1	30
	Char (Arctic/Dolly Varden)	1	1	2	5	14	25	49	65	18	25	16	1	123
	Cisco (unspec.)	0	0	0	0	0	1	5	11	21	2	0	0	36
	Cod (Arctic)	0	0	0	0	0	0	5	0	0	0	0	0	5
	Cod (Saffron)	0	0	0	0	0	1	0	1	0	0	0	0	2
	Flounder	0	0	0	0	0	0	3	4	0	0	0	0	5
	Grayling (Arctic)	0	0	0	0	1	2	2	0	2	0	0	0	4
	Herring (Pacific)	0	0	0	0	0	0	3	6	0	14	0	0	20
	Inconnu	2	1	0	1	1	9	20	25	14	14	5	1	57
	Pike (Northern)	1	0	0	0	4	2	4	4	6	5	2	2	21
	Trout (Lake)	0	9	19	51	127	39	36	8	14	34	7	0	177
	Whitefish (Broad)	0	1	0	1	3	28	48	52	25	19	10	0	99
	Whitefish (Lake)	0	0	0	1	4	4	0	6	6	6	7	0	29
<i>Big Game</i>	Bear (Grizzly)	0	0	0	1	1	0	0	0	0	0	0	0	2
	Bear (Polar)	2	3	5	4	1	0	0	0	0	1	1	0	14
	Caribou	68	73	49	44	27	15	36	41	39	60	72	48	279
	Moose	3	1	1	0	0	0	0	2	7	0	1	0	15
	Muskox	9	11	15	25	9	5	16	19	15	14	17	8	70
	Sheep (Dall)	0	0	0	0	0	0	0	0	1	0	0	0	1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	22	18	17	14	0	0	0	0	0	0	23	15	40
	Fox (Coloured)	8	5	6	2	0	0	0	0	0	0	10	11	29
	Hare (unspec.)	5	3	8	5	1	1	0	1	3	1	1	2	26
	Lynx	3	3	2	0	0	0	0	0	0	0	3	7	12
	Marten (American)	2	1	0	0	0	0	0	0	0	0	5	12	13
	Mink (American)	4	2	1	0	0	0	0	0	0	0	4	11	18
	Muskrat	0	0	10	10	13	8	0	0	0	0	0	0	28
	Wolf	2	8	5	4	2	0	1	0	0	0	6	4	28
	Wolverine	7	8	6	3	0	0	0	0	0	0	4	3	23
<i>Birds</i>	Brant	0	0	0	0	9	17	0	0	1	0	0	0	26
	Eider (unspec.)	0	0	0	0	0	67	0	0	5	0	0	0	67
	Goose (Canada)	0	0	0	2	102	8	4	4	3	0	0	0	112
	Goose (Greater White-fronted)	0	0	0	0	110	5	0	0	7	0	0	0	115
	Goose (Snow)	0	0	0	1	159	20	1	10	17	0	0	0	177
	Mallard	0	0	0	0	10	3	0	0	4	0	0	0	15
	Oldsquaw	0	0	0	0	0	2	0	0	2	0	0	0	3
	Pintail (Northern)	0	0	0	0	1	1	0	1	1	0	0	0	4
	Ptarmigan (unspec.)	2	1	10	14	4	0	0	1	6	8	13	0	42
	Scoter (unspec.)	0	0	0	0	2	4	1	0	4	0	0	0	10
	Swan (unspec.)	0	0	0	0	54	8	1	0	0	0	0	0	61
	Wigeon (American)	0	0	0	0	7	1	0	0	2	0	0	0	9

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 147 Total estimated harvest, selected species, monthly, Inuvialuit Settlement Region, 1995

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	3	0	2	2	0	0	7	2	2	1	0	0	19 ± 1
	Seal (Ringed)	80	14	17	58	25	90	289	43	162	1	7	1	788 ± 9
	Whale (Beluga)	0	0	0	0	0	0	115	5	1	0	0	0	122 ± 6
<i>Fish</i>	Burbot	32	8	3	0	5	0	12	3	46	548	134	0	791 ± 88
	Char (Arctic/Dolly Varden)	0	0	0	10	266	1063	3687	4362	361	5001	350	33	15133 ± 121
	Char (Arctic Land-locked)	0	0	0	6	53	53	8	0	0	17	10	0	147 ± 2
	Cisco (unspec.)	0	0	0	0	16	64	423	4190	1509	2743	0	0	8947 ± 694
	Cod (Arctic)	0	0	0	0	21	34	32	0	0	0	0	0	87 ± 0
	Cod (Saffron)	0	0	0	0	0	0	0	5	20	0	0	0	26 ± 7
	Flounder	0	0	0	0	2	593	309	234	89	75	11	0	1314 ± 84
	Grayling (Arctic)	0	0	0	0	0	0	1	1	0	43	15	0	60 ± 1
	Herring (Pacific)	0	0	0	0	41	368	705	929	3746	451	1998	0	8237 ± 691
	Inconnu	27	4	2	0	49	680	1054	1070	499	519	412	0	4317 ± 235
	Pike (Northern)	0	0	0	8	10	250	24	68	132	264	22	0	779 ± 96
	Trout (Lake)	11	15	85	551	2330	1008	695	338	177	370	45	2	5628 ± 151
	Whitefish (Broad)	0	0	0	0	180	2407	7892	4260	2577	3277	515	0	21108 ± 923
	Whitefish (Lake)	42	0	0	0	52	381	832	978	1135	1192	511	0	5123 ± 392
<i>Big Game</i>	Bear (Grizzly)	0	0	0	2	1	0	0	0	0	0	0	0	3 ± 1
	Bear (Polar)	2	3	11	9	0	0	0	0	0	0	0	0	25 ± 1
	Caribou	229	180	78	111	77	46	124	224	256	622	387	76	2409 ± 47
	Moose	1	1	1	0	0	0	2	3	4	0	0	0	13 ± 2
	Muskox	39	43	36	25	29	11	16	26	18	40	60	16	360 ± 9
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	431	253	164	91	0	0	0	0	0	0	37	25	1000 ± 22
	Fox (Coloured)	37	31	17	2	0	0	0	0	0	0	56	40	183 ± 23
	Hare (unspec.)	6	47	25	202	0	0	0	0	61	58	88	2	490 ± 108
	Lynx	4	10	4	4	0	0	0	0	0	0	18	20	61 ± 8
	Marten (American)	34	78	54	43	0	0	0	0	0	0	11	14	233 ± 50
	Mink (American)	3	4	0	6	0	0	0	0	0	0	31	43	88 ± 10
	Muskrat	0	0	372	418	731	138	0	0	0	0	0	0	1660 ± 195
	Wolf	10	15	17	9	1	0	0	1	0	11	21	10	96 ± 5
	Wolverine	1	15	5	2	0	0	0	0	0	0	8	5	37 ± 3
<i>Birds</i>	Brant	0	0	0	0	252	296	0	0	0	0	0	0	547 ± 63
	Eider (unspec.)	0	0	0	0	13	3140	0	30	112	0	0	0	3295 ± 5
	Goose (Canada)	0	0	0	0	441	112	4	8	17	0	0	0	581 ± 11
	Goose (Greater White-fronted)	0	0	0	1	1050	69	0	18	120	0	0	0	1258 ± 82
	Goose (Snow)	0	0	0	0	4967	448	20	197	59	0	0	0	5691 ± 228
	Mallard	0	0	0	0	85	14	0	0	42	13	0	0	154 ± 20
	Oldsquaw	0	0	0	0	12	14	0	0	0	0	0	0	26 ± 3
	Pintail (Northern)	0	0	0	0	16	10	0	0	0	0	0	0	25 ± 6
	Ptarmigan (unspec.)	37	15	12	120	61	0	0	3	62	119	73	25	528 ± 34
	Scoter (unspec.)	0	0	0	0	18	27	0	0	24	0	0	0	68 ± 9
	Swan (unspec.)	0	0	0	0	110	13	2	4	11	6	0	0	146 ± 8
	Wigeon (American)	0	0	0	0	122	28	0	0	55	15	0	0	220 ± 26

Total estimated harvest for the period plus or minus the 95% confidence interval.

Other harvested species reported, monthly, Inuvialuit Settlement Region, 1995

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Marine Mammals</i>	Walrus	0	0	0	0	0	0	1	0	0	0	0	0	1
<i>Fish</i>	Sculpin (Fourhorn)	0	0	0	0	0	0	0	0	0	12	0	0	12
	Sucker (unspec.)	0	0	0	0	0	0	0	0	0	2	0	0	2
<i>Big Game</i>	Bear (American Black)	0	0	0	0	0	1	0	0	0	0	0	0	1
<i>Fur Bearers/Small Mammals</i>	Ermine	0	10	0	0	0	0	0	0	0	0	0	0	10
	Squirrel (Arctic Ground)	0	0	0	0	12	0	0	0	5	0	0	0	17
<i>Birds</i>	Crane (Sandhill)	0	0	0	0	22	0	0	0	0	0	0	0	22
	Goldeneye (unspec.)	0	0	0	0	3	0	0	0	0	0	0	0	3
	Goose (Ross)	0	0	0	0	6	0	0	0	0	0	0	0	6
	Loon (Arctic)	0	0	0	0	0	0	0	0	32	0	0	0	32
	Loon (Yellow-billed)	0	0	0	0	0	0	0	1	1	0	0	0	2
	Merganser (unspec.)	0	0	0	0	0	0	10	0	0	0	0	0	10
	Scaup (unspec.)	0	0	0	0	0	0	0	0	6	0	0	0	6
	Shoveler	0	0	0	0	4	0	0	0	0	0	0	0	4

Table 148 Hunter response, and number of hunters harvesting selected species, monthly, Inuvialuit Settlement Region, 1995

HUNTER RESPONSE	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1995
Hunter list	1156	1149	1151	1148	1133	1134	1080	1062	1061	1046	1042	1038	1156
Survey population	1081	1089	1088	1081	1065	1059	1002	968	959	947	942	948	1106
Hunters interviewed	1028	1035	1034	1027	1023	1009	964	926	916	910	903	901	1058
Harvested	97	80	80	113	241	174	205	176	117	145	127	47	445
Response Rate (%)	95	95	95	95	96	95	96	96	96	96	96	95	95 ^a
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<i>Marine Mammals</i>	Seal (Bearded)	1	0	2	1	0	0	5	2	2	1	0	0
	Seal (Ringed)	14	5	3	10	9	26	31	13	20	1	4	1
	Whale (Beluga)	0	0	0	0	0	0	86	7	1	0	0	89
<i>Fish</i>	Burbot	1	1	1	0	2	0	5	2	11	16	2	0
	Char (Arctic/Dolly Varden)	0	0	0	3	17	29	46	56	7	27	13	1
	Cisco (unspec.)	0	0	0	0	1	2	7	35	23	5	0	0
	Cod (Arctic)	0	0	0	0	2	7	4	0	0	0	0	0
	Cod (Saffron)	0	0	0	0	0	0	0	1	6	0	0	7
	Flounder	0	0	0	0	1	7	8	19	10	2	2	0
	Grayling (Arctic)	0	0	0	0	0	0	1	1	0	3	2	0
	Herring (Pacific)	0	0	0	0	1	4	3	7	26	5	8	0
	Inconnu	2	1	1	0	5	25	32	38	27	19	12	0
	Pike (Northern)	0	0	0	1	2	6	4	4	3	10	2	0
	Trout (Lake)	3	7	15	52	116	40	30	16	14	25	9	1
	Whitefish (Broad)	0	0	0	0	5	46	51	41	23	28	8	0
	Whitefish (Lake)	1	0	0	0	3	10	18	19	10	9	6	0
<i>Big Game</i>	Bear (Grizzly)	0	0	0	2	1	0	0	0	0	0	0	0
	Bear (Polar)	2	3	11	8	0	0	0	0	0	0	0	21
	Caribou	48	32	23	30	23	13	44	61	39	75	73	19
	Moose	1	1	1	0	0	0	3	3	4	0	0	0
	Muskox	18	24	17	13	5	6	14	13	9	14	15	10
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	22	12	12	9	0	0	0	0	0	0	8	5
	Fox (Coloured)	4	2	2	2	0	0	0	0	0	0	16	10
	Hare (unspec.)	1	2	3	5	0	0	0	0	6	2	3	1
	Lynx	1	3	1	1	0	0	0	0	0	0	6	3
	Marten (American)	3	2	1	1	0	0	0	0	0	0	3	5
	Mink (American)	2	1	0	1	0	0	0	0	0	0	7	9
	Muskrat	0	0	7	4	11	2	0	0	0	0	0	20
	Wolf	6	11	6	5	1	0	0	1	0	7	10	7
	Wolverine	1	7	5	2	0	0	0	0	0	0	8	5
<i>Birds</i>	Brant	0	0	0	0	16	13	0	0	0	0	0	0
	Eider (unspec.)	0	0	0	0	4	64	0	4	9	0	0	0
	Goose (Canada)	0	0	0	0	70	15	2	4	3	0	0	0
	Goose (Greater White-fronted)	0	0	0	1	81	7	0	5	12	0	0	0
	Goose (Snow)	0	0	0	0	130	16	1	14	7	0	0	0
	Mallard	0	0	0	0	13	3	0	0	3	2	0	0
	Oldsquaw	0	0	0	0	1	1	0	0	0	0	0	0
	Pintail (Northern)	0	0	0	0	2	1	0	0	0	0	0	0
	Ptarmigan (unspec.)	4	3	3	15	4	0	0	1	7	11	7	3
	Scoter (unspec.)	0	0	0	0	3	3	0	0	1	0	0	0
	Swan (unspec.)	0	0	0	0	50	9	1	4	3	2	0	0
	Wigeon (American)	0	0	0	0	13	2	0	0	4	2	0	0

^a Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 149 Total estimated harvest, selected species, monthly, Inuvialuit Settlement Region, 1996

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total‡
<i>Marine Mammals</i>	Seal (Bearded)	1	1	1	3	0	0	11	11	5	0	0	0	33 ± 2
	Seal (Ringed)	19	13	16	42	42	174	578	323	163	37	0	8	1416 ± 32
	Whale (Beluga)	0	0	0	0	0	1	105	4	0	0	0	0	110 ± 11
<i>Fish</i>	Burbot	0	48	0	0	0	0	0	0	43	751	562	0	1404 ± 275
	Char (Arctic/Dolly Varden)	0	0	0	20	55	425	4121	5033	466	2279	249	107	12756 ± 451
	Char (Arctic Land-locked)	0	0	0	1	21	4	0	0	0	0	0	0	26 ± 3
	Cisco (unspec.)	0	0	0	0	0	236	1408	4661	2450	0	0	0	8756 ± 1467
	Cod (Arctic)	0	0	0	0	19	44	106	4	0	0	0	0	173 ± 30
	Cod (Saffron)	0	0	0	0	0	101	0	0	0	0	0	0	101 ± 0
	Flounder	0	0	0	0	0	0	1	2	0	0	0	0	3 ± 0
	Grayling (Arctic)	0	0	0	0	0	2	3	0	33	0	0	0	38 ± 26
	Herring (Pacific)	0	0	0	0	0	2	190	2082	1602	1712	0	0	5588 ± 1304
	Inconnu	0	66	0	31	34	201	1309	342	349	698	659	0	3689 ± 534
	Pike (Northern)	0	0	0	0	0	35	13	9	241	140	229	0	667 ± 168
	Trout (Lake)	2	54	263	464	1997	1419	148	124	132	226	34	0	4862 ± 165
	Whitefish (Lake)	0	24	0	23	0	156	1622	700	1095	301	187	0	15132 ± 1808
	Whitefish (Broad)	0	0	0	0	120	770	4323	2435	4524	2317	565	78	4108 ± 620
	Whitefish (unspec.)	0	0	0	0	0	0	0	0	0	2	0	0	2 ± 2
<i>Big Game</i>	Bear (Grizzly)	0	0	1	5	4	0	0	0	0	0	0	0	11 ± 2
	Bear (Polar)	3	2	7	4	2	0	0	0	0	2	3	5	29 ± 3
	Caribou	171	231	193	102	83	44	137	169	157	319	292	184	2081 ± 116
	Moose	3	2	1	0	0	0	0	1	9	4	1	1	22 ± 4
	Muskox	14	21	37	34	40	16	5	25	17	83	79	12	384 ± 7
	Sheep (Dall)	1	0	0	1	0	0	0	0	0	0	0	2	4 ± 1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	27	21	33	21	0	0	0	0	0	596	245	943 ± 3	
	Fox (Coloured)	21	6	2	5	0	0	0	0	0	1	48	32	116 ± 14
	Hare (unspec.)	24	1	23	44	0	0	0	2	63	52	56	33	299 ± 53
	Lynx	3	12	1	0	0	0	0	0	0	0	16	26	59 ± 11
	Marten (American)	7	1	0	0	0	0	0	0	0	0	12	13	34 ± 7
	Mink (American)	31	0	0	0	0	0	0	0	0	0	120	86	237 ± 33
	Muskrat	0	0	574	317	2101	1163	0	0	0	0	0	0	4154 ± 605
	Wolf	9	8	9	8	13	1	0	0	0	1	3	5	57 ± 5
	Wolverine	3	6	4	2	0	0	0	0	0	0	3	6	25 ± 4
<i>Birds</i>	Brant	0	0	0	0	12	338	0	14	2	0	0	0	366 ± 132
	Eider (unspec.)	0	0	0	0	18	2727	0	10	137	38	1	0	2931 ± 30
	Goose (Canada)	0	0	0	0	528	77	13	93	7	0	0	0	718 ± 33
	Goose (Greater White-fronted)	0	0	0	0	1289	213	0	19	257	0	0	0	1778 ± 310
	Goose (Snow)	0	0	0	0	3423	913	0	264	243	0	0	0	4843 ± 588
	Mallard	0	0	0	0	83	9	0	38	71	0	0	0	201 ± 34
	Oldsquaw	0	0	0	0	0	0	0	0	2	0	0	0	2 ± 0
	Pintail (Northern)	0	0	0	0	12	0	0	0	0	0	0	0	12 ± 8
	Ptarmigan (unspec.)	10	65	37	168	119	0	0	2	158	532	139	30	1260 ± 53
	Scoter (unspec.)	0	0	0	0	65	29	0	0	6	0	0	0	99 ± 19
	Swan (unspec.)	0	0	0	0	142	44	0	1	12	0	0	0	200 ± 32
	Wigeon (American)	0	0	0	0	131	22	0	33	81	0	0	0	267 ± 37

‡ Total estimated harvest for the period plus or minus the 95% confidence interval.

Other harvested species reported, monthly, Inuvialuit Settlement Region, 1996

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Fish</i>	Fish (unspec.)	0	0	0	0	0	0	150	0	200	0	0	0	350
	Herring (Lake)	0	0	0	0	0	40	0	0	0	0	0	0	40
<i>Fur Bearers/Small Mammals</i>	Ermine	0	0	0	0	0	0	0	0	0	0	0	2	2
	Squirrel (Arctic Ground)	0	0	0	0	2	0	0	4	0	0	0	0	6
<i>Birds</i>	Canvasback	0	0	0	0	0	0	0	0	7	0	0	0	7
	Crane (Sandhill)	0	0	0	0	9	0	0	0	0	0	0	0	9
	Goldeneye (unspec.)	0	0	0	0	20	0	0	0	2	0	0	0	22
	Goose (Ross)	0	0	0	0	3	0	0	0	0	0	0	0	3
	Loon (Arctic)	0	0	0	0	0	0	0	0	81	0	0	0	81
	Loon (unspec.)	0	0	0	0	0	1	0	0	0	0	0	0	1
	Loon (Yellow-billed)	0	0	0	0	0	0	5	5	8	0	0	0	18
	Owl (Snowy)	0	0	0	0	0	0	0	0	0	2	0	0	2
	Shoveler	0	0	0	0	0	0	0	0	10	0	0	0	10

Table 150 Hunter response, and number of hunters harvesting selected species, monthly, Inuvialuit Settlement Region, 1996

HUNTER RESPONSE	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1996
Hunter list	1050	1038	1038	1037	992	859	860	858	855	852	856	847	1051
Survey population	952	950	948	945	949	810	804	807	805	800	803	798	985
Hunters interviewed	922	902	859	837	766	686	675	623	699	633	645	630	955
Harvested	63	74	82	112	204	141	182	120	114	117	119	67	411
Response Rate (%)	97	95	91	89	81	85	84	77	87	79	80	79	85 ^a
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<i>Marine Mammals</i>	Seal (Bearded)	1	1	1	1	0	0	8	7	3	0	0	0
	Seal (Ringed)	5	5	5	10	10	31	46	22	18	4	0	2
	Whale (Beluga)	0	0	0	0	0	1	68	4	0	0	0	71
<i>Fish</i>	Burbot	0	1	0	0	0	0	0	0	3	15	11	0
	Char (Arctic/Dolly Varden)	0	0	0	6	9	17	80	60	12	28	9	132
	Cisco (unspec.)	0	0	0	0	0	3	9	26	15	0	0	39
	Cod (Arctic)	0	0	0	0	2	3	2	2	0	0	0	7
	Cod (Saffron)	0	0	0	0	0	1	0	0	0	0	0	1
	Flounder	0	0	0	0	0	0	1	1	0	0	0	2
	Grayling (Arctic)	0	0	0	0	0	1	1	0	1	0	0	2
	Herring (Pacific)	0	0	0	0	0	1	1	19	15	7	0	31
	Inconnu	0	2	0	1	1	5	22	6	9	15	12	0
	Pike (Northern)	0	0	0	0	0	1	1	4	4	5	6	18
	Trout (Lake)	1	8	23	53	76	42	12	8	11	20	4	130
	Whitefish (Broad)	0	0	0	0	2	8	35	28	22	7	7	2
	Whitefish (Lake)	0	1	0	1	0	3	24	11	14	2	1	37
	Whitefish (unspec.)	0	0	0	0	0	0	0	0	0	1	0	1
<i>Big Game</i>	Bear (Grizzly)	0	0	1	4	3	0	0	0	0	0	0	8
	Bear (Polar)	3	2	6	4	2	0	0	0	0	2	3	22
	Caribou	36	44	33	30	21	10	40	38	27	50	45	209
	Moose	2	2	1	0	0	0	0	1	7	3	1	16
	Muskox	8	13	17	16	14	9	5	13	10	33	31	72
	Sheep (Dall)	1	0	0	1	0	0	0	0	0	0	1	3
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	3	5	8	4	0	0	0	0	0	0	26	16
	Fox (Coloured)	10	3	2	1	0	0	0	0	0	1	12	7
	Hare (unspec.)	2	1	5	5	0	0	0	1	9	5	6	3
	Lynx	2	2	1	0	0	0	0	0	0	0	6	8
	Marten (American)	4	1	0	0	0	0	0	0	0	0	5	4
	Mink (American)	6	0	0	0	0	0	0	0	0	0	14	12
	Muskrat	0	0	7	7	20	6	0	0	0	0	0	30
	Wolf	6	4	6	5	4	1	0	0	0	1	3	26
	Wolverine	3	5	2	2	0	0	0	0	0	0	3	16
<i>Birds</i>	Brant	0	0	0	0	7	14	0	3	1	0	0	24
	Eider (unspec.)	0	0	0	0	3	71	0	2	10	2	1	73
	Goose (Canada)	0	0	0	0	68	13	1	4	3	0	0	78
	Goose (Greater White-fronted)	0	0	0	0	69	11	0	2	18	0	0	91
	Goose (Snow)	0	0	0	0	92	21	0	21	25	0	0	135
	Mallard	0	0	0	0	7	2	0	2	7	0	0	15
	Oldsquaw	0	0	0	0	0	0	0	1	0	0	0	1
	Pintail (Northern)	0	0	0	0	2	0	0	0	0	0	0	2
	Ptarmigan (unspec.)	1	6	8	15	10	0	0	1	8	20	10	57
	Scoter (unspec.)	0	0	0	0	6	3	0	0	2	0	0	11
	Swan (unspec.)	0	0	0	0	41	16	0	1	3	0	0	59
	Wigeon (American)	0	0	0	0	10	2	0	2	7	0	0	20

^a Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 151 Total estimated harvest, selected species, monthly, Inuvialuit Settlement Region, 1997

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total [#]
<i>Marine Mammals</i>	Seal (Bearded)	0	0	4	2	1	2	4	3	1	0	0	0	17 ± 1
	Seal (Ringed)	8	26	9	16	120	74	155	79	119	6	5	4	622 ± 6
	Whale (Beluga)	0	0	0	0	0	0	123	7	0	0	0	0	131 ± 10
<i>Fish</i>	Burbot	7	0	0	0	0	0	2	6	38	660	283	21	1016 ± 141
	Char (Arctic/Dolly Varden)	30	0	0	3	74	161	3517	2903	91	1672	414	0	8865 ± 167
	Char (Arctic Land-locked)	0	0	0	0	0	70	0	0	0	1	0	0	71 ± 0
	Cisco (unspec.)	0	0	0	0	0	41	5553	4313	4666	1411	0	0	15984 ± 804
	Cod (Arctic)	0	0	0	0	0	3	0	0	0	0	0	0	3 ± 0
	Cod (Saffron)	0	0	0	0	0	0	60	36	0	0	0	0	96 ± 0
	Flounder	0	0	0	0	31	0	109	41	0	0	0	0	182 ± 31
	Grayling (Arctic)	0	0	0	0	0	0	0	6	0	0	0	0	6 ± 0
	Herring (Pacific)	0	0	0	0	0	0	0	1429	865	1736	880	210	5121 ± 437
	Herring/Cisco (unspec.)	0	0	0	0	0	0	59	0	0	0	0	0	**59 ± 33
	Inconnu	43	0	22	0	1	78	1776	806	254	578	270	12	3839 ± 276
	Pike (Northern)	0	0	0	0	0	17	8	31	33	25	58	90	262 ± 74
	Trout (Lake)	21	35	31	413	1892	1100	504	77	138	264	122	28	4626 ± 103
	Whitefish (Broad)	1	0	0	0	23	438	4583	3402	2498	3742	2027	105	16819 ± 1402
	Whitefish (Lake)	11	0	11	0	42	143	926	552	172	139	181	215	2391 ± 160
	Whitefish (unspec.)	0	0	0	0	0	0	4	404	0	0	0	0	407 ± 113
<i>Big Game</i>	Bear (Grizzly)	0	0	0	4	4	0	0	1	0	1	0	0	10 ± 1
	Bear (Polar)	0	3	20	16	1	0	0	0	0	0	0	1	41 ± 3
	Caribou	196	127	170	118	93	50	86	179	128	394	298	138	1978 ± 49
	Moose	0	0	0	1	0	1	0	0	9	2	0	2	16 ± 3
	Muskox	46	46	56	44	56	14	12	38	42	18	26	14	413 ± 7
	Sheep (Dall)	2	1	1	0	0	0	0	0	0	0	0	0	4 ± 0
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	371	371	309	121	0	0	0	0	0	0	328	266	1765 ± 47
	Fox (Coloured)	31	23	13	20	0	0	0	0	0	1	44	69	201 ± 29
	Hare (unspec.)	19	35	62	8	1	0	0	20	164	73	3	76	460 ± 79
	Lynx	46	39	12	0	0	0	0	0	0	0	23	26	146 ± 17
	Marten (American)	9	0	0	0	0	0	0	0	0	0	0	5	14 ± 5
	Mink (American)	51	27	35	0	0	8	0	0	0	0	16	66	203 ± 43
	Muskrat	0	0	1192	1874	3455	2976	0	0	0	0	0	0	9497 ± 914
	Wolf	19	25	25	12	0	0	0	0	0	8	14	15	118 ± 6
	Wolverine	9	14	4	12	1	0	0	0	0	1	5	19	65 ± 6
<i>Birds</i>	Brant	0	0	0	0	111	406	6	0	0	0	0	0	523 ± 42
	Eider (unspec.)	0	0	0	0	0	2439	4	0	2	0	0	0	2445 ± 5
	Goose (Canada)	0	0	0	0	737	90	2	6	16	0	0	0	851 ± 13
	Goose (Greater White-fronted)	0	0	0	0	2320	207	17	7	71	0	0	0	2621 ± 114
	Goose (Snow)	0	0	0	0	5728	1176	0	24	2	0	0	0	6931 ± 245
	Mallard	0	0	0	0	184	169	5	0	24	0	0	0	383 ± 55
	Oldsquaw	0	0	0	0	6	17	14	0	0	0	0	0	37 ± 4
	Pintail (Northern)	0	0	0	0	36	23	0	0	10	0	0	0	69 ± 18
	Ptarmigan (unspec.)	70	26	56	132	118	0	0	0	42	174	130	19	765 ± 39
	Scoter (unspec.)	0	0	0	0	46	47	0	7	0	0	0	0	101 ± 26
	Swan (unspec.)	0	0	0	0	145	23	0	0	11	0	0	0	179 ± 10
	Wigeon (American)	0	0	0	0	230	108	7	0	13	0	0	0	357 ± 52

Total estimated harvest for the period plus or minus the 95% confidence interval.

Other harvested species reported, monthly, Inuvialuit Settlement Region, 1997

Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
<i>Marine Mammals</i>	Walrus	0	0	0	0	0	0	0	0	1	0	0	0	1
<i>Fish</i>	Cod (unspec.)	0	0	0	0	0	9	0	0	0	0	0	0	9
	Herring (Lake)	0	0	0	0	120	135	0	0	0	0	0	0	255
	Sculpin (Fourhorn)	0	0	0	0	0	0	0	1	0	0	0	0	1
<i>Big Game</i>	Bear (American Black)	0	0	0	0	0	0	0	1	0	0	0	0	1
<i>Fur Bearers/Small Mammals</i>	Ermine	0	0	0	0	0	0	0	0	0	0	0	1	1
	Otter (River)	0	0	1	0	0	0	0	0	0	0	0	0	1
<i>Birds</i>	Canvasback	0	0	0	0	6	7	0	0	5	0	0	0	18
	Crane (Sandhill)	0	0	0	0	19	0	0	1	0	0	0	0	20
	Goldeneye (unspec.)	0	0	0	0	1	2	0	0	4	9	0	0	16
	Goose (Ross)	0	0	0	0	8	0	0	0	0	0	0	0	8
	Loon (Arctic)	0	0	0	0	0	0	0	0	20	0	0	0	20
	Loon (Common)	0	0	0	0	0	3	0	0	0	0	0	0	3
	Loon (Yellow-billed)	0	0	0	0	0	8	6	0	3	1	0	0	18
	Loon (unspec.)	0	0	0	0	0	0	3	0	0	0	0	0	3
	Owl (Snowy)	0	0	0	0	0	0	0	0	1	0	0	0	1
	Scaup (unspec.)	0	0	0	0	0	5	0	0	6	0	0	0	11
	Teal (Green-winged)	0	0	0	0	1	0	0	0	0	0	0	0	1

Table 152 Hunter response, and number of hunters harvesting selected species, monthly, Inuvialuit Settlement Region, 1997

HUNTER RESPONSE	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	1997
Hunter list	868	862	860	856	855	845	836	833	833	835	826	804	880
Survey population	788	774	768	764	766	765	754	737	737	723	730	727	825
Hunters interviewed	746	738	725	722	726	726	708	685	679	669	661	657	791
Harvested	100	89	109	118	253	160	183	130	102	119	97	71	409
Response Rate (%)	95	95	94	95	95	95	94	93	92	93	91	90	93 ^Δ
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total ^{##}
Category	Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<i>Marine Mammals</i>	Seal (Bearded)	0	0	1	1	1	2	3	3	1	0	0	0
	Seal (Ringed)	6	3	3	4	14	18	29	15	13	3	2	3
	Whale (Beluga)	0	0	0	0	0	0	69	7	0	0	0	74
<i>Fish</i>	Burbot	1	0	0	0	0	0	1	2	1	14	9	3
	Char (Arctic/Dolly Varden)	1	0	0	1	4	14	60	43	7	27	4	0
	Cisco (unspec.)	0	0	0	0	0	1	36	33	19	7	0	50
	Cod (Arctic)	0	0	0	0	0	1	0	0	0	0	0	1
	Cod (Saffron)	0	0	0	0	0	0	1	1	0	0	0	2
	Flounder	0	0	0	0	2	0	4	1	0	0	0	5
	Grayling (Arctic)	0	0	0	0	0	0	0	1	0	0	0	1
	Herring (Pacific)	0	0	0	0	0	0	0	13	5	11	2	23
	Herring/Cisco (unspec.)	0	0	0	0	0	0	2	0	0	0	0	2
	Inconnu	3	0	2	0	1	3	33	26	7	11	7	50
	Pike (Northern)	0	0	0	0	0	1	3	2	2	3	2	10
	Trout (Lake)	3	6	6	28	100	39	20	8	5	24	7	145
	Whitefish (Broad)	1	0	0	0	1	10	43	48	24	20	3	82
	Whitefish (Lake)	2	0	2	0	2	4	16	12	4	7	4	40
	Whitefish (unspec.)	0	0	0	0	0	0	1	2	0	0	0	3
<i>Big Game</i>	Bear (Grizzly)	0	0	0	4	3	0	0	1	0	1	0	0
	Bear (Polar)	0	3	16	12	1	0	0	0	0	0	0	26
	Caribou	44	30	38	32	27	18	33	45	38	70	52	28
	Moose	0	0	0	1	0	1	0	0	6	2	0	11
	Muskox	20	26	25	19	18	6	9	15	17	11	7	67
	Sheep (Dall)	2	1	1	0	0	0	0	0	0	0	0	4
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	22	18	16	9	0	0	0	0	0	19	14	35
	Fox (Coloured)	9	6	3	3	0	0	0	0	0	1	13	11
	Hare (unspec.)	4	6	6	2	1	0	0	1	9	2	2	26
	Lynx	7	7	2	0	0	0	0	0	0	0	5	12
	Marten (American)	4	0	0	0	0	0	0	0	0	0	0	4
	Mink (American)	9	4	1	0	0	1	0	0	0	0	5	17
	Muskrat	0	0	13	20	21	15	0	0	0	0	0	37
	Wolf	9	11	11	6	0	0	0	0	0	5	8	40
	Wolverine	8	6	4	2	1	0	0	0	0	1	4	21
<i>Birds</i>	Brant	0	0	0	0	13	20	2	0	0	0	0	34
	Eider (unspec.)	0	0	0	0	0	72	1	0	1	0	0	72
	Goose (Canada)	0	0	0	0	77	19	1	1	5	0	0	91
	Goose (Greater White-fronted)	0	0	0	0	123	12	3	2	8	0	0	135
	Goose (Snow)	0	0	0	0	144	33	0	3	2	0	0	159
	Mallard	0	0	0	0	11	9	1	0	3	0	0	19
	Oldsquaw	0	0	0	0	1	2	1	0	0	0	0	3
	Pintail (Northern)	0	0	0	0	7	2	0	0	2	0	0	10
	Ptarmigan (unspec.)	6	3	5	8	7	0	0	0	3	9	7	34
	Scoter (unspec.)	0	0	0	0	5	4	0	1	0	0	0	8
	Swan (unspec.)	0	0	0	0	60	14	0	0	4	0	0	71
	Wigeon (American)	0	0	0	0	12	6	1	0	1	0	0	16

^Δ Mean monthly response rate.^{##} Some hunters may have hunted in more than one month but are only counted once in the total.

Table 153 Total estimated harvest, selected species, annual and ten-year mean, ISR, 1988 - 1997

Category	Species	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean
Marine Mammals	Seal (Bearded)	32	17	16	24	24	33	20	19	33	17	24
	Seal (Ringed)	1336	1171	1581	1112	812	995	1018	789	1416	622	1085
	Whale (Beluga)	218	82	96	133	148	121	131	122	110	131	129
Fish	Burbot	12273	6558	6698	2906	2608	1873	834	791	1404	1017	3696
	Char (Arctic/Dolly Varden)	8058	10837	10952	7734	12965	11976	15440	15132	12756	8865	***n/a
	Char (Arctic Land-locked)	188	109	420	234	183	10	103	147	26	71	***n/a
	Char (unspec.)	6242	0	0	0	0	1	0	0	0	0	***n/a
	Cisco (unspec.)	46433	7248	8728	37133	15788	15515	10953	8947	8756	15983	**n/a
	Cod (Arctic)	0	0	0	6	2	0	154	87	173	3	43
	Cod (Saffron)	40	145	22	585	0	73	11	26	101	96	110
	Flounder	9	1	76	263	52	76	300	1314	3	182	228
	Grayling (Arctic)	11	22	5	21	41	104	53	60	38	6	36
	Herring (Pacific)	7637	7205	5649	7116	5520	1707	5265	8237	5588	5121	**n/a
	Herring/Cisco (unspec.)	2504	8840	19333	1037	201	0	0	0	0	59	**n/a
	Inconnu	6131	6513	8066	8368	5360	3604	3449	4316	3689	3839	5334
	Pike (Northern)	7052	5772	3433	2602	1963	2082	1125	779	666	262	2574
	Trout (Lake)	3404	3033	4878	5861	6266	6526	5786	5629	4863	4626	5087
	Whitefish (Lake)	24658	12089	9119	10020	8136	3100	2544	5123	4109	2391	*n/a
	Whitefish (Broad)	45385	16947	20065	28402	25260	19681	23038	21108	15132	16819	*n/a
	Whitefish (unspec.)	2189	6975	7162	0	0	2	0	0	2	408	*n/a
Big Game	Bear (Grizzly)	3	12	7	13	30	4	3	3	10	10	10
	Bear (Polar)	53	63	55	54	59	42	20	25	29	41	44
	Caribou	5393	3165	3575	3657	3596	2661	2612	2409	2081	1978	3113
	Moose	63	35	27	25	23	37	19	12	22	16	28
	Muskox	325	386	311	187	187	379	336	360	384	413	327
	Sheep (Dall)	1	1	0	1	2	1	1	0	4	4	2
Fur Bearers/Small Mammals	Fox (Arctic)	1462	498	665	616	931	3094	2870	1000	942	1765	1384
	Fox (Coloured)	803	458	150	235	240	128	146	183	116	201	266
	Hare (unspec.)	1804	1801	2457	1074	429	447	336	489	299	460	960
	Lynx	35	20	6	114	215	54	56	61	59	146	77
	Marten (American)	1023	605	241	95	296	194	255	233	33	14	299
	Mink (American)	589	374	289	746	201	52	132	88	237	203	291
	Muskrat	55921	8760	4801	5900	2943	1389	5159	1660	4154	9498	10019
	Wolf	81	89	56	179	233	75	85	95	57	117	107
	Wolverine	45	39	27	60	55	44	52	36	24	65	45
Birds	Brant	1016	221	198	914	414	225	467	547	366	523	489
	Eider (unspec.)	5013	3761	2394	3909	4516	1821	2727	3295	2931	2445	3281
	Goose (Canada)	828	332	564	585	599	640	879	581	718	850	658
	Goose (Greater White-fronted)	2831	1086	1796	1409	1949	1394	1482	1259	1779	2622	1761
	Goose (Snow)	7078	3921	5639	5842	8785	4579	5396	5692	4843	6930	5871
	Mallard	571	265	191	183	128	82	92	154	200	383	225
	Oldsquaw	380	118	53	51	11	39	35	26	2	37	75
	Pintail (Northern)	268	97	49	10	25	31	13	26	12	69	60
	Ptarmigan (unspec.)	2634	1246	668	586	938	1094	540	528	1260	766	1026
	Scoter (unspec.)	407	211	342	139	81	106	116	68	100	101	167
	Swan (unspec.)	72	65	88	78	137	154	149	145	199	178	127
	Wigeon (American)	806	327	300	103	66	180	66	220	267	358	269

* Whitefish was reported differently over the ten-year period.

** Herring/Cisco was reported differently over the ten-year period.

*** Char was reported differently in some communities and over the ten-year period.

Other harvested species reported, annual and ten-year mean, ISR, 1988 - 1997

Category	Species	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean
<i>Marine Mammals</i>	Seal (unspec.)	11	8	47	0	0	0	1	0	0	0	7
	Walrus	2	0	1	0	0	0	0	1	0	1	1
<i>Fish</i>	Cod (unspec.)	1	0	0	20	1	10	0	0	0	9	4
	Fish (unspec.)	350	0	0	2	0	0	0	0	350	0	70
	Herring (Lake)	0	40	0	0	0	0	0	0	40	255	34
	Sculpin (Fourhorn)	1	15	50	112	20	20	125	12	0	1	36
	Sucker (unspec.)	0	49	9	0	0	30	60	2	0	0	15
	Trout (unspec.)	0	36	61	0	0	0	0	0	0	0	10
<i>Big Game</i>	Bear (American Black)	6	3	5	0	0	1	1	1	0	1	2
<i>Fur Bearers/Small Mammals</i>	Ermine	193	32	14	37	6	8	47	10	2	1	35
	Otter (River)	0	0	0	1	0	1	0	0	0	1	0
	Squirrel (Arctic Ground)	55	10	0	0	9	0	11	17	6	0	11
<i>Birds</i>	Canvasback	33	34	39	32	5	4	1	0	7	18	17
	Crane (Sandhill)	12	12	14	10	13	15	21	22	9	20	15
	Duck (unspec.)	95	20	0	0	0	0	7	0	0	0	12
	Goldeneye (unspec.)	14	0	0	7	0	1	3	3	22	16	7
	Goose (Ross)	0	2	2	1	0	18	0	6	3	8	4
	Goose (unspec.)	23	0	0	10	5	0	0	0	0	0	4
	Loon (Arctic)	11	15	20	16	0	0	34	32	81	20	23
	Loon (Common)	6	9	4	0	0	0	1	0	0	3	2
	Loon (unspec.)	7	5	2	0	0	0	0	0	1	3	2
	Loon (Yellow-billed)	2	3	4	6	23	18	4	2	18	18	10
	Merganser (unspec.)	18	3	0	2	20	24	0	10	0	0	8
	Owl (Snowy)	0	0	0	0	13	33	0	0	2	1	5
	Scaup (unspec.)	98	64	9	6	44	13	22	6	0	11	27
	Shoveler	16	12	7	1	0	7	5	4	10	0	6
	Teal (Green-winged)	6	3	7	0	3	0	0	0	0	1	2

Table 154 Hunter response, and number of hunters harvesting selected species, annual and ten-year mean, ISR, 1988-1997

HUNTER RESPONSE	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean	
Hunter list	705	737	754	863	868	871	947	1156	1051	880	883	
Survey population	701	719	721	806	797	777	875	1106	985	825	831	
Hunters interviewed	562	702	711	771	785	755	825	1058	955	791	792	
Harvested	486	478	490	506	508	455	474	445	411	409	466	
Response rate (%)	76	95	94	93	98	96	92	95	85	93	92	
NUMBER OF HUNTERS HARVESTING SELECTED SPECIES												
Category	Species	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	Mean ^{##}
<i>Marine Mammals</i>	Seal (Bearded)	17	9	14	14	14	20	16	12	14	11	14
	Seal (Ringed)	66	71	61	80	55	62	86	70	73	63	69
	Whale (Beluga)	57	48	68	87	84	73	85	89	71	74	74
<i>Fish</i>	Burbot	83	58	57	45	41	35	30	33	26	26	43
	Char (Arctic/Dolly Varden)	127	102	99	104	119	105	123	113	132	107	113
	Cisco (unspec.)	79	13	12	44	31	41	36	47	39	50	39
	Cod (Arctic)	0	0	0	1	1	0	5	10	7	1	3
	Cod (Saffron)	4	4	2	6	0	7	2	7	1	2	4
	Flounder	1	1	1	1	1	3	5	31	2	5	5
	Grayling (Arctic)	2	2	1	3	7	3	4	7	2	1	3
	Herring (Pacific)	15	17	16	20	12	11	20	44	31	23	21
	Herring/Cisco (unspec.)	6	7	10	1	1	0	0	0	0	2	3
	Inconnu	98	76	83	72	50	53	57	83	50	50	67
	Pike (Northern)	71	63	57	30	32	23	21	23	18	10	35
	Trout (Lake)	131	113	129	142	174	157	177	162	130	145	146
	Whitefish (Broad)	120	87	72	89	85	73	99	104	71	82	88
	Whitefish (Lake)	68	53	36	44	30	24	29	46	37	40	41
	Whitefish (unspec.)	15	19	19	0	0	1	0	0	1	3	6
<i>Big Game</i>	Bear (Grizzly)	3	8	7	11	14	4	2	3	8	7	7
	Bear (Polar)	28	36	40	34	44	27	14	21	22	26	29
	Caribou	346	322	339	339	337	305	279	242	209	212	293
	Moose	23	25	22	19	17	20	15	12	16	11	18
	Muskox	63	67	45	60	57	80	70	63	72	67	64
	Sheep (Dall)	1	1	0	1	2	1	1	0	3	4	1
<i>Fur Bearers/Small Mammals</i>	Fox (Arctic)	70	23	25	38	38	55	40	27	27	35	38
	Fox (Coloured)	88	61	32	45	39	24	29	25	29	27	40
	Hare (unspec.)	63	57	75	45	47	33	26	19	29	26	42
	Lynx	4	6	5	22	33	10	12	7	12	12	12
	Marten (American)	28	29	13	6	8	4	13	8	8	4	12
	Mink (American)	43	37	30	39	29	12	18	12	20	17	26
	Muskrat	88	52	43	46	27	17	28	20	30	37	39
	Wolf	31	31	28	50	51	33	28	40	26	40	36
	Wolverine	19	17	13	28	24	20	23	19	16	21	20
<i>Birds</i>	Brant	45	20	18	25	35	23	26	25	24	34	28
	Eider (unspec.)	80	75	60	72	66	71	67	68	73	72	70
	Goose (Canada)	84	67	88	80	86	87	112	76	78	91	85
	Goose (Greater White-fronted)	157	98	121	133	138	127	115	97	91	135	121
	Goose (Snow)	191	125	159	155	217	190	177	144	135	159	165
	Mallard	52	36	32	23	21	19	15	18	15	19	25
	Oldsquaw	29	15	8	9	4	5	3	2	1	3	8
	Pintail (Northern)	30	15	5	2	8	10	4	3	2	10	9
	Ptarmigan (unspec.)	94	64	31	37	47	52	42	40	57	34	50
	Scoter (unspec.)	42	30	30	21	13	13	10	7	11	8	19
	Swan (unspec.)	32	26	35	27	58	59	61	61	59	71	49
	Wigeon (American)	46	38	24	17	11	19	9	16	20	16	22

Some hunters may have hunted in more than one year but are only counted once in the total.



 Environment Canada Environnement Canada



 Canadian Wildlife Service Service canadien de la faune



 Fisheries and Oceans Pêches et Océans



Inuvialuit Harvest Strategy



Resources, Wildlife and
Economic Development
inspirating our future



Wildlife Management
Advisory Council
(North Slope)



ISBN 0-9733799-0-1